

LINUX COMMANDS

uname:

```
srinidhiumasankar02@cloudshell:~$ uname
Linux
```

uptime:

```
srinidhiumasankar02@cloudshell:~$ uptime
15:04:30 up 6 min,  0 user,  load average: 0.05, 0.11, 0.08
```

hostname:

```
srinidhiumasankar02@cloudshell:~$ hostname
cs-279904284872-default
```

dmesg:

```
srinidhiumasankar02@cloudshell:~$ dmesg
dmesg: read kernel buffer failed: Operation not permitted
```

free:

```
srinidhiumasankar02@cloudshell:~$ free
              total        used        free      shared  buff/cache   available
Mem:           8138096        877188        6142360          1148       1365088       7260908
Swap:              0              0              0
```

top:

```
Tasks:  32 total,   1 running,  31 sleeping,   0 stopped,   0 zombie
%Cpu(s):  0.5 us,   0.5 sy,   0.0 ni,  98.8 id,   0.0 wa,   0.0 hi,   0.0 si,   0.2 st
MiB Mem:   7947.4 total,  5987.8 free,   866.7 used,  1333.6 buff/cache
MiB Swap:   0.0 total,   0.0 free,   0.0 used.  7080.6 avail Mem
```

	PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
	478	root	20	0	1793224	45092	31744	S	0.3	0.6	0:01.04	containerd
	1	root	20	0	4324	3268	2988	S	0.0	0.0	0:00.07	bash
	8	syslog	20	0	222140	3844	2484	S	0.0	0.0	0:00.02	rsyslogd
	24	root	20	0	38768	27932	10828	S	0.0	0.3	0:00.66	python
	25	root	20	0	6196	2684	2444	S	0.0	0.0	0:00.00	logger
	66	root	10	-10	12024	3952	2840	S	0.0	0.0	0:00.01	sshd
	373	root	20	0	1948360	84560	61504	S	0.0	1.0	0:00.43	dockerd
	467	root	20	0	1234268	12632	8276	S	0.0	0.2	0:00.27	editor-proxy
	468	root	20	0	16328	6332	5408	S	0.0	0.1	0:00.01	sudo
	472	root	20	0	1226100	2680	1976	S	0.0	0.0	0:00.00	tmux-agent
	670	root	20	0	2696	1532	1432	S	0.0	0.0	0:00.00	sleep
	703	root	20	0	9196	3936	3556	S	0.0	0.0	0:00.00	runuser
	704	srinidh+	20	0	4324	3284	3020	S	0.0	0.0	0:00.00	sh
	726	srinidh+	20	0	11.3g	150828	51140	S	0.0	1.9	0:06.06	node
	748	srinidh+	10	-10	7148	2736	2080	S	0.0	0.0	0:00.03	tmux
	749	srinidh+	10	-10	8800	5776	3924	S	0.0	0.1	0:00.06	bash
	1147	srinidh+	20	0	1048772	61780	47448	S	0.0	0.8	0:00.31	node
	1481	srinidh+	20	0	11.0g	84108	49236	S	0.0	1.0	0:01.10	node
	1524	root	10	-10	13996	9756	8384	S	0.0	0.1	0:00.01	sshd
	1526	root	10	-10	13996	9632	8256	S	0.0	0.1	0:00.02	sshd
	1528	srinidh+	10	-10	14256	6352	4696	S	0.0	0.1	0:00.00	sshd
	1529	srinidh+	10	-10	7340	3768	3516	S	0.0	0.0	0:00.00	bash
	1532	srinidh+	10	-10	14256	6280	4620	S	0.0	0.1	0:00.01	sshd
	1533	srinidh+	10	-10	7604	4268	3664	S	0.0	0.1	0:00.00	bash
	1536	srinidh+	10	-10	7340	3672	3424	S	0.0	0.0	0:00.00	bash
	1537	srinidh+	10	-10	7340	3804	3544	S	0.0	0.0	0:00.00	start-shell.sh
	1538	srinidh+	10	-10	6880	3448	3144	S	0.0	0.0	0:00.00	tmux
	1539	srinidh+	20	0	11.3g	96600	50528	S	0.0	1.2	0:01.37	node
	1550	srinidh+	20	0	1048516	61988	47636	S	0.0	0.8	0:00.28	node

htop:

```
0 [|||||] 4.5% Tasks: 32, 87 thr, 0 kthr; 1 running
1 [|||||] 4.9% Load average: 0.07 0.03 0.03
Mem [|||||] 624M/7.76G Uptime: 00:17:13
Swp [|||||] OK/0K

Main [I/O]
PID USER PRI NI VIRT RES SHR S CPU% MEM% TIME+ Command
473 root 20 0 1197M 2680 1976 S 0.0 0.0 0:00.00 /google/devshell/tmux-agent
8 syslog 20 0 216M 3844 2484 S 0.0 0.0 0:00.00 /usr/sbin/rsyslogd
9 syslog 20 0 216M 3844 2484 S 0.0 0.0 0:00.00 /usr/sbin/rsyslogd
10 syslog 20 0 216M 3844 2484 S 0.0 0.0 0:00.00 /usr/sbin/rsyslogd
11 syslog 20 0 216M 3844 2484 S 0.0 0.0 0:00.01 /usr/sbin/rsyslogd
24 root 20 0 38768 27932 10828 S 0.0 0.3 0:00.71 /usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var/run/supervisor.pid --logfile=/var/
25 root 20 0 6196 2684 2444 S 0.0 0.0 0:00.00 logger -t supervisord
66 root 10 -10 12024 3952 2840 S 0.0 0.0 0:00.01 sshd: /usr/sbin/sshd -p 22 -o AuthorizedKeysFile=/etc/ssh/keys/authorized_keys [listener] 0 of 10-60 startups
373 root 20 0 1902M 84560 61504 S 0.0 1.0 0:00.21 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
412 root 20 0 1902M 84560 61504 S 0.0 1.0 0:00.05 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
413 root 20 0 1902M 84560 61504 S 0.0 1.0 0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
414 root 20 0 1902M 84560 61504 S 0.0 1.0 0:00.01 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
415 root 20 0 1902M 84560 61504 S 0.0 1.0 0:00.00 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
429 root 20 0 1902M 84560 61504 S 0.0 1.0 0:00.05 /usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gcr.io
467 root 20 0 1205M 12632 8276 S 0.0 0.2 0:00.01 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
468 root 20 0 16328 6332 5408 S 0.0 0.1 0:00.01 sudo /google/devshell/tmux-agent
469 root 20 0 1205M 12632 8276 S 0.0 0.2 0:00.04 /google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code-oss-for-cloud-shell/static-content
704 srinidhium 20 0 4324 3284 3020 S 0.0 0.0 0:00.00 sh ./bin/codeoss-cloudshell --host=0.0.0.0 --port=9711 --hard.html=/google/devshell/editor/code-oss-for-cloud-shell/static-content
726 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:03.99 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
727 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.00 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
728 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.56 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
729 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.47 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
730 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.49 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
731 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.46 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
732 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.00 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
740 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.04 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
741 srinidhium 20 0 11.3G 147M 51140 S 0.0 1.9 0:00.04 /google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-cloud-shell/out/server-main.js --ho
F1:help F2:setup F3:search F4:filter F5:tree F6:sortby F7:nice F8:nice F9:kill F10:quit
```

lsb_release:

```
srinidhiumasankar02@cloudshell:~$ lsb_release -a
No LSB modules are available.
Distributor ID: Ubuntu
Description: Ubuntu 24.04.4 LTS
Release: 24.04
Codename: noble
```

arch:

```
srinidhiumasankar02@cloudshell:~$ arch
x86_64
```

uname:

```
srinidhiumasankar02@cloudshell:~$ uname
Linux
```

ls:

```
srinidhiumasankar02@cloudshell:~$ ls
myfolder  README-cloudshell.txt
```

pwd:

```
srinidhiumasankar02@cloudshell:~$ pwd
/home/srinidhiumasankar02
```

mkdir:

```
srinidhiumasankar02@cloudshell:~$ mkdir --help
Usage: mkdir [OPTION]... DIRECTORY...
Create the DIRECTORY(ies), if they do not already exist.

Mandatory arguments to long options are mandatory for short options too.
-m, --mode=MODE    set file mode (as in chmod), not a=rwx - umask
-p, --parents      no error if existing, make parent directories as needed,
                  with their file modes unaffected by any -m option.
-v, --verbose      print a message for each created directory
-Z                set SELinux security context of each created directory
                  to the default type
--context[=CTX]    like -Z, or if CTX is specified then set the SELinux
                  or SMACK security context to CTX
--help            display this help and exit
--version         output version information and exit

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
Full documentation <https://www.gnu.org/software/coreutils/mkdir>
or available locally via: info '(coreutils) mkdir invocation'
```

rmdir:

```
srinidhiumasankar02@cloudshell:~$ rmdir --help
Usage: rmdir [OPTION]... DIRECTORY...
Remove the DIRECTORY(ies), if they are empty.

--ignore-fail-on-non-empty
                        ignore each failure to remove a non-empty directory
-p, --parents          remove DIRECTORY and its ancestors;
                        e.g., 'rmdir -p a/b' is similar to 'rmdir a/b a'

-v, --verbose          output a diagnostic for every directory processed
--help                display this help and exit
--version              output version information and exit

GNU coreutils online help: <https://www.gnu.org/software/coreutils/>
Full documentation <https://www.gnu.org/software/coreutils/rmdir>
or available locally via: info '(coreutils) rmdir invocation'
```

touch:

```
srinidhiumasankar02@cloudshell:~$ touch notes.txt
srinidhiumasankar02@cloudshell:~$ ls
myfolder  notes.txt  README-cloudshell.txt
```

rm:

```
srinidhiumasankar02@cloudshell:~$ rm notes.txt
srinidhiumasankar02@cloudshell:~$ ls
myfolder  README-cloudshell.txt
```

cp:

```
srinidhiumasankar02@cloudshell:~$ cp file1.txt file2.txt
srinidhiumasankar02@cloudshell:~$ ls
file1.txt  file2.txt  myfolder  README-cloudshell.txt
```

mv:

```
srinidhiumasankar02@cloudshell:~$ mv file2.txt renamed.txt
srinidhiumasankar02@cloudshell:~$ ls
backup  file1.txt  myfolder  project  README-cloudshell.txt  renamed.txt
srinidhiumasankar02@cloudshell:~$ mv renamed.txt project/
srinidhiumasankar02@cloudshell:~$ ls project
renamed.txt  test.txt
```

ln:

```
srinidhiumasankar02@cloudshell:~$ ln -s file1.txt shortcut.txt
srinidhiumasankar02@cloudshell:~$ ls
backup  file1.txt  myfolder  project  README-cloudshell.txt  shortcut.txt
```

cat:

```
srinidhiumasankar02@cloudshell:~$ echo "Linux is awesome" > notes.txt
srinidhiumasankar02@cloudshell:~$ echo "I am learning Cloud Shell" >> notes.txt
srinidhiumasankar02@cloudshell:~$ echo "This is line 3" >> notes.txt
srinidhiumasankar02@cloudshell:~$ echo "This is line 4" >> notes.txt
srinidhiumasankar02@cloudshell:~$ echo "This is line 5" >> notes.txt
srinidhiumasankar02@cloudshell:~$ cat notes.txt
Linux is awesome
I am learning Cloud Shell
This is line 3
This is line 4
This is line 5
```

more:

```
srinidhiumasankar02@cloudshell:~$ more notes.txt
Linux is awesome
I am learning Cloud Shell
This is line 3
This is line 4
This is line 5
```

tail:

```
srinidhiumasankar02@cloudshell:~$ tail notes.txt
Linux is awesome
I am learning Cloud Shell
This is line 3
This is line 4
This is line 5
srinidhiumasankar02@cloudshell:~$ tail -2 notes.txt
This is line 4
This is line 5
```

head:

```
srinidhiumasankar02@cloudshell:~$ head -2 notes.txt
Linux is awesome
I am learning Cloud Shell
```

nano:

```
srinidhiumasankar02@cloudshell:~$ nano notes.txt
srinidhiumasankar02@cloudshell:~$ cat notes.txt
Linux is awesome
I am learning Cloud Shell
This is line 3
This is line 4
This is line 5
Hello from nano editor
```

vi/vim:

```
srinidhiumasankar02@cloudshell:~$ vim notes.txt
srinidhiumasankar02@cloudshell:~$ cat notes.txt
Linux is awesome
I am learning Cloud Shell
This is line 3
This is line 4
This is line 5
Hello from nano editor
Learning vim editor
```

awk:

```
srinidhiumasankar02@cloudshell:~$ cat > students.txt
Alice 21 Python
Bob 19 Java
Charlie 22 C++
David 20 AI
srinidhiumasankar02@cloudshell:~$ cat students.txt
Alice 21 Python
Bob 19 Java
Charlie 22 C++
David 20 AI
```

sed:

```
srinidhiumasankar02@cloudshell:~$ sed 's/Python/ML/' students.txt
Alice 21 ML
Bob 19 Java
Charlie 22 C++
David 20 AI
```

chmod:

```
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rw-rw-r-- 1 srinidhiumasankar02 srinidhiumasankar02 0 May 15 03:07 secret.txt
srinidhiumasankar02@cloudshell:~$ chmod +x secret.txt
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rwxrwxr-x 1 srinidhiumasankar02 srinidhiumasankar02 0 May 15 03:07 secret.txt
srinidhiumasankar02@cloudshell:~$ chmod -w secret.txt
srinidhiumasankar02@cloudshell:~$ chmod 777 secret.txt
srinidhiumasankar02@cloudshell:~$ chmod 644 secret.txt
srinidhiumasankar02@cloudshell:~$ chmod 755 secret.txt
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rwxr-xr-x 1 srinidhiumasankar02 srinidhiumasankar02 0 May 15 03:07 secret.txt
```

chown:

```
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rwxr-xr-x 1 srinidhiumasankar02 srinidhiumasankar02 0 May 15 03:07 secret.txt
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rwxr-xr-x 1 srinidhiumasankar02 srinidhiumasankar02 0 May 15 03:07 secret.txt
srinidhiumasankar02@cloudshell:~$ sudo chown root secret.txt
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rwxr-xr-x 1 root srinidhiumasankar02 0 May 15 03:07 secret.txt
```

chgrp:

```
srinidhiumasankar02@cloudshell:~$ sudo chgrp root secret.txt
srinidhiumasankar02@cloudshell:~$ ls -l secret.txt
-rwxr-xr-x 1 root root 0 May 15 03:07 secret.txt
srinidhiumasankar02@cloudshell:~$
```

umask:

```
srinidhiumasankar02@cloudshell:~$ umask
0002
```

stat:

```
srinidhiumasankar02@cloudshell:~$ stat secret.txt
  File: secret.txt
  Size: 0          Blocks: 0          IO Block: 4096   regular empty file
Device: 8,17      Inode: 131396       Links: 1
Access: (0755/-rwxr-xr-x)  Uid: (  0/   root)   Gid: (  0/   root)
Access: 2026-05-15 03:07:42.544627566 +0000
Modify: 2026-05-15 03:07:42.544627566 +0000
Change: 2026-05-15 03:21:58.418593635 +0000
 Birth: 2026-05-15 03:07:42.544627566 +0000
```

getfacl:

```
srinidhiumasankar02@cloudshell:~$ getfacl secret.txt
# file: secret.txt
# owner: root
# group: root
user::rwx
group::r-x
other::r-x
```


setfacl:

```
srinidhiumasankar02@cloudshell:~$ sudo setfacl -m u:root:rwX secret.txt
srinidhiumasankar02@cloudshell:~$ getfacl secret.txt
# file: secret.txt
# owner: root
# group: root
user::rwX
user:root:rwX
group::r-x
mask::rwX
other::r-x
```

lsattr:

```
srinidhiumasankar02@cloudshell:~$ lsattr secret.txt
-----e----- secret.txt
```

ifconfig:

```
srinidhiumasankar02@cloudshell:~$ ifconfig
docker0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1460
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    ether 0a:e5:c6:3d:12:e9 txqueuelen 0 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1460
    inet 10.88.0.3 netmask 255.255.0.0 broadcast 10.88.255.255
    ether 3e:fe:43:12:7b:3a txqueuelen 1000 (Ethernet)
    RX packets 19807 bytes 7383897 (7.3 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 15455 bytes 20167121 (20.1 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 12952 bytes 40833006 (40.8 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 12952 bytes 40833006 (40.8 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
```

ip:

```
srinidhiumasankar02@cloudshell:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
2: eth0@if7: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1460 qdisc noqueue state UP group default qlen 1000
    link/ether 3e:fe:43:12:7b:3a brd ff:ff:ff:ff:ff:ff link-netnsid 0
    inet 10.88.0.3/16 brd 10.88.255.255 scope global eth0
        valid_lft forever preferred_lft forever
3: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1460 qdisc noqueue state DOWN group default
    link/ether 0a:e5:c6:3d:12:e9 brd ff:ff:ff:ff:ff:ff
    inet 172.17.0.1/16 brd 172.17.255.255 scope global docker0
        valid_lft forever preferred_lft forever
```

ping:

```
srinidhiumasankar02@cloudshell:~$ ping google.com
PING google.com (172.253.118.139) 56(84) bytes of data.
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=1 ttl=117 time=0.515 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=2 ttl=117 time=0.424 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=3 ttl=117 time=0.414 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=4 ttl=117 time=0.359 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=5 ttl=117 time=0.359 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=6 ttl=117 time=0.368 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=7 ttl=117 time=0.313 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=8 ttl=117 time=0.347 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=9 ttl=117 time=0.321 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=10 ttl=117 time=0.334 ms
 64 bytes from sl-in-f139.1e100.net (172.253.118.139): icmp_seq=11 ttl=117 time=0.370 ms
^C
--- google.com ping statistics ---
11 packets transmitted, 11 received, 0% packet loss, time 10217ms
rtt min/avg/max/mdev = 0.313/0.374/0.515/0.055 ms
```

netsat:

```
srinidhiumasankar02@cloudshell:~$ ss
Netid State Recv-Q Send-Q           Local Address:Port           Peer Address:Port
u_str  ESTAB  0      0              * 39383                  * 40160
u_str  ESTAB  0      0              * 24723                  * 24722
u_dgr  ESTAB  0      0              * 20784                  * 20711
u_str  ESTAB  0      0              * 37555                  * 0
u_str  ESTAB  0      0              * 40140                  * 40141
u_str  ESTAB  0      0              * 24065                  * 24064
u_str  ESTAB  0      0              * 24720                  * 24721
u_str  ESTAB  0      0              * 37578                  * 37577
u_str  ESTAB  0      0              * 23847                  * 23846
u_str  ESTAB  0      0              * 24809                  * 24810
u_str  ESTAB  0      0              * 24062                  * 24063
u_str  ESTAB  0      0              * 24810                  * 24809
u_dgr  ESTAB  0      0              * 22670                  * 20711
u_str  ESTAB  0      0              * 24725                  * 24724
u_str  ESTAB  0      0              * 24722                  * 24723
u_str  ESTAB  0      0              * 39344                  * 0
u_str  ESTAB  0      0              * 24066                  * 24067
```

wget:

```
srinidhiumasankar02@cloudshell:~$ wget https://example.com
--2026-05-15 03:37:45-- https://example.com/
Resolving example.com (example.com)... 104.20.23.154, 172.66.147.243, 2606:4700:10::ac42:93f3, ...
Connecting to example.com (example.com)|104.20.23.154|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: 'index.html'

index.html           [ <=> ]      528  --.-KB/s   in 0s

2026-05-15 03:37:45 (74.4 MB/s) - 'index.html' saved [528]

srinidhiumasankar02@cloudshell:~$ ls
backup      index.html  notes.txt  project      secret.txt  students.txt
file1.txt   myfolder   notes.txtqy README-cloudshell.txt shortcut.txt
```


curl:

```
srinidhiumasankar02@cloudshell:~$ curl https://example.com
<!doctype html><html lang="en"><head><title>Example Domain</title><meta name="viewport" content="width=device-width, initial-scale=1"></head><body><div class="main"><p>This domain is for use in documentation, without needing permission. Avoid use in operations.</p><p><a href="https://iana.org/domains/example">Learn more</a></p></div></body></html>
```

lsblk:

```
srinidhiumasankar02@cloudshell:~$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
sda          8:0    0  100G  0 disk
├─sda1       8:1    0  95.8G  0 part /run/google/devshell
│            /var/lib/docker
│            /etc/ssh/keys
│            /var/config/tmux
│            /etc/resolv.conf
│            /etc/hostname
│            /etc/hosts
│            /root
├─sda2       8:2    0   16M  0 part
├─sda3       8:3    0    2G  0 part
├─sda4       8:4    0   16M  0 part
├─sda5       8:5    0    2G  0 part
├─sda6       8:6    0   512B  0 part
├─sda7       8:7    0   512B  0 part
├─sda8       8:8    0   16M  0 part
├─sda9       8:9    0   512B  0 part
├─sda10      8:10   0   512B  0 part
├─sda11      8:11   0    8M  0 part
└─sda12      8:12   0   32M  0 part
sdb          8:16    0    5G  0 disk
└─sdb1       8:17   0    5G  0 part /home
```

mount:

```
srinidhiumasankar02@cloudshell:~$ mount
overlay on / type overlay (rw,relatime,lowerdir=206/fs:199/fs:198/fs:196/fs:193/fs:192/fs:190/fs:189/fs:188/fs:187/fs:185/fs:184/fs:183/fs:182/fs:181/fs:180/fs:179/fs:178/fs:177/fs:176/fs:175/fs:174/fs:173/fs:172/fs:163/fs:162/fs:161/fs:160/fs:157/fs:156/fs:155/fs:152/fs:151/fs:148/fs:146/fs:143/fs:142/fs:141/fs:140/fs:139/fs:138/fs:137/fs:136/fs:133/fs:132/fs:128/fs:126/fs:125/fs:123/fs:119/fs:118/fs:116/fs:114/fs:110/fs:107/fs:106/fs:105/fs:104/fs:102/fs:99/fs:97/fs:95/fs:94/fs:91/fs:90/fs:85/fs:84/fs:83/fs:82/fs:80/fs:78/fs:69/fs:68/fs:67/fs:66/fs:65/fs:64/fs:63/fs:62/fs:6/fs,upperdir=/var/lib/containerd/io.containerd.snapshotter.v1.gcfs/snapshotter/snapshots/317/fs,workdir=/var/lib/containerd/io.containerd.snapshotter.v1.gcfs/snapshotter/snapshots/317/work)
proc on /proc type proc (rw,nosuid,nodev,noexec,relatime)
tmpfs on /dev type tmpfs (rw,nosuid,size=65536k,mode=755)
devpts on /dev/pts type devpts (rw,nosuid,noexec,relatime,gid=5,mode=620,ptmxmode=666)
mqueue on /dev/mqueue type mqueue (rw,nosuid,nodev,noexec,relatime)
sysfs on /sys type sysfs (ro,nosuid,nodev,noexec,relatime)
cgroup on /sys/fs/cgroup type cgroup2 (rw,nosuid,nodev,noexec,relatime)
/dev/sda1 on /root type ext4 (rw,relatime,commit=30)
/dev/disk/by-id/google-home-part1 on /home type ext4 (rw,noatime,journal_checksum,errors=remount-ro,data=ordered)
/dev/dm-0 on /usr/lib/modules type ext2 (ro,relatime)
/dev/sda1 on /etc/hosts type ext4 (rw,relatime,commit=30)
/dev/sda1 on /etc/hostname type ext4 (rw,relatime,commit=30)
/dev/sda1 on /etc/resolv.conf type ext4 (rw,relatime,commit=30)
shm on /dev/shm type tmpfs (rw,relatime,size=65536k)
/dev/sda1 on /var/config/tmux type ext4 (ro,relatime,commit=30)
/dev/sda1 on /etc/ssh/keys type ext4 (rw,relatime,commit=30)
/dev/sda1 on /var/lib/docker type ext4 (rw,relatime,commit=30)
/dev/sda1 on /run/google/devshell type ext4 (rw,relatime,commit=30)
none on /sys/kernel/security type securityfs (rw,relatime)
```

passwd:

```
srinidhiumasankar02@cloudshell:~$ passwd
Changing password for srinidhiumasankar02.
Current password:
passwd: Authentication token manipulation error
passwd: password unchanged
```

groups:

```
srinidhiumasankar02@cloudshell:~$ groups
srinidhiumasankar02 adm sudo docker
```

nice:

```
srinidhiumasankar02@cloudshell:~$ nice
-10
```

pgrep:

```
srinidhiumasankar02@cloudshell:~$ pgrep bash
1
695
1521
2367
2370
2382
```