FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
2	Project and Task Required for Internal Order Types Not From ROC	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE

CONDITION	:ORDER.ORDER_TYPE = (SELECT ottt.name
	  FROM oe_transaction_types_all otta, OE_TRANSACTION_TYPES_TL ottt
	 WHERE otta.attribute9 = 'Y'
	     AND otta.transaction_type_id = ottt.transaction_type_id
	     AND ottt.name = :ORDER.ORDER_TYPE)
	AND (${ITEM.LINE.PROJECT_NUMBER.VALUE} IS NULL OR
	${ITEM.LINE.TASK_NUMBER.VALUE} IS NULL)
	AND :LINE.ORDERED_ITEM IS NOT NULL
	AND :LINE.SHIP_FROM_ORG_ID <> 86

PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Mandatory fields (Project Number and Task Number) must be entered.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
4	Project and Task Required for DEF Not Demo - DEFENSE	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE

CONDITION	1=1
	and :LINE.SHIP_FROM = 'DEF'
	and :LINE.PROJECT_NUMBER is null
	and not exists (select 'Order Type Is Not Demo'
	      from oe_transaction_types_vl ottv
	       where ottv.transaction_type_id = :ORDER.ORDER_TYPE_ID
	       and ottv.name like '%Demo%')
	and exists (select 'Line Needs Project/Task'
	      from ego_mtl_sy_items_ext_b emsieb
	      where emsieb.inventory_item_id = :LINE.INVENTORY_ITEM_ID
	      and emsieb.organization_id = 943
	      and emsieb.attr_group_id = 227
	      and emsieb.c_ext_attr1 in ('SCA', 'NPI','DEFENSE', 'DNC-GBL'))

PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.PROJECT_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
11	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.TASK_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
12	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Project and Task required on this line.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
5	Project and Task Required for DNC Not Demo - GLOBAL	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE

CONDITION	1=1
	and :LINE.SHIP_FROM = 'DNC'
	and :LINE.PROJECT_NUMBER is null
	and not exists (select 'Order Type Is Not Demo'
	       from oe_transaction_types_vl ottv
	        where ottv.transaction_type_id = :ORDER.ORDER_TYPE_ID
	        and ottv.name like '%Demo%')
	and exists (select 'Line Needs Project/Task'
	       from ego_mtl_sy_items_ext_b emsieb
	       where emsieb.inventory_item_id = :LINE.INVENTORY_ITEM_ID
	       and emsieb.organization_id = 83
	       and emsieb.attr_group_id = 227
	       and emsieb.c_ext_attr1 in ('SCA', 'NPI','DEFENSE', 'DNC-GBL')
	       )

PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.PROJECT_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
11	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.TASK_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
12	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Project and Task required on this line.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
7	Order Date Different than Booked Date	Form	Y

Condition

TRIGGER_EVENT	OM_PRE_BOOK_EVENT
TRIGGER_OBJECT	
CONDITION	trunc(:ORDER.ORDERED_DATE) <> trunc(sysdate)
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Warning
MESSAGE_TEXT	Booked Date is not equal to Order Date. Click OK to Continue booking.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
8	Default Copy Attributes	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-ITEM-INSTANCE
TRIGGER_OBJECT	COPY.OPERATING_UNIT
CONDITION	1=1
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
1	Property	Hdr DFF - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.HDR_DESC_FLEX
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
2	Property	Hdr SC - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.HDR_SCREDITS
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
3	Property	Hdr Atchmnt - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.HDR_ATTCHMNTS
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
4	Property	Hdr Holds - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.HDR_HOLDS
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
5	Property	Lne DFF - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.LINE_DESC_FLEX
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
6	Property	Lne SC - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.LINE_SCREDITS
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
7	Property	Lne Atchmnt - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.LINE_ATTCHMNTS
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
8	Property	Lne Cancels - No	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.LINE_CANCELS
PROPERTY_NAME	VALUE
PROPERTY_VALUE	F

Actions

Seq	Type	Description	Enabled
9	Property	Prcng Option - Partial	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	COPY.LINE_PRICING
PROPERTY_NAME	VALUE
PROPERTY_VALUE	4

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
9	Update SO Header DFF fields- Project Contracts Integration	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(select count(*) from apps.OKE_K_HEADERS_FULL_V where k_number = nvl(:ORDER.attribute2,'X')) > 0
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property	Update att13 with PC DPAS Code	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE13
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= select priority_code from apps.OKE_K_HEADERS_FULL_V where k_number = :ORDER.attribute2

Actions

Seq	Type	Description	Enabled
20	Property	Update att11 with PC Cust Type	N

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE11
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= select substr(max(kblm.default_flag||blm.billing_method_name),2,60) from apps.OKE_K_HEADERS_FULL_V kh, apps.oke_k_billing_methods kblm, apps.OKE_BILLING_METHODS_VL blm where kh.k_number = :ORDER.ATTRIBUTE2 AND kh.k_header_id = kblm.k_header_id AND blm.billing_method_code = kblm.billing_method_code

Actions

Seq	Type	Description	Enabled
30	Property	update att12 with PC DCMA flag	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE12
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= select nvl(dcaa_audit_req_flag,'N') from apps.OKE_K_HEADERS_FULL_V where k_number = :ORDER.attribute2

Actions

Seq	Type	Description	Enabled
40	Property	update att10 with PC Product Line	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE10
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= select product_line from apps.OKE_K_HEADERS_FULL_V where k_number = :ORDER.attribute2

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
10	FRM 607: Open Quote to Lines	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-BLOCK-INSTANCE
TRIGGER_OBJECT	ORDER
CONDITION	:PARAMETER.LINE_ID IS NOT NULL
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	ORDER
PROPERTY_NAME	DEFAULT_WHERE
PROPERTY_VALUE	='HEADER_ID = '||${parameter.line_id.value}

Actions

Seq	Type	Description	Enabled
15	Property		Y

Action Details…

OBJECT_TYPE	PARAMETER
TARGET_OBJECT	LINE_ID
PROPERTY_NAME	VALUE
PROPERTY_VALUE	

Actions

Seq	Type	Description	Enabled
20	Built in		Y

Action Details…

BUILTIN_TYPE	D
BUILTIN_ARGUMENTS	EXECUTE_QUERY
BUILTIN_PARAMETERS	
BUILTIN_CODE	

Actions

Seq	Type	Description	Enabled
30	Built in		Y

Action Details…

BUILTIN_TYPE	B
BUILTIN_ARGUMENTS	LINE
BUILTIN_PARAMETERS	
BUILTIN_CODE	

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
11	Update DPAS DFF fields when contract does not exist in Project Contracts	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(select count(*) from apps.OKE_K_HEADERS_FULL_V where k_number = nvl(:ORDER.attribute2,'X')) = 0 and nvl(:ORDER.attribute2,'X') <> 'X' and nvl(:ORDER.ATTRIBUTE13,'X') = 'X'
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property	update att13 with default DPAS	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE13
PROPERTY_NAME	VALUE
PROPERTY_VALUE	None

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
12	Update Contract Type DFF field when contract does not exist in Project Contracts	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(select count(*) from apps.OKE_K_HEADERS_FULL_V where k_number = nvl(:ORDER.attribute2,'X')) = 0 and nvl(:ORDER.attribute2,'X') <> 'X' and nvl(:ORDER.ATTRIBUTE11,'X') = 'X'
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property	Update non PC customer type	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE11
PROPERTY_NAME	VALUE
PROPERTY_VALUE	None - Not Applicable

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
13	Update DCMA Audit DFF field when contract doesn't not exist in Project Contracts with No	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(select count(*) from apps.OKE_K_HEADERS_FULL_V where k_number = nvl(:ORDER.attribute2,'X')) = 0 and nvl(:ORDER.attribute2,'X') <> 'X' and nvl(:ORDER.ATTRIBUTE12,'X') = 'X'
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property	Update att12 with no	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE12
PROPERTY_NAME	VALUE
PROPERTY_VALUE	N

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
14	Default Contract Type DFF when Contract exists and not overriden	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(select count(*) from apps.OKE_K_HEADERS_FULL_V where k_number = nvl(:ORDER.attribute2,'X')) > 0 and nvl(:ORDER.ATTRIBUTE11,'X') = 'X'
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property	Contract type	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.ATTRIBUTE11
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= select substr(max(kblm.default_flag||blm.billing_method_name),2,60) from apps.OKE_K_HEADERS_FULL_V kh, apps.oke_k_billing_methods kblm, apps.OKE_BILLING_METHODS_VL blm where kh.k_number = :ORDER.ATTRIBUTE2 AND kh.k_header_id = kblm.k_header_id AND blm.billing_method_code = kblm.billing_method_code

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
25	FRM 608: Initial value set for global variables	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-FORM-INSTANCE
TRIGGER_OBJECT	
CONDITION	
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_ALERT
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	= NULL

Actions

Seq	Type	Description	Enabled
11	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_UPDATE_FLAG
PROPERTY_NAME	VALUE
PROPERTY_VALUE	

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=0

Actions

Seq	Type	Description	Enabled
30	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP_UPDATE
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=0

Actions

Seq	Type	Description	Enabled
40	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_ALERT_UPDATE
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=NULL

Actions

Seq	Type	Description	Enabled
50	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_CONFIG_MSG
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=NULL

Actions

Seq	Type	Description	Enabled
60	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_CONFIG_MSG_UPDATE
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=NULL

Actions

Seq	Type	Description	Enabled
70	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_OBJ_REMARK
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=NULL

Actions

Seq	Type	Description	Enabled
80	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_OBJ_REMARK_UPDATE
PROPERTY_NAME	INITIAL VALUE
PROPERTY_VALUE	=NULL

Actions

Seq	Type	Description	Enabled
90	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_NEW_ITEM
PROPERTY_NAME	VALUE
PROPERTY_VALUE	

Actions

Seq	Type	Description	Enabled
100	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITEM_QUANTITY
PROPERTY_NAME	VALUE
PROPERTY_VALUE	

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
30	Customer Intercompany Affiliate Validation for Internal orders (ISO)	Form	N

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(:ORDER.ORDER_TYPE_ID IN (1002, 1004, 1008, 1009, 1012, 1013, 1061, 1062)) and ((select cust.attribute1 from hz_cust_accounts_all cust where cust.account_number = :ORDER.CUSTOMER_NUMBER) IS NULL)
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Internal orders need a Customer Intercompany Affiliate value

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
35	Customer Intercompany Affiliate Validation for Non- Internal orders (NON-ISO)	Form	N

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(:ORDER.ORDER_TYPE_ID NOT IN (1002, 1004, 1008, 1009, 1012, 1013, 1061, 1062)) and ((select cust.attribute1 from hz_cust_accounts_all cust where cust.account_number = :ORDER.CUSTOMER_NUMBER) IS NOT NULL)
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Non-Internal orders should not have a Customer Intercompany Affiliate value

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
49	FRM 608: Initialize variable for new and insert	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	:system.record_status in ('NEW', 'INSERT') AND xxhar.xxhar_om_item_alert_warn_pkg.get_rec(:LINE.LINE_SHIPMENT_OPTION_NUMBER,:LINE.ORDERED_ITEM,:ORDER.ORDER_NUMBER) = 0
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	1

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
50	FRM 608: Initialize variable if any update made to existing line	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	:system.record_status = 'CHANGED' and :line.ordered_quantity <> xxhar.xxhar_om_item_alert_warn_pkg.get_quantity(:LINE.LINE_ID)
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	1

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
51	Duplicate Siebel Opportunity Number	Form	N

Condition

TRIGGER_EVENT	WHEN-NEW-ITEM-INSTANCE
TRIGGER_OBJECT	LINE.ORDERED_ITEM_DSP
CONDITION	exists (SELECT distinct oha.attribute4 FROM oe_order_headers_all oha where oha.attribute4 = :ORDER.ATTRIBUTE4 and oha.demand_class_code = 'PROSPECT' and oha.order_number <> :order.order_number and oha.flow_status_code not in ('CANCELLED', 'CLOSED'))
PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Warning
MESSAGE_TEXT	This Seibel opportunity number exists on another order.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
52	Prevent Promise Date before Scheduled Ship Date	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	:LINE.SCHEDULE_SHIP_DATE IS NOT NULL AND (trunc(:LINE.PROMISE_DATE) < trunc(:LINE.SCHEDULE_SHIP_DATE))
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Promise Date cannot be before Scheduled Ship Date

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
53	Software for ATO Items	Form	N

Condition

TRIGGER_EVENT	WHEN-NEW-ITEM-INSTANCE
TRIGGER_OBJECT	LINE.ORDERED_QUANTITY
CONDITION	:LINE.ATO_FLAG='Y' AND :LINE.ORDERED_QUANTITY IS NULL
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Show
MESSAGE_TEXT	Item is ATO. Select appropriate software.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
54	Software for ATO Items -- Revised for CAS	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-ITEM-INSTANCE
TRIGGER_OBJECT	LINE.ORDERED_QUANTITY

CONDITION	:LINE.ATO_FLAG = 'Y'
	AND :LINE.ORDERED_QUANTITY IS NULL
	AND (:ORDER.ORG_ID = 81
	  OR
	  (:ORDER.ORG_ID = 944
	  AND :LINE.SHIP_FROM_ORG_ID = (select organization_id from mtl_parameters
	      where organization_code = 'DEF')
	  AND exists (
	    select msi.inventory_item_id
	    from mtl_system_items_b msi
	    where msi.inventory_item_id = :LINE.inventory_item_id
	    and msi.organization_id = :LINE.SHIP_FROM_ORG_ID
	    and msi.planning_make_buy_code = 1
	    and msi.item_Type = 'AI')
	  OR exists (
	    select msi.inventory_item_id
	    from mtl_system_items_b msi
	    where msi.inventory_item_id = :LINE.inventory_item_id
	    and msi.organization_id = :LINE.SHIP_FROM_ORG_ID
	    and msi.planning_make_buy_code = 2
	    and msi.item_Type = 'ATOB'
	    and exists (
	    select msi.inventory_item_id
	    from mtl_system_items_b msi
	    where msi.inventory_item_id = :LINE.inventory_item_id
	    and msi.organization_id in (select organization_id from mtl_parameters
	      where organization_code in ('ROC','DNC'))
	    and msi.replenish_to_order_flag = 'Y'
	    and msi.planning_make_buy_code = 1
	    and msi.item_type = 'AI')
	  )
	  ))

PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Show
MESSAGE_TEXT	Item is ATO. Select appropriate software.

FORM NAME = OEXOEORD **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
55	FRM 608: Store item alert dff value in Global Variable for update	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	:line.inventory_item_id is not null
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_ALERT_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= xxhar_om_item_alert_warn_pkg.get_item_typ_alert_dff(${item.line.inventory_item_id.value},nvl(${item.line.ship_from_org_id.value},nvl(${item.order.ship_from_org_id.value},0)))

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
60	FRM 608: Alert when Inventory item dff match found on tab out for update	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	(:global.x_itm_alert_update is not null) AND ((:global.x_itm_popup_update = 1))
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Show
MESSAGE_TEXT	= ${global.x_itm_alert_update.value}

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	=2

Actions

Seq	Type	Description	Enabled
21	Built in		Y

Action Details…

BUILTIN_TYPE	P

BUILTIN_ARGUMENTS	='declare
	  begin
	
	xxhar.xxhar_om_item_alert_warn_pkg.update_rec(''||${item.line.line_shipment_option_number.value}||'','''||${item.line.ORDERED_ITEM}||'','''||${item.order.ORDER_NUMBER}||'');
	  end'

BUILTIN_PARAMETERS	
BUILTIN_CODE	

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
65	FRM 608: Store value of config only in global variable for update	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	:line.inventory_item_id is not null
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_CONFIG_MSG_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= xxhar_om_item_alert_warn_pkg.get_pdh_config_only(${item.line.inventory_item_id.value})

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
70	FRM 608: Show warning message when config flag is Y for update	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	(:global.x_config_msg_update is not null) AND ((:global.x_itm_popup_update = 2) OR (:global.x_itm_popup_update = 1))
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
5	Message		Y

Action Details…

MESSAGE_TYPE	Show
MESSAGE_TEXT	${global.x_config_msg_update.value}

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	3

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
72	Order Type Translation for Specific Projects	Form	N

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	1=1 AND :LINE.PROJECT_NUMBER IS NOT NULL AND NOT EXISTS (SELECT 'NO ORDER NUMBER' FROM FND_LOOKUP_VALUES FLV WHERE FLV.MEANING = :ORDER.ORDER_NUMBER AND FLV.LOOKUP_TYPE = 'XXHAR_COMPLEX_CONTRACTS') AND EXISTS (SELECT 'PROJECT EXISTS' FROM FND_LOOKUP_VALUES LV WHERE LV.MEANING = :LINE.PROJECT_NUMBER AND LV.LOOKUP_TYPE = 'XXHAR_COMPLEX_PROJECTS')
PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Project Number requires order type translation. Contact IT to enter order number in Common Lookup prior to being able to save.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
75	FRM 608: Store value of Object Remarks in Global Variable for update	Form	N

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	:line.inventory_item_id is not null
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_OBJ_REMARK_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	= xxhar_om_item_alert_warn_pkg.get_pdh_obj_remark(${item.line.inventory_item_id.value})

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
80	FRM 608: Show warning message when Object Remark has some value for update	Form	N

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	(:global.x_obj_remark_update is not null) AND ((:global.x_itm_popup_update = 3) OR (:global.x_itm_popup_update = 2) OR (:global.x_itm_popup_update = 1))
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Show
MESSAGE_TEXT	${global.x_obj_remark_update.value}

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	GLOBAL
TARGET_OBJECT	X_ITM_POPUP_UPDATE
PROPERTY_NAME	VALUE
PROPERTY_VALUE	4

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
81	Project Contract Number Exists in PC Application	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(:ORDER.ATTRIBUTE2 NOT IN (SELECT K_NUMBER FROM apps.OKE_K_HEADERS_FULL_V where status in ('Active','Close Out') and type_class_code <> 'BOA'))
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
1	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Customer Contract Number does not exist in Project Contracts. Please select a valid value.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
83	Make Sales Order Form query only_Security	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-FORM-INSTANCE
TRIGGER_OBJECT	
CONDITION	
PROCESSING_MODE	Both

Context

LEVEL	Value
Responsibility	Tax Associate - US
Responsibility	Inventory Planner - OLD
Responsibility	COMSEC Associate - US
Responsibility	Product Quality Hold Associate - US
Responsibility	Production Planner - HGC

Actions

Seq	Type	Description	Enabled
1	Property	Insert Order	Y

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	ORDER
PROPERTY_NAME	INSERT_ALLOWED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
2	Property	Update Order	Y

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	ORDER
PROPERTY_NAME	UPDATE_ALLOWED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
3	Property	Delete Order	Y

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	ORDER
PROPERTY_NAME	DELETE_ALLOWED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
4	Property	Insert Line	Y

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	LINE

PROPERTY_NAME	INSERT_ALLOWED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
5	Property	Update Line	N

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	LINE
PROPERTY_NAME	UPDATE_ALLOWED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
6	Property	Delete Line	Y

Action Details…

OBJECT_TYPE	BLOCK
TARGET_OBJECT	LINE
PROPERTY_NAME	DELETE_ALLOWED
PROPERTY_VALUE	5

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
84	Remove New Order From Order Organizer Screen_Security	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-FORM-INSTANCE
TRIGGER_OBJECT	
CONDITION	
PROCESSING_MODE	Both

Context

LEVEL	Value
Responsibility	**Tax Associate - US**
Responsibility	**Inventory Planner - OLD**
Responsibility	**COMSEC Associate - US**
Responsibility	**Product Quality Hold Associate - US**
Responsibility	**Production Planner - HGC**

Actions

Seq	Type	Description	Enabled
1	Property	Remove New Order button	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDERS_SUMMARY.NEW_ORDER_BUTTON
PROPERTY_NAME	DISPLAYED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
2	Property	Remove New Order Form	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINES_SUMMARY.NEW_ORDER_BUTTON
PROPERTY_NAME	DISPLAYED (APPLICATIONS COVER)
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
3	Property	Remove New Quote From Lines	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINES_SUMMARY.NEW_QUOTE_BUTTON
PROPERTY_NAME	DISPLAYED (APPLICATIONS COVER)
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
4	Property	Remove New Quote From Order	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDERS_SUMMARY.NEW_QUOTE_BUTTON

PROPERTY_NAME	DISPLAYED (APPLICATIONS COVER)
PROPERTY_VALUE	5

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
85	Remove New Order / Quote From Find Screen_Security	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-FORM-INSTANCE
TRIGGER_OBJECT	
CONDITION	
PROCESSING_MODE	Both

Context

LEVEL	Value
Responsibility	Inventory Planner - OLD
Responsibility	Tax Associate - US
Responsibility	COMSEC Associate - US
Responsibility	Product Quality Hold Associate - US
Responsibility	Production Planner - HGC

Actions

Seq	Type	Description	Enabled
1	Property	Remove New Order Button	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	FIND.NEW_ORDER
PROPERTY_NAME	DISPLAYED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
2	Property	Remove New Quote Button	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	FIND.NEW_QUOTE
PROPERTY_NAME	DISPLAYED
PROPERTY_VALUE	5

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
86	Remove Open on Order Org screen_Security	Function	N

Condition

TRIGGER_EVENT	WHEN-NEW-FORM-INSTANCE
TRIGGER_OBJECT	
CONDITION	
PROCESSING_MODE	Both

Context

LEVEL	Value
Responsibility	Inventory Planner - OLD

Actions

Seq	Type	Description	Enabled
10	Property	remove open button summary	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDERS_SUMMARY.OPEN_ORDER_BUTTON
PROPERTY_NAME	DISPLAYED
PROPERTY_VALUE	5

Actions

Seq	Type	Description	Enabled
11	Property	remove open button line	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINES_SUMMARY.OPEN_ORDER_BUTTON
PROPERTY_NAME	DISPLAYED
PROPERTY_VALUE	5

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD_SUMMARY

Seq	DESCRIPTION	LEVEL	ENABLED
95	Make Apply Hold Comments Required	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-BLOCK-INSTANCE
TRIGGER_OBJECT	OE_HOLD_DEFINITIONS
CONDITION	
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property	Hold Comments Required when Applying Holds	Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	OE_HOLD_DEFINITIONS.HOLD_COMMENT
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
98	FRM 608: Make SO Fields Mandatory - HEADER - Validate Form (Quote)	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(:ORDER.EXPIRATION_DATE IS NULL OR :ORDER.SALES_DOCUMENT_NAME IS NULL OR :ORDER.SHIP_FROM IS NULL OR :ORDER.FOB IS NULL OR :ORDER.TRANSACTIONAL_CURR_CODE IS NULL OR :ORDER.TERMS IS NULL OR :ORDER.CUSTOMER_NUMBER IS NULL) AND :ORDER.TRANSACTION_PHASE_CODE = 'N'
PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Mandatory field(s) must be entered.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
98	FRM 608: Make SO Fields Mandatory - HEADER - New Block (Quote)	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-BLOCK-INSTANCE
TRIGGER_OBJECT	ORDER
CONDITION	:ORDER.TRANSACTION_PHASE_CODE = 'N'
PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.EXPIRATION_DATE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
12	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SALES_DOCUMENT_NAME
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
14	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SHIP_FROM
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
16	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.FOB
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
18	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.CUSTOMER_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.TERMS
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
22	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.TRANSACTIONAL_CURR_CODE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

FORM NAME = OEXOEORD **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
99	FRM 608: Make SO Fields Mandatory - LINE - Request Date/Promise Date - Validate Record	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	LINE
CONDITION	((:LINE.REQUEST_DATE IS NULL OR :LINE.PROMISE_DATE_MIR IS NULL OR :LINE.PROMISE_DATE IS NULL) AND :LINE.ORDERED_ITEM_DSP IS NOT NULL) AND :ORDER.TRANSACTION_PHASE_CODE = 'F'
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Request date/Promise Date is mandatory.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
99	FRM 608: Make SO Fields Mandatory - HEADER - Validate Record	Form	Y

Condition

TRIGGER_EVENT	WHEN-VALIDATE-RECORD
TRIGGER_OBJECT	ORDER
CONDITION	(:ORDER.SHIP_FROM IS NULL OR :ORDER.FOB IS NULL OR :ORDER.SHIPPING_METHOD IS NULL OR :ORDER.FREIGHT_TERMS IS NULL OR :ORDER.CUSTOMER_NUMBER IS NULL OR :ORDER.INVOICE_TO_LOCATION IS NULL OR :ORDER.SHIP_TO_LOCATION IS NULL OR :ORDER.SALESREP_MIR IS NULL OR :ORDER.SALES_CHANNEL IS NULL OR :ORDER.TRANSACTIONAL_CURR_CODE IS NULL OR :ORDER.TERMS IS NULL OR :ORDER.REQUEST_DATE IS NULL) AND :ORDER.TRANSACTION_PHASE_CODE = 'F'
PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Message		Y

Action Details…

MESSAGE_TYPE	Error
MESSAGE_TEXT	Mandatory field(s) must be entered.

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
99	FRM 608: Make SO Fields Mandatory - HEADER - New Block	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-BLOCK-INSTANCE
TRIGGER_OBJECT	ORDER
CONDITION	:ORDER.TRANSACTION_PHASE_CODE = 'F'
PROCESSING_MODE	Both

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SHIP_FROM
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.FOB
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
30	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SHIPPING_METHOD
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
40	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.FREIGHT_TERMS
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
42	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.CUSTOMER_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
44	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.INVOICE_TO_CUSTOMER_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
46	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SHIP_TO_CUSTOMER_NUMBER
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
48	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SALESREP_MIR
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
50	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.SALES_CHANNEL
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
52	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.TERMS
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
54	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.TRANSACTIONAL_CURR_CODE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

Actions

Seq	Type	Description	Enabled
55	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.REQUEST_DATE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	TRUE

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
99	FRM 608: Make SO Fields Mandatory - LINE - Request Date/Promise Date - New Block	Form	Y

Condition

TRIGGER_EVENT	WHEN-NEW-BLOCK-INSTANCE
TRIGGER_OBJECT	LINE
CONDITION	:ORDER.TRANSACTION_PHASE_CODE = 'F'
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.REQUEST_DATE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.PROMISE_DATE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
20	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.PROMISE_DATE_MIR
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
30	Property		N

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.SCHEDULE_SHIP_DATE
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

Actions

Seq	Type	Description	Enabled
40	Property		N

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	LINE.SCHEDULE_SHIP_DATE_MIR
PROPERTY_NAME	REQUIRED
PROPERTY_VALUE	4

FORM NAME = OEXOEORD   **FUNCTION NAME** = ONT_OEXOEORD

Seq	DESCRIPTION	LEVEL	ENABLED
99	Show Decypted Credit Card Information	Function	Y

Condition

TRIGGER_EVENT	WHEN-NEW-ITEM-INSTANCE
TRIGGER_OBJECT	ORDER.CREDIT_CARD_NUMBER_DSP
CONDITION	
PROCESSING_MODE	Not in Enter-Query Mode

Context

LEVEL	Value
Site	

Actions

Seq	Type	Description	Enabled
10	Property		Y

Action Details…

OBJECT_TYPE	ITEM
TARGET_OBJECT	ORDER.CREDIT_CARD_NUMBER_DSP
PROPERTY_NAME	TOOLTIP_TEXT
PROPERTY_VALUE	=get_credit_card_info_fnc(:ORDER.HEADER_ID)