Status	Finished
Started	Tuesday, 20 October 2026, 2:21 PM
Completed	Tuesday, 20 October 2026, 2:28 PM
Duration	6 mins 59 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

c. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

d. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

Question **2**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓

b. True

Question **3**

Correct

Mark 1.00 out of 1.00

Dictionary is a ____ data type.

a. None of the mentioned

b. Sequence

c. Mapping ✓

d. Ordered

Question **4**

Incorrect

Mark 0.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

- a. tuple
- b. dictionary ✗
- c. string
- d. list

Question **5**

Correct

Mark 1.00 out of 1.00

pop function delete and ____ the element of dictionary.

- a. not return
- b. return ✓
- c. add
- d. display

Question **6**

Correct

Mark 1.00 out of 1.00

All elements in dictionary are separated by ____.

- a. dot(.)
- b. Semicolon(;)
- c. Comma(,) ✓
- d. Colon (

Question **7**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

- a. A python, a dictionary can neither have two same keys nor two same values.
- b. A dictionary can have two same keys with different values.
- c. A dictionary can have two same keys or same values but cannot have two same key-value pair
- d. A dictionary can have two same values with different keys. ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

- a. D1.values(7)
- b. D1.get(7) ✓
- c. D1.disp(7)
- d. D1.pop(7)

Question **9**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

- a. d.size()
- b. size(d)
- c. len(d) ✓
- d. d.len()

Question **10**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

- a. print(A.Items) ✓
- b. print(A.get)
- c. print(A.values)
- d. print(A.keys)

Question **11**

Correct

Mark 1.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. False
- b. True ✓

Question **12**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by ____.

- a. Comma(,)
- b. dot(.)
- c. Semicolon(;)
- d. Colon (:) ✓

Question **13**

Correct

Mark 1.00 out of 1.00

____ function returns the number of key: value pairs of the dictionary.

- a. len ✓
- b. items
- c. length
- d. total

Question **14**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. {'b': [2], 'a': [3]}
- b. ✓
  {'b': [2, 3, 4], 'a': 1}
- c. {'b': [2], 'a': 1}
- d. Error

Question **15**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = [ ]

b. d1 = { } ✓

c. d1 = dict{ }

d. d1 = 