

WEB TECHNOLOGIES

CSE-4004

LECTURE 4: Web workers, working with Fonts

By: Dr.MD.Sirajuddin

WEB WORKER

- Sometimes long tasks block or slow down the UI. The webpage becomes unresponsive.

Solution

- A Web Worker allows JavaScript to run in the background, separately from the main webpage.
- Allows to execute complex and time consuming operations in background.
- Webpage remains responsive.

Two Steps:

1. Main page or Script
2. Worker Script

They communicate by using message.

```
let worker = new Worker("worker.js"); //main.js
```

```
worker.postMessage(100);  
worker.onmessage = function(event)  
{  
  document.getElementById("output").innerHTML=event.data;  
};
```

```
onmessage = function(event) //worker.js  
{  
  let num = event.data;  
  let result = num * num;  
  postMessage(result); // send result back  
}
```

Main Webpage



Main JavaScript Code
(main.js)



Worker
(worker.js)

CASCADING STYLE SHEET(CSS)

- It is a Style Sheet Language.
- It is used to define the visual appearance of a webpage *(including fonts, layouts, colors etc.)*
- We can add our own styles to a webpage to make it more attractive.

Types of CSS

- 1. Inline CSS:** Written inside HTML tag using style attribute.
- 2. Internal or Embedded CSS:** Written inside <style> tag within <head> section.
- 3. External CSS:** Written in separate file saved with .css extension and linked to HTML page.