

WEB TECHNOLOGIES

CSE-4004



LECTURE 2: Strings and String Functions



By: Dr.MD.Sirajuddin

STRINGS & STRING METHODS

- A string in JS is a sequence of characters.
- It is used to store text.
- *Strings are immutable in JS.*
- **Example: let str="Hello"**

Method	Syntax	Example	Output
length	str.length	"Hello".length	5
charAt()	str.charAt(index)	str.charAt(1)	e
charCodeAt()	str.charCodeAt(index)	str.charCodeAt(0)	72
at()	str.at(index)	str.at(-1)	o
toUpperCase()	str.toUpperCase()	str.toUpperCase()	HELLO
toLowerCase()	str.toLowerCase()	str.toLowerCase()	hello
concat()	str1.concat(str2)	str.concat(" World")	Hello World
includes()	str.includes(value)	str.includes("He")	true
startsWith()	str.startsWith(value)	str.startsWith("He")	true

STRINGS METHODS

Method	Syntax	Example	Output
endsWith()	str.endsWith(value)	str.endsWith("lo")	true
indexOf()	str.indexOf(char)	str.indexOf("e")	1
lastIndexOf()	str.lastIndexOf(char)	str.lastIndexOf("l")	3
slice()	str.slice(start, end)	“Javascript”.slice(0,4)	Java
substring()	str.substring(start, end)	“Javascript”.substring(4,10)	script
replace()	str.replace(old, new)	str="I like Java" str.replace("Java","JS")	I like JS
replaceAll()	str.replaceAll(old, new)	str.replaceAll("l","p")	heppo
split()	str.split(separator)	“hello hai”.split(" ")	[“hello”, “hai”]
trim()	str.trim()	" hi ".trim()	hi
trimStart()	str.trimStart()	" hi".trimStart()	hi
trimEnd()	str.trimEnd()	"hi ".trimEnd()	hi

STRINGS METHODS

Method	Syntax	Example	Output
repeat()	str.repeat(n)	“Scope”.repeat(2)	ScopeScope
padStart()	str.padStart(len, char)	str=“hai” str.padStart(5,“X”)	XXhai
padEnd()	str.padEnd(len, char)	str.padEnd(5,“X”)	haiXX
match()	str.match(regex)	str.match(/[ho]/)	“hello” Otherwise null
search()	str.search(regex)	str.search(/[ho]/)	0 Otherwise -1

Exercise

1.Count number of words.

2.Extract the domain name from an email.

xyz@vitap.ac.in (use prompt to read email & alert to display domain name).