

Critical Value Notification — Screen Instructions & Validation Rules

SYNTHETIC TEST DATA — This document was generated for RAG system development and testing only. It does not represent real clinical guidance, a real hospital policy, or real patient information. Do not use for actual patient care.

Document ID: DOC_048 | Type: screen_instructions | Domain: laboratory | Workflow: WF_005 | Screen: SCREEN_24

Purpose

This screen captures the information needed to progress the "Critical Value Notification" step of workflow WF_005.

Fields on This Screen

Field	Required
Critical Value Flag	Yes
Notified Provider	Yes
Notification Time	Yes
Read-back Confirmation	Yes

Required Verifications

#	Required Verification
1	Confirm the responsible provider is notified within the institution's defined critical-value window
2	Confirm a read-back confirmation is documented for verbal notifications

Common Errors & Recovery

Common Error	Likely Cause
Critical value notification logged without a read-back confirmation	Data entry or workflow-timing issue

Screen Reference Mockup (Synthetic)

SCREEN_24 — Critical Value Notification (SYNTHETIC MOCKUP)

Workflow WF_005 > Critical Value Notification

Critical Value Flag:	
Notified Provider:	
Notification Time:	
Read-back Confirmation:	

Required Verifications

- ☐ Confirm the responsible provider is notified within the in...
- ☐ Confirm a read-back confirmation is documented for verbal ...

Save	Back
------	------

synthetic mockup - not a real application screen