

Synthetic Case Walkthrough: Critical Lab Value Notification

SYNTHETIC TEST DATA — This document was generated for RAG system development and testing only. It does not represent real clinical guidance, a real hospital policy, or real patient information. Do not use for actual patient care.

Document ID: DOC_073 | Type: case_example | Domain: laboratory | Workflow: WF_005

Synthetic Case Notice

FICTIONAL / SYNTHETIC CASE — Synthetic Patient Reference: SYN-1009. Not a real patient. Fabricated values for RAG system testing only.

Synthetic Vitals Snapshot

Vital	Value
Blood Pressure	122/78 mmHg
Heart Rate	76 bpm
Respiratory Rate	16/min
Temperature	37.0 C
Oxygen Saturation	98%

Walkthrough Steps

Order	Screen ID	Screen Name
1	SCREEN_21	Specimen Collection Order
2	SCREEN_22	Specimen Labeling Verification
3	SCREEN_23	Lab Result Entry
4	SCREEN_24	Critical Value Notification

First Screen Reference (Synthetic)

SCREEN_21 — Specimen Collection Order (SYNTHETIC MOCKUP)

Workflow WF_005 > Specimen Collection Order

Test Ordered:

Specimen Type:

Collection Priority:

Ordering Provider:

Required Verifications

☐ Confirm specimen type matches the requirements of the orde...

☐ Confirm collection priority (routine vs. STAT) is reflecte...

Save

Back

synthetic mockup - not a real application screen