

Lab Result Entry — Screen Instructions & Validation Rules

SYNTHETIC TEST DATA — This document was generated for RAG system development and testing only. It does not represent real clinical guidance, a real hospital policy, or real patient information. Do not use for actual patient care.

Document ID: DOC_047 | Type: screen_instructions | Domain: laboratory | Workflow: WF_005 | Screen: SCREEN_23

Purpose

This screen captures the information needed to progress the "Lab Result Entry" step of workflow WF_005.

Fields on This Screen

Field	Required
Result Value	Yes
Unit	Yes
Reference Range	Yes
Result Status	Yes

Required Verifications

#	Required Verification
1	Confirm result values include units and are compared against the reference range before release
2	Confirm results outside the reference range are flagged, not released as routine

Common Errors & Recovery

Common Error	Likely Cause
Result released without a unit specified	Data entry or workflow-timing issue

Screen Reference Mockup (Synthetic)

SCREEN_23 — Lab Result Entry (SYNTHETIC MOCKUP)

Workflow WF_005 > Lab Result Entry

Result Value:	
Unit:	
Reference Range:	
Result Status:	

Required Verifications

- ☐ Confirm result values include units and are compared again...
- ☐ Confirm results outside the reference range are flagged, n...

Save

Back

synthetic mockup - not a real application screen