

Synthetic Case Walkthrough: STAT Head CT with Contrast Screening

SYNTHETIC TEST DATA — This document was generated for RAG system development and testing only. It does not represent real clinical guidance, a real hospital policy, or real patient information. Do not use for actual patient care.

Document ID: DOC_065 | Type: case_example | Domain: radiology | Workflow: WF_001

Synthetic Case Notice

FICTIONAL / SYNTHETIC CASE — Synthetic Patient Reference: SYN-1001. Not a real patient. Fabricated values for RAG system testing only.

Synthetic Vitals Snapshot

Vital	Value
Blood Pressure	122/78 mmHg
Heart Rate	76 bpm
Respiratory Rate	16/min
Temperature	37.0 C
Oxygen Saturation	98%

Walkthrough Steps

Order	Screen ID	Screen Name
1	SCREEN_01	Patient Identification & Order Verification
2	SCREEN_02	Imaging Modality Selection
3	SCREEN_03	Contrast Safety Screening
4	SCREEN_04	Image Acquisition Parameters
5	SCREEN_05	Radiologist Review Queue
6	SCREEN_06	Report Finalization & Sign-off

First Screen Reference (Synthetic)

SCREEN_01 — Patient Identification & Order Verification (SYNTHETIC MOCKUP)

Workflow WF_001 > Patient Identification & Order Verification

Patient ID:	SYN-6305
Date of Birth:	—
Ordering Physician:	—
Imaging Order Number:	SYN-3471
Order Priority:	—

Required Verifications

- ☐ Confirm two patient identifiers (name and date of birth) m...
- ☐ Confirm the imaging order number is active and not cancell...
- ☐ Confirm order priority (routine, urgent, STAT) is correctl...

Save

Back

synthetic mockup - not a real application screen