



SureshTechs

HTML

Lists

Unordered, Ordered

- Item
- Item
- Item
- Item

1. Item
2. Item
3. Item
4. Item

Unordered HTML List

- An unordered list starts with the `` tag. Each list item starts with the `` tag.

Unordered HTML List - Choose List Item Marker

- list-style-type

Value	Description
disc	Sets the list item marker to a bullet (default)
circle	Sets the list item marker to a circle
square	Sets the list item marker to a square
none	The list items will not be marked

Ordered HTML List

- An ordered list starts with the `` tag. Each list item starts with the `` tag.

Ordered HTML List - The Type Attribute

- The type attribute of the `` tag, defines the type of the list item marker:

Type	Description
type="1"	The list items will be numbered with numbers (default)
type="A"	The list items will be numbered with uppercase letters
type="a"	The list items will be numbered with lowercase letters
type="I"	The list items will be numbered with uppercase roman numbers
type="i"	The list items will be numbered with lowercase roman numbers

HTML Description Lists

- The `<dl>` tag defines the description list, the `<dt>` tag defines the term (name), and the `<dd>` tag describes each term:



Nested HTML Lists

- Note: List items can contain new list, and other HTML elements, like images and links, etc.

Control List Counting

- By default, an ordered list will start counting from 1. If you want to start counting from a specified number, you can use the start attribute:

Thank you



SureshTechs

SUBSCRIBE