Subscribe

SureshTechs

HTML

Block and Inline elements

HTML Block and Inline Elements

- Every HTML element has a default display value depending on what type of element it is.

- The two display values are: block and inline.

Block-level Elements

- A block-level element always starts on a new line and takes up the full width available (stretches out to the left and right as far as it can).

- The <div> element is a block-level element.

Inline Elements

- An inline element does not start on a new line and only takes up as much width as necessary.

Inline elements in HTML:

|				
<a>	<abbr>	<acronym>	<b>	<bdo>
<big>	 	<button>	<cite>	<code>
<dfn>	<em>	<i>	<img>	<input>
<kbd>	<label>	<map>	<object>	<output>
<q>	<samp>	<script>	<select>	<small>
<span>	<strong>	<sub>	<sup>	<textarea>
<time>	<tt>	<var>		

The <div> Element

- The <div> element is often used as a container for other HTML elements.

- The <div> element has no required attributes, but style, class and id are common.

- When used together with CSS, the <div> element can be used to style blocks of content:

The <span> Element

- The <span> element is often used as a container for some text.

- The <span> element has no required attributes, but style, class and id are common.

- When used together with CSS, the <span> element can be used to style parts of the text:

Thank you

SureshTechs   SUBSCRIBE