

Ennabl CRM — Product Requirements Document (PRD v1.1)

Version: 1.1 **Date:** June 3, 2026 **Status:** Draft for Review

In-House CRM: A light-weight CRM to replace HubSpot

Owner: Ennabl

1. Problem Statement & Overview

Ennabl currently runs its sales and account-management workflows on HubSpot. This project replaces HubSpot with an in-house CRM that we own end-to-end. The motivation is fourfold:

- Data ownership and control — customer, deal, and correspondence data lives in our own infrastructure rather than a third-party SaaS tool.
- Cost — eliminate recurring HubSpot seat and add-on licensing.
- Workflow fit — the CRM models Ennabl's specific objects (Product Licensed, Member-Of groupings, deal stages) rather than forcing them into a generic schema.
- AI from day one — we want AI-assisted logging, summarization, and next-best-action built into the core product, not bolted on.

This document specifies Phase 1 (the MVP). It defines the goals, users, scope, data model, automated email logging, AI features, permissions, and security.

2. Goals & Scope

Phase 1 has a single, unified scope statement below.

2.1 In Scope (Phase 1)

- Replace HubSpot as Ennabl's internal CRM.
- Core objects: Companies, Contacts, Deals, Activities (calls, emails, notes, tasks).
- **Automatic email logging** via the Gmail API — zero manual work for reps.
- Document management with version history; attachments on records.
- Dashboard: pipeline summary and activity feed.
- Search across all record types.
- Duplicate detection and record merge (Companies and Contacts).
- Custom fields and tags on all records.
- HubSpot data-migration tool; CSV import and export.
- AI features: email/thread summary, meeting summary, next best action, contact enrichment.
- SOC 2 architecture, SSO, MFA, and audit logs.

2.2 Out of Scope (Deferred to Phase 2+)

- Email marketing campaigns and sequences.
- Revenue forecasting and win-probability modelling.
- Zoom / Google Meet recording integration.
- Native mobile app.
- Accounting-software integrations (QuickBooks / Xero).
- Customer portal.
- Billing and contract records (see 2.3).
- Integration with the Ennabl ARR system, which remains the system of record for billing and contracts.

2.3 Billing & Contract Data — Scope Clarification

This system tracks sales pursuits. It does not store bills, invoices, or contract records. The Ennabl ARR system remains the system of record for billing and

contracts; no billing is performed in this CRM.

3. Who Uses This

Persona	Frequency	What They Need
Sales Rep	Daily	Log deals, track emails, receive AI suggestions
Account Manager	Daily	Customer health
Sales Manager	Weekly	Pipeline view, team activity, deal risk
System Admin	Monthly	User management, permissions, audit logs

4. Data Model

Four core objects: Company, Contact, Deal, and Activity. Relationships are summarized below, then each object is specified in detail.

- A has many Contacts, many Deals, and many Activities.

Company

- A belongs to exactly one Company and may be associated with many Deals and many Activities.

Contact

- A belongs to one Company and may link to many Contacts and many Activities.

Deal

- An links to a Company, and optionally to Contacts and Deals.

Activity

4.1 Company

A Company is a record representing an organization, corporation, or institution. A Customer is a Company whose Status is an active-customer value (see Status enum below).

Fields

Field	Type / Notes
Record ID	Auto-generated
Assigned CSM	Ennabl user
Domain	Multiple values allowed; drives contact auto-association
Industry	Single select, from enrichment
Status	Enum: 1. Prospect 2. Active Customer (the value that makes a Company a "Customer") 3. Churned 4. Disqualified
Street Address 1 / 2, City, State, Postal Code, Country	Address block
Number of Employees	Integer
Estimated Annual Revenue	Currency
Product Licensed	Multi-select: • ennabl Data • ennabl Decisions • ennabl.AI • ennabl Workflows/Documents • ennabl Bridge • Others to be added later
Member Of	Multi-select group membership: • BIGN • Top 100 Target List • Applied Reference Client • Outmarket Reference Client • Assurex Global • CIAB • Fortified • InCite • Insurors Group • Intersure • ISU • Iroquois Group • Keystone • MarshBerry Connect

Field	Type / Notes
	• PacWest • Reagan Survey • RiskProNet • Marsh/MMA • Others to be added later
Last Activity Date	Calculated from associated Activities
Associated Contacts / Deals / Activities	Relationships
Attachments	Files with version history

Company merge behavior

When two companies are merged, all child Activities, Contacts, and Deals from the “Merge From” record re-point to the “Merge Into” record.

- **Field resolution:** the “Merge Into” record's values win where populated; any blank field on “Merge Into” is back-filled from “Merge From.” Multi-value fields (Domains, Product Licensed, Member Of) are unified and de-duplicated. The merge writes an audit-log entry capturing the before/after of every changed field (see Section 9).

4.2 Contact

A Contact is an individual person, made unique by email address. Each Contact is assigned to one Company by matching the Contact's email domain to a Company Domain (e.g. chris@ennabl.com attaches to the Company holding domain ennabl.com).

Fields

Field	Type / Notes
Record ID	Auto-generated
First Name / Last Name	Text
Job Title	Text (AI-enriched from signature where possible)
Email	Unique key

Associated Company	Set by domain match; overridable
Phone Number	Text (AI-enriched)
Email Marketing Contact	Boolean. Captured in Phase 1 for future use; campaigns are out of scope until Phase 2.
Last Activity Date	Calculated
Ennabl User	Boolean
Review Status	For contacts automatically created from an email: • Auto-created • Reviewed • Suppressed

Domain-matching edge cases

Scenario	Behavior
Email on a free/public domain (gmail.com, outlook.com, etc.)	Do NOT auto-attach to a Company; flag for manual association. Maintain a public-domain blocklist.
Domain matches no existing Company	Create the Contact with no Company and mark Review Status = Auto-created; do NOT auto-create a Company.
Domain matches multiple Companies	Attach to none; surface a “needs review” prompt.
Internal @ennabl.com address	Flag Ennabl User = true; excluded from external-logging rules.

Note

It should be easy to identify and fix auto-created Contacts that need human review and manual association with a Company.

4.3 Deal

A Deal tracks a sales pursuit and helps the team coordinate. A Company has many Deals; Contacts and Activities may link to many Deals.

Fields

Field	Type / Notes
-------	--------------

Record ID	Auto-generated
Deal Name	Text
Deal Description	Text
Associated Company	Relationship
Value	Expected deal value upon close
Close Date	Date (projected close date)
Create Date	Auto
Deal Owner	Ennabl employee
Deal Stage	• 1. Qualified • 2. Discovery • 3. Validation • 4. Proposal • 5. Proof of Concept Project • 6. Negotiation • 7. Out for Signature • Closed Won • Closed Lost
Last Activity Date	Calculated
Associated Contacts	Multiple
Associated Activities	Relationship
Attachments	Files

4.4 Activity

An Activity is an action taken by an Ennabl person, associated with a Deal, Contact, and/or Company. Types: Email, Note, Call, Task, Meeting.

Fields

Field	Type / Notes
Activity Type	Email Note Call Task Meeting
Activity Name	Text
Activity Create Date	Auto
Activity End Date	Optional (user input)

Activity Description	Text
Created By	Auto
Assigned To	Defaults to Created By; editable
Email Subject	If email
Email Summary	AI-generated
Full Email Body	If email
Transcript	If a recorded meeting (Phase 2 capture; field reserved now)
Contacts / Companies / Deals Associated	Relationships

Email-activity rule

An Activity of Type = Email is created for every email sent by an Ennabl employee to an external recipient. If the recipient's email is not found in Contacts, the system creates a Contact (subject to the domain rules in Section 4.2) and associates the email with that Contact and any Deals/Companies the Contact is linked to. Newsletter and internal-only mail are excluded per Section 5.

5. Email Auto-Logging — Gmail API + Pub/Sub

To set this up, an employee connects Gmail once (about two minutes). Every email they send or receive is then logged automatically.

5.1 How it works

1. Rep connects their Gmail account via OAuth — one-time setup.
2. Google sends our system a real-time Pub/Sub notification for every email sent or received.
3. We match the sender/recipient address to an existing Contact and Deal.
4. If no Contact exists, we create one (subject to the domain rules in Section 4.2).

5. AI generates a two-sentence plain-English summary of the thread.

5.2 Handled automatically

- Skip newsletters — detected via the List-Unsubscribe email header.
- Skip internal emails between @ennabl.com addresses (configurable).
- Group replies into conversation threads, not individual records.
- Prevent duplicate logs by using Gmail's unique message ID as the idempotency key.

5.3 Notes

- **Watch-subscription renewal:** Gmail's push subscription expires roughly every 7 days and must be auto-renewed on a schedule, or notifications silently stop.
- **Backfill:** on first connect, backfill 6 months of email. Separately, define how gaps are reconciled if Pub/Sub delivery lapses.
- **Mail provider assumption:** the design assumes Google Workspace for all users. Outlook / Microsoft 365 is not supported in Phase 1.

6. AI Features

Feature	What It Does
Email / thread summary	Two-sentence plain-English summary of every logged email thread
Meeting summary	Key decisions and action items extracted from meeting notes
Next best action	1–2 suggestions per deal or contact (e.g. “No email in 14 days — send a check-in”)
Contact enrichment	Extracts title, phone, and company from email signatures when auto-creating contacts

7. Other Functionality

7.1 Card and List Views

- Companies, Deals, Contacts, and Activities each have a card view (all fields) and a list view.

7.2 Global Search

- Single search bar with type-ahead; results grouped by object type.
- Search across names, domains, email addresses, deal names, and activity subjects/bodies.
- Filters on each list view (e.g. Deal Stage, Owner, Status, Member Of).

7.3 Data Export

- A user can export all Contacts, Deals, Activities, or Companies (or a filtered set) from the list view.

7.4 Data Import

We will export our data out of HubSpot and need a way to import it, with a separate input for Companies, Contacts, Deals, and Activities, plus a way to associate records with one another.

- For example, when importing Contacts, one column is Company and another is Deal, so the Contact is associated with the right Company and Deal.
- Associations are resolved by matching a key field (e.g. Record ID or an exact name) on the target record; the import tool should report any rows it could not match.

8. Permissions

Kept simple for Phase 1: everyone can see, update, or modify everything. In addition, designated admins can add/delete users and delete records.

9. Security

- SOC 2 Type II controls reflected in the architecture.
- Audit logs retained capturing record changes (including merges) and user actions.
- SSO / MFA.

10. HubSpot Migration & Cutover

The migration tool must define:

- Field-level mapping from HubSpot objects to our Company / Contact / Deal / Activity schema (including custom fields, owners, and stage mapping).
- Fidelity target: $\geq 99\%$ of records migrated with no field loss; a reconciliation report comparing source vs. destination counts.
- Historical email/activity import scope and date range.
- Cutover plan: freeze window, dual-run period, and a defined rollback path if migration fails validation.
- Owner and sign-off criteria for declaring migration complete.