# Prac-04

Deploy Node.js + MongoDB Application using Docker Compose

## STEP-01: Create the following folder structure:

node-mongo-compose/

│

├── docker-compose.yml

├── package.json

├── server.js

└── Dockerfile




## STEP-02: write the all content of the files

**file name: server.js**

```
const express = require("express");
const mongoose = require("mongoose");
const app = express();
const PORT = 3000;
mongoose.connect("mongodb://mongo:27017/mydatabase", {
useNewUrlParser: true,
useUnifiedTopology: true
})
.then(() => console.log("MongoDB Connected"))
.catch(err => console.log(err));
app.get("/", (req, res) => {
res.send("Node.js + MongoDB running with Docker Compose");
});
```

```
app.listen(PORT, () => {
console.log(`Server running on port ${PORT}`);
});
```

**File name: package.json**

```
{
"name": "node-mongo-app",
"version": "1.0.0",
"main": "server.js",
"dependencies": {
"express": "^4.18.2",
"mongoose": "^7.0.0"
}
}
```

**Dockerfile (for Node.js App)**

```
FROM node:18
WORKDIR /app
COPY package.json .
RUN npm install
COPY . .
EXPOSE 3000
CMD ["node", "server.js"]
```

**Docker Compose File**

docker-compose.yml

```
version: '3.8'
services:
app:
build: .
container_name: node_app
ports:
- "3000:3000"
depends_on:
- mongo
```

restart: always

mongo:

image: mongo:6

container_name: mongo_db

ports:

- "27017:27017"

volumes:

- mongo_data:/data/db

restart: always

volumes:

mongo_data:

## STEP-04: Rename the Dockerfile.txt to Dockerfile and build the image






**STEP-05: Run the localhost for port [http://localhost/3000](http://localhost/3000)**