

## DAY 2 (02-08-2023)

### 1. Assignment html file:

```
<!DOCTYPE html>
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.min.js"></script>
  <link rel="stylesheet" href="Assignment.css" />
  <title>My Destination</title>
</head>
<body>
  <div class="container-fluid mt-2">
    <p class="display-6 text-center fw-bold text-decoration-underline fst-italic text-
dark">WELCOME TO OOTY</p>
  </div>

  <div class="container border border-style-dotted">
    Ooty is a gorgeous hill station in Tamil Nadu, and is considered a haven for nature lovers
from all the country. Ensnconced in the lap of nature, this town is surrounded on all sides by
the towering Nilgiris, evergreen fir trees and of course, lakes small and large.
  </div>
  <div class="container-xl">
    <p class="text-center fw-bold mt-2">KEY ATTRACTIONS</p>
    <div class="row">
      <div class="col">
        <div class="card" style="margin: 2rem;">
          
          <div class="card-body">
            <h5 class="card-title">Pykara Lake</h5>
            <a href="#" class="btn btn-primary">View</a>
          </div>
        </div>
      </div>
      <div class="col">
        <div class="card" style="margin: 2rem">
          
          <div class="card-body">
            <h5 class="card-title">Doddabetta Peak</h5>
            <a href="#" class="btn btn-primary">View</a>
          </div>
        </div>
      </div>
    </div>
  </div>
```

```
<div class="col">  
    <div class="card" style="margin: 2rem">  
          
        <div class="card-body">  
            <h5 class="card-title">Government Rose Garden</h5>  
            <a href="#" class="btn btn-primary">View</a>  
        </div>  
    </div>  
</div>  
  
</div>  
  
<footer class="text-center" style="margin: 0px">  
    <p>Sriram 2023</p>  
    <p>Ph: 962993589</p>  
</footer>  
</body>  
</html>
```

Assignment css file:

```
.container-fluid{
  background-color:rgb(193, 236, 128);
  opacity: 0.5;
  padding: 0.3rem;
  position: fixed;
  top: 0px
}

body{
  background-image: url("https://images.unsplash.com/photo-1491497895121-1334fc14d8c9?ixlib=rb-4.0.3&ixid=M3wxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8fA%3D%3D&auto=format&fit=crop&w=2070&q=80");
}

.container{
  padding: 0.2rem;
  margin-top: 6rem;
  background-color: azure;
  border-radius: 10px;
}

.container-para{color: rgba(0, 0, 0,1);}

footer{
  background-color: rgb(193, 236, 128);
```


```

    opacity: 0.5;
}

.sidebar{
    display: flex;
    flex-direction: column;
    padding: 5px;
    margin-top: 50px;
}

```

Output:



2. Eg1 html file:

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.min.js"></script>
    <link rel="stylesheet" href="eg1.css" />
  </head>
  <body>
    <div class="container-sm border border-primary">

```

```

<p class="display-5">Boorstrap heading</p>
<p id="para3" class="bg-primary text-white">This is paragraph</p>
<p class="para1 bg-success text-center">
  This is paragraph This is paragraph This is paragraph This is paragraph
  This is paragraph
</p>
<p class="para2 bg-info text-warning">This is paragraph</p>
<div class="row">
<div class="col-6">
<table class="table table-responsive-md table-bordered table-striped table-hover">
  <tr>
    <th>No</th>
    <th>Name</th>
  </tr>
  <tr>
    <td>1</td>
    <td>Sriram</td>
  </tr>
  <tr>
    <td>2</td>
    <td>Varun</td>
  </tr>
  <tr>
    <td>3</td>
    <td>Parithi</td>
  </tr>
</table>

  <p class="text-end">hi</p>
</div>
</div>
</body>
</html>

```

Eg2 css file:

```

.text-white{
  color: black !important; /* we should apply for some styles by default*/
}


.display-5{
  color: red;
}

```

```
.container-sm{
    background: floralwhite;
    padding-left: 30px;
    border-style: dotted !important;
}
```

```
.bg-success{
    color: white;
}
```

Output:



3. Eg2 html files:

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1" />
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/css/bootstrap.min.css"
rel="stylesheet"/>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.3/dist/js/bootstrap.min.js"></script>
    <link rel="stylesheet" href="eg1.css" />
  </head>
  <body>
    <div class="container-fluid mt-3">
```

```

<p class="bg-success">
  This is the paragraph This is the paragraph This is the paragraph This is the paragraph
This is the paragraph
</p>
<p class="bg-warning text-light">
  This is the paragraphThis is the paragraphThis is the paragraph
</p>
</div>
<div>
  
  <button type="button" class="btn btn-info">
    click
  </button>
  <button type="button" class="btn btn-success bg-sm">
    click
  </button>
  <p>
    <button type="button" class="btn btn-outline-info">
      click
    </button>
    <button type="button" class="btn btn-success btn-sm">
      click
    </button>
    <button type="button" class="spinner-border">
      ||
    </button>
  </p>

</div>
</body>
</html>

```

Output:

