

Cucumber Report

14-Sep-2023, 1:54:24 pm

Start : Sep 14, 1:54:05.732 pm

End : Sep 14, 1:54:21.527 pm

Duration : 15.795 s

Features


Scenarios


Steps

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 5
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 19







#	Feature Name	T	P	F	S	Duration
1	Login page feature	3	0	3	0	14.022 s
2	Manager Page Features	2	0	2	0	15.754 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login page feature</u>	<u>Forgot Password link</u>	2	0	0	2	12.846 s
2	<u>Login page feature</u>	<u>Login page title</u>	3	0	0	3	12.107 s
3	<u>Login page feature</u>	<u>Login with correct credentials</u>	5	0	0	5	13.977 s
4	<u>Manager Page Features</u>	<u>Manager Page Title</u>	4	0	0	4	15.754 s
5	<u>Manager Page Features</u>	<u>Manager Section Counts</u>	5	0	0	5	12.562 s

(F)- Login page feature

FAILED	DURATION - 14.022 s	Scenarios		Steps	
/ 1:54:05.732 pm // 1:54:19.754 pm /		Total - 3		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 10	



(S)- Forgot Password link

<div>FAILED</div> <div>DURATION - 12.846 s</div>			Steps		
/ 1:54:05.737 pm // 1:54:18.583 pm /			Total - 2		
Login page feature			Pass - 0		
@Smoke @Login			Fail - 0		
			Skip - 2		

#	Step / Hook Details	Status	Duration
	<p>BEFORE - parallel.ApplicationHooks.launchBrowser()</p> <p>org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.187 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SRIPRASADKOUSHI', ip: '192.168.29.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0086A813+48355] (No symbol) [0x007FC4B1] (No symbol) [0x00705358] (No symbol) [0x007261AC] (No symbol) [0x00721EF3] (No symbol) [0x00720579] (No symbol) [0x00750C55] (No symbol) [0x0075093C] (No symbol) [0x0074A536] (No symbol) [0x007282DC] (No symbol) [0x007293DD] GetHandleVerifier [0x00ACAABD+2539405] GetHandleVerifier [0x00B0A78F+2800735] GetHandleVerifier [0x00B0456C+2775612] GetHandleVerifier [0x008F51E0+616112] (No symbol) [0x00805F8C] (No symbol) [0x00802328] (No symbol) [0x0080240B] (No symbol) [0x007F4FF7] BaseThreadInitThunk [0x76D000C9+25] RtlGetAppContainerNamedObjectPath [0x779F7B1E+286] RtlGetAppContainerNamedObjectPath [0x779F7AEE+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126)</p>	FAILED	12.746 s

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:28) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:45)		
1	Given user is on login page	SKIPPED	0.000 s
2	Then reset link should be displayed	SKIPPED	0.000 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:59)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:50)		



(S)- Login page title

<div>FAILED</div> <div>DURATION - 12.107 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:54:05.758 pm // 1:54:17.865 pm /</div>				
<div>Login page feature</div>				
<div>@Smoke @Login</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.187 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SRIPRASADKOUSHI', ip: '192.168.29.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0086A813+48355] (No symbol) [0x007FC4B1] (No symbol) [0x00705358] (No symbol) [0x007261AC] (No symbol) [0x00721EF3] (No symbol) [0x00720579] (No symbol) [0x00750C55] (No symbol) [0x0075093C] (No symbol) [0x0074A536] (No symbol) [0x007282DC] (No symbol) [0x007293DD] GetHandleVerifier [0x00ACAABD+2539405] GetHandleVerifier [0x00B0A78F+2800735] GetHandleVerifier [0x00B0456C+2775612] GetHandleVerifier [0x008F51E0+616112] (No symbol) [0x00805F8C] (No symbol) [0x00802328] (No symbol) [0x0080240B] (No symbol) [0x007F4FF7] BaseThreadInitThunk [0x76D000C9+25] RtlGetAppContainerNamedObjectPath [0x779F7B1E+286] RtlGetAppContainerNamedObjectPath [0x779F7AEE+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136)	FAILED	12.000 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:28) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:45) </pre>		
1	Given user is on login page	SKIPPED	0.001 s
2	When user gets the title of the login page	SKIPPED	0.001 s
3	Then page title should be "Guru99 Bank Home Page"	SKIPPED	0.000 s
	<pre> AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:59) </pre>	FAILED	0.016 s
	<pre> AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:50) </pre>	FAILED	0.001 s

(S)- Login with correct credentials



<div>FAILED</div> <div>DURATION - 13.977 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
<div>/ 1:54:05.777 pm // 1:54:19.754 pm /</div>				
<div>Login page feature</div>				
<div>@Regression @Login</div>				

#	Step / Hook Details	Status	Duration
	<pre> BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.187 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SRIPRASADKOUSHI', ip: '192.168.29.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0086A813+48355] (No symbol) [0x007FC4B1] (No symbol) [0x00705358] (No symbol) [0x007261AC] (No </pre>	FAILED	13.922 s



#	Step / Hook Details	Status	Duration
	symbol) [0x00721EF3] (No symbol) [0x00720579] (No symbol) [0x00750C55] (No symbol) [0x0075093C] (No symbol) [0x0074A536] (No symbol) [0x007282DC] (No symbol) [0x007293DD] GetHandleVerifier [0x00ACAABD+2539405] GetHandleVerifier [0x00B0A78F+2800735] GetHandleVerifier [0x00B0456C+2775612] GetHandleVerifier [0x008F51E0+616112] (No symbol) [0x00805F8C] (No symbol) [0x00802328] (No symbol) [0x0080240B] (No symbol) [0x007F4FF7] BaseThreadInitThunk [0x76D000C9+25] RtlGetAppContainerNamedObjectPath [0x779F7B1E+286] RtlGetAppContainerNamedObjectPath [0x779F7AEE+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:28) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:45)		
1	Given user is on login page	SKIPPED	0.000 s
2	When user enters username "mngr502613"	SKIPPED	0.000 s
3	When user enters password "UsymUsa"	SKIPPED	0.000 s
4	And user clicks on Login button	SKIPPED	0.000 s
5	Then user gets the title of the login page "Guru99 Bank Home Page"	SKIPPED	0.001 s
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)"		

#	Step / Hook Details	Status	Duration
	because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:59)		
	AFTER - parallel.ApplicationHooks.quitBrowser() java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:50)	FAILED	0.001 s

(F)- Manager Page Features

FAILED	DURATION - 15.754 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 1:54:05.773 pm // 1:54:21.527 pm /					

(S)- Manager Page Title



<div>FAILED</div> <div>DURATION - 15.754 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 1:54:05.773 pm // 1:54:21.527 pm /				
Manager Page Features				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.187 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SRIPRASADKOUSHI', ip: '192.168.29.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0086A813+48355] (No symbol) [0x007FC4B1] (No symbol) [0x00705358] (No symbol) [0x007261AC] (No symbol) [0x00721EF3] (No symbol) [0x00720579] (No symbol) [0x00750C55] (No symbol) [0x0075093C] (No symbol) [0x0074A536] (No symbol) [0x007282DC] (No symbol) [0x007293DD] GetHandleVerifier [0x00ACAABD+2539405] GetHandleVerifier [0x00B0A78F+2800735] GetHandleVerifier [0x00B0456C+2775612] GetHandleVerifier [0x008F51E0+616112] (No symbol) [0x00805F8C] (No symbol) [0x00802328] (No symbol) [0x0080240B] (No symbol) [0x007F4FF7] BaseThreadInitThunk [0x76D000C9+25] RtlGetAppContainerNamedObjectPath [0x779F7B1E+286] RtlGetAppContainerNamedObjectPath [0x779F7AEE+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)	FAILED	15.701 s

#	Step / Hook Details	Status	Duration				
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:28) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:45)						
1	Given User has already logged into an Application	SKIPPED	0.001 s				
	<table><tr><td>username</td><td>password</td></tr><tr><td>mngnr502613</td><td>UsymUsa</td></tr></table>	username	password	mngnr502613	UsymUsa		
username	password						
mngnr502613	UsymUsa						
2	Given User is on Manager Page	SKIPPED	0.001 s				
3	When User gets the title of the page	SKIPPED	0.000 s				
4	Then Page title should be "Guru99 Bank Home Page"	SKIPPED	0.000 s				
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s				
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:59)						
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s				

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:50)		

(S)- Manager Section Counts

<div>FAILED</div> <div>DURATION - 12.562 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:54:05.776 pm // 1:54:18.338 pm /</div>				
<div>Manager Page Features</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.ApplicationHooks.launchBrowser() org.openqa.selenium.SessionNotCreatedException: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 116.0.5845.187 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'SRIPRASADKOUSHI', ip: '192.168.29.78', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: driver.version: ChromeDriver remote stacktrace: Backtrace: GetHandleVerifier [0x0086A813+48355] (No symbol) [0x007FC4B1] (No symbol) [0x00705358] (No symbol) [0x007261AC] (No symbol) [0x00721EF3] (No symbol) [0x00720579] (No symbol) [0x00750C55] (No symbol) [0x0075093C] (No symbol) [0x0074A536] (No symbol) [0x007282DC] (No symbol) [0x007293DD] GetHandleVerifier [0x00ACAABD+2539405] GetHandleVerifier [0x00B0A78F+2800735] GetHandleVerifier [0x00B0456C+2775612] GetHandleVerifier [0x008F51E0+616112] (No symbol) [0x00805F8C] (No symbol) [0x00802328] (No symbol) [0x0080240B] (No symbol) [0x007F4FF7] BaseThreadInitThunk [0x76D000C9+25] RtlGetAppContainerNamedObjectPath [0x779F7B1E+286] RtlGetAppContainerNamedObjectPath [0x779F7AEE+238] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.W3CHandshakeResponse.lambda\$errorHandler\$0(W3CHandshakeResponse.java:62) at org.openqa.selenium.remote.HandshakeResponse.lambda\$getResponseFunction\$0(HandshakeResponse.java:30) at org.openqa.selenium.remote.ProtocolHandshake.lambda\$createSession\$0(ProtocolHandshake.java:126) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.tryAdvance(Spliterators.java:1002) at java.base/java.util.stream.ReferencePipeline.forEachWithCancel(ReferencePipeline.java:129) at java.base/java.util.stream.AbstractPipeline.copyIntoWithCancel(AbstractPipeline.java:527) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:513) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.FindOps\$FindOp.evaluateSequential(FindOps.java:150)	FAILED	12.498 s

#	Step / Hook Details	Status	Duration															
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.findFirst(ReferencePipeline.java:647) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:128) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:74) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:136) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:213) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:181) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:168) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.qa.factory.DriverFactory.init_driver(DriverFactory.java:28) at parallel.ApplicationHooks.launchBrowser(ApplicationHooks.java:45)																	
1	Given User has already logged into an Application	SKIPPED	0.006 s															
	<table><tr><td>username</td><td>password</td></tr><tr><td>mngr502613</td><td>UsymUsa</td></tr></table>	username	password	mngr502613	UsymUsa													
username	password																	
mngr502613	UsymUsa																	
2	Given User is on Manager Page	SKIPPED	0.001 s															
3	When User gets the title of the page	SKIPPED	0.001 s															
4	Then Then Page title should be "Guru99 Bank Home Page"	SKIPPED	0.001 s															
	<table><tr><td>Manager</td></tr><tr><td>New Customer</td></tr><tr><td>Edit Customer</td></tr><tr><td>Delete Customer</td></tr><tr><td>New Account</td></tr><tr><td>Edit Account</td></tr><tr><td>Delete Account</td></tr><tr><td>Deposit</td></tr><tr><td>Withdrawal</td></tr><tr><td>Fund Transfer</td></tr><tr><td>Change Password</td></tr><tr><td>Balance Enquiry</td></tr><tr><td>Mini Statement</td></tr><tr><td>Customised Statement</td></tr><tr><td>Log out</td></tr></table>	Manager	New Customer	Edit Customer	Delete Customer	New Account	Edit Account	Delete Account	Deposit	Withdrawal	Fund Transfer	Change Password	Balance Enquiry	Mini Statement	Customised Statement	Log out		
Manager																		
New Customer																		
Edit Customer																		
Delete Customer																		
New Account																		
Edit Account																		
Delete Account																		
Deposit																		
Withdrawal																		
Fund Transfer																		
Change Password																		
Balance Enquiry																		
Mini Statement																		
Customised Statement																		
Log out																		
5	And Manager Section Counts is 15	SKIPPED	0.001 s															
	AFTER - parallel.ApplicationHooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s															
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null																	

#	Step / Hook Details	Status	Duration
	at parallel.ApplicationHooks.tearDown(ApplicationHooks.java:59)		
	AFTER - parallel.ApplicationHooks.quitBrowser()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.quit()" because "this.driver" is null at parallel.ApplicationHooks.quitBrowser(ApplicationHooks.java:50)		