

MainActivity.kt(app->Kotlin+java->com.example.emailsenderapp):

```
package com.example.emailsenderapp
```

```
import android.content.Intent
import android.net.Uri
import android.os.Bundle
import android.util.Patterns
import android.widget.Button
import android.widget.EditText
import android.widget.Toast
import androidx.appcompat.app.AppCompatActivity
```

```
class MainActivity : AppCompatActivity() {
```

```
    lateinit var email: EditText
    lateinit var subject: EditText
    lateinit var message: EditText
    lateinit var sendBtn: Button
```

```
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_main)
```

```
        email = findViewById(R.id.email)
        subject = findViewById(R.id.subject)
        message = findViewById(R.id.message)
        sendBtn = findViewById(R.id.sendBtn)
```

```
        sendBtn.setOnClickListener {
```

```
            val emailText = email.text.toString()
            val subjectText = subject.text.toString()
            val messageText = message.text.toString()
```

```
            if (emailText.isEmpty() || subjectText.isEmpty() || messageText.isEmpty()) {
                Toast.makeText(this, "Fill all fields", Toast.LENGTH_SHORT).show()
                return@setOnClickListener
            }
```

```
            if (!Patterns.EMAIL_ADDRESS.matcher(emailText).matches()) {
                Toast.makeText(this, "Invalid Email", Toast.LENGTH_SHORT).show()
                return@setOnClickListener
            }
```

```

        val intent = Intent(Intent.ACTION_SEND)
        intent.type = "message/rfc822"
        intent.putExtra(Intent.EXTRA_EMAIL, arrayOf(emailText))
        intent.putExtra(Intent.EXTRA_SUBJECT, subjectText)
        intent.putExtra(Intent.EXTRA_TEXT, messageText)

        startActivity(Intent.createChooser(intent, "Send Email"))
    }
}

```

AndroidManifest.xml(app->manifest->AndroidManifest.xml):

```

<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/Theme.EmailSenderApp">
        <activity
            android:name=".MainActivity"
            android:exported="true"
            android:label="@string/app_name"
            android:theme="@style/Theme.EmailSenderApp">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />

                <category android:name="android.intent.category.LAUNCHER" />
            </intent-filter>
        </activity>
    </application>

</manifest>

```

Activity_main.xml(app->res->layout->activity_main.xml):

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    android:padding="20dp">
```

```
<EditText
    android:id="@+id/email"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Recipient Email"
    android:inputType="textEmailAddress"/>
```

```
<EditText
    android:id="@+id/subject"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Subject"/>
```

```
<EditText
    android:id="@+id/message"
    android:layout_width="match_parent"
    android:layout_height="120dp"
    android:hint="Message"
    android:gravity="top"
    android:inputType="textMultiLine"/>
```

```
<Button
    android:id="@+id/sendBtn"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="Send Email"/>
```

```
</LinearLayout>
```

Themes.xml(app->values->themes.xml):

```
<resources>
```

```
    <style name="Theme.EmailSenderApp"
        parent="Theme.AppCompat.Light.DarkActionBar">
    </style>
```

Proof:



