
Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL		
E1.0	**Battery**	
E1.1	Type & number	Lead Acid Battery & 1 Number
E1.2	Voltage	12V
E1.3	Rating (Ah)	50 Ah
E2.0	**Wind Screen Wiper**	
E2.1	Type (Manual / power)	Manual
E2.2	No. of wipers	Two
E2.3	**Wiper motor**	
E2.3.1	Make	XXYY System
E2.3.2	Type	12V
E2.3.3	Identification mark	X5XYZ100
E2.3.4	Rated voltage	12V
E2.3.5	Number of sweep Frequencies	2
E2.3.6	Highest sweep frequency (Cycles / min)	62±8 rpm
E2.3.7	Lowest sweep frequency (Cycles / min)	40±5 rpm
E2.4	**Wiper arm**	Provided
E2.4.1	Length	500mm
E2.4.2	Make	M/s XYZ
E2.5	**Wiper blade**	
E2.5.1	Length	450 mm
E2.5.2	Make	BCS (SYNDICATE WIPER SYSTEM)
E2.5.3	Identification	X5XY0258
E2.6	**Washer tank**	BWXY4501
E2.6.1	Type	Plastic
E2.6.2	Make	XYZ
E2.6.3	Identification No. / Part No.	X5BXYZ168
E2.6.4	Capacity l	1.5Ltr
E2.6.5	Material	H.D.P.E
E2.6.6	Washer tank motor / Washer pump	ELECTRIC MOTOR WITH PUMP
E2.6.6.1	Make	XYZ
E2.6.6.2	Model	PEAD64XYZS00
E2.6.7	Nozzle(s)	XYZ
E2.6.7.1	No. Of Nozzles	2
E2.7	**Defroster**	NA
E2.7.1	Type	-
E2.7.2	Make	-
E2.7.2.1	Details of Demisting and / or Defrosting system	-
E2.7.2.2	Schematic Diagram of Engine cooling system	-
E2.7.2.3	Schematic Diagram of Heating system	-
E2.7.2.4	Cross sectional view of complete air handling system including position of louvers (vents) on dash board	-
E2.7.2.4.1	Blower identification	-
E2.7.2.5	Blower Voltage and capacity (Watts)	-
E2.8	If defrost system is fitted, specify defrost test temperature (-8 +/- 2 deg C / -18 +/- 3 deg C)	
E2.7	Drawing indicating seat back angle, seat travel, H point, Rake angle, F point, steering wheel position, Driver's vision points, Angle obstruction of 'A' pillar & related dimensions as per related standards.	
E3.0	**Horn**	
E3.1	Make	M/s. XXYY, India
E3.2	Type (As per IS: 1884 – 1993)	2B
E3.3	Operating voltage	12V

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL		
E3.4	Identification: TAC No. / BIS License No. / E-Marking	CXU105
E3.5	Number	One
E3.6	Sketch showing mounting of horn	VFTXYZ05
E3.7	Brief Dimensional Drawing indicating the shape and material of the body work at the front of the horn, which might affect the level of the sound, emitted by the horn and have a masking effect	
E3.8	Maximum vehicle speed for continuous operation (km/h) (Only for AC horns)	80 Kmph
E4.0	**Lighting Installation requirements**	
E4.1	Brief Dimensional Drawing indicating installation details of all light & light signaling devices of the vehicle as per AIS-008	VFXYZ1501
E4.2	Head lamp leveling system (manual / automatic)	Manual
E4.2.1	Stop position (if manual)	0
E4.2.2	Initial inclination	-1.70%
E4.2.3	Drawing showing initial inclination angle on the head lamp	VFTXYZ506
E4.2.4	Drawing showing type and controls of dipped beam leveling device with table showing positions of switch for various vehicle loading condition	VFTXYZ507
E4.3	Tell-Tale for leveling switch	Yes
E4.3.1	Description and sketch showing the detail positions of Tell-Tale and seating layout (For M category vehicles)	NA
E5.0	**Head lamp**	
E5.1	**Main beam**	
E5.1.1	Make	M/s. XYZ Limited
E5.1.2	Type of lens (Glass / Plastic)	Plastic
E5.1.3	Identification: TAC No. / BIS License No. / E-Marking	ALSS4 / E9-2ZXYZ8
E5.1.4	Number and Colour of Lens	Two, Clear
E5.2	**Dipped beam**	
E5.2.1	Make	M/s. XYZ Limited
E5.2.2	Type of lens (Glass / Plastic)	Plastic
E5.2.3	Identification: TAC No. / BIS License No. / E-Marking	AL0XYZ4
E5.2.4	Number and Colour of Lens	Two, Clear
E5.3.0	Head Lamp cleaning device provided (Yes / No) (For Headlamps having intensity more than 2000 lumen)	NA
E5.3.1	Cleaner Type as per AIS-083	--
E5.3.1.1	Make	--
E5.3.2	A list, specifying the parts which constitute the headlamp cleaner and drawings thereof, (e.g. pumps, nozzles, valves, motors and wipers);	--
E5.3.3	A brief technical description indicating the length of the cleaning period, the consumption of cleaning fluid during the cleaning period and the minimum capacity of the container provided;	--
E5.3.4	Capacity class of the fluid container: 25/50	--
E5.3.5	Drawings showing the installation to a vehicle	--
E5.3.6	Drawings showing the relative attachment between the headlamp(s) & the wiper(s), nozzle(s), or corresponding parts,	--
E5.3.7	Drawings showing the cleaning principle employed	--

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL		
E5.3.8	Where appropriate, the part of the illuminating surface of the headlamp relevant to the cleaner shall also be shown	--
E5.4	**Bend Lighting , provided (Yes / No)**	NO
E5.4.1	Cornering Lamp (if provided)	--
E5.4.2	Make	--
E5.4.3	Identification: TAC No. / BIS License No. / E-Marking	--
E5.4.4	Type of lens (Glass / Plastic)	--
E5.4.5	Number and Colour of Lens	--
E5.5	**Day Time Running Lamp (if provided)**	NO
E5.5.1	Make	--
E5.5.2	Identification: TAC No. / BIS License No. / E-Marking	--
E5.5.3	Type of lens (Glass / Plastic)	--
E5.5.4	Number and Colour of Lens	--
E6.0	**Front Fog Lamp**	NA
E6.1	Make	--
E6.2	Type of lens (Glass / Plastic)	--
E6.3	Identification: TAC No. / BIS License No. / E-Marking	--
E6.4	Number and Colour of Lens	--
E7.0	**Rear Fog Lamp**	NA
E7.1	Make	--
E7.2	Identification: TAC No. / BIS License No. / E-Marking	--
E7.3	Number and Colour of Lens	--
E8.0	**Side Marker lamps**	NA
E8.1	Make	-
E8.2	Identification: TAC No. / BIS License No. / E-Marking	-
E8.3	Number and colour of Lens	-
E9.0	**Registration Plate lamp**	-
E9.1	Make	M/s. XYZ Limited
E9.2	Identification: TAC No. / BIS License No. / E-Marking	AA2XY4
E9.3	Number and colour of Lens	Two & White
E10.0	**Position lamp / Parking Lamp - Front**	--
E10.1	**Front Position Lamp**	--
E10.1.1	Make	M/s. XYZLimited
E10.1.2	Identification: TAC No. / BIS License No. / E-Marking	ALXY44
E10.1.3	Number and colour of Lens	Two, Amber
E10.2	**Front Parking Lamp**	NA
E10.2.1	Make	--
E10.2.2	Identification: TAC No. / BIS License No. / E-Marking	--
E10.2.3	Number and colour of Lens	--
E11.0	**Position lamp / Parking Lamp - Rear**	**Integrated in Rear Combination Lamp**
E11.1	**Rear Position Lamp**	Provided
E11.1.1	Make	M/s. XYZ Limited
E11.1.2	Identification: TAC No. / BIS License No. / E-Marking	AAXYZ4
E11.1.3	Number and colour of Lens	Two & Red
E11.2	Rear Parking Lamp	NA
E11.2.1	Make	-
E11.2.2	Identification: TAC No. / BIS License No. / E-Marking	-
E11.2.3	Number and colour of Lens	-

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL			
E12.0	**Stop lamp (S1 / S2)**	**Integrated in Rear Combination Lamp**	
E12.1	Make	M/s. XYZ Limited	
E12.2	Identification: TAC No. / BIS License No. / E-Marking	AAXY64	
E12.3	Number and colour of Lens	Two & Red	
E13.0	**Stop lamp (S3) for M1 category & N category as applicable**	NA	
E13.1	Make	-	
E10.2	Identification: TAC No. / BIS License No. / E-Marking	-	
E10.3	Number and colour of lens	-	
E14.0	**Reversing lamp**	**Integrated in Rear Combination Lamp**	
E14.1	Make	M/s. XYZ Limited	
E14.2	Identification: TAC No. / BIS License No. / E-Marking	AA2364	
E14.3	Number and colour of Lens	One & White	
E15.0	**Direction indicator Lamp**	-	
E15.1	**Front**	Integrated in Head Lamp	
E15.1.1	Make	M/s. XYZ Limited	
E15.1.2	Identification: TAC No. / BIS License No. / E-Marking	AL0344 / E9-23468	
E15.1.3	Number and colour of Lens	Two, Amber	
E15.2	**Rear**	Integrated in Rear Combination Lamp	
E15.2.1	Make	M/s. XYZ Limited	
E15.2.2	Identification: TAC No. / BIS License No. / E-Marking	AA2364	
E15.2.3	Number and colour of Lens	Two & Amber	
E15.3	**Side**	Provided Category - 5	Provided Category - 6
E15.3.1	Make	M/s. XYZZ Industries Limited	M/s. XYZ Limited
E15.3.2	Identification: TAC No. / BIS License No. / E-Marking	C90756	E4 61712
E15.3.3	Number and colour of Lens	Two, Amber	Two, Amber
E15.4	**Flasher for Direction Indicators**	Electronic Flasher	
E15.4.1	Flashing Frequency (No of flashes / minute)	85	
E16.0	**Hazard warning signal**		
E16.1	**Front**		
E16.1.1	Make	M/s. XYZ limited	
E16.1.2	Identification: TAC No. / BIS License No. / E-Marking	ALXY44 / E9-23468	
E16.1.3	Number and colour of Lens	Two, Amber	
E16.2	**Rear**		
E16.2.1	Make	M/s. XYZ Limited	
E16.2.2	Identification: TAC No. / BIS License No. / E-Marking	AA2364	
E16.2.3	Number and colour of Lens	Two & Amber	
E16.3	**Side**	Provided Category - 5	Provided Category - 6
E16.3.1	Make	M/s. XYZZ Industries Limited	M/s. XYZ Limited
E16.3.2	Identification: TAC No. / BIS License No. / E-Marking	C90756	E4 61712
E16.3.3	Number and colour of Lens	Two, Amber	Two, Amber
E17.0	**Reflector**		
E17.1	Front		
E17.1.1	Make	M/s. XYZ limited Industries Limited	
E17.1.2	Type	CATEGORY 1A	
E17.1.3	Identification: TAC No. / BIS License No. / E-Marking	TAC NO- CXXYY80	
E17.1.4	Number and colour of Lens	Two & White	
E17.1.5	Reflective surface Area	34 cm^2	

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL		
E17.1.6	Shape (Square / rectangular / circular / elliptical /other)	Round
E17.2	**Rear**	Integrated in Rear Combination Lamp
E17.2.1	Make	M/s. XXYYXX
E17.2.2	Type	CATEGORY 1B
E17.2.3	Identification: TAC No. / BIS License No. / E-Marking	AAXXY64
E17.2.4	Number and colour of Lens	Two & Red
E17.2.5	Reflective surface Area	24.3 cm^2
E17.2.6	Shape (Square / rectangular / circular / elliptical /other)	Rectangular
E17.3	**Side**	NA
E17.3.1	Make	-
E17.3.2	Type	-
E17.3.3	Identification: TAC No. / BIS License No. / E-Marking	-
E17.3.4	Number and colour of Lens	-
E17.3.5	Reflective surface Area	-
E17.3.6	Shape (Square / rectangular / circular / elliptical /other)	-
E18.0	**End – outline marker lamp (Top light)**	NA
E18.1	**Front**	-
E18.1.1	Make	-
E18.1.2	Type of lens (Glass / Plastic)	-
E18.1.3	Identification: TAC No. / BIS License No. / E-Marking	-
E18.1.4	Number and colour of Lens	-
E18.2	**Rear**	-
E18.2.1	Make	-
E18.2.2	Type of lens (Glass / Plastic)	-
E18.2.3	Identification: TAC No. / BIS License No. / E-Marking	-
E18.2.4	Number and colour of Lens	-
E 5.0 to E 18.0 - Installation Details.	Diagram of vehicle indicating location, reference axis, mark of apparent surface, contour of vehicle parts limiting geometric visibility of all lights and light signaling devices, location of extreme outer edges and longitudinal median plane of vehicle including following dimensions in mm.	
	Along width of vehicle-horizontal distance between inner illuminating surfaces, distance between inner illuminating surfaces and outer most part of vehicle and distance between nearest point of illuminating surfaces of indicators and dipped-beam head lamp.	
	Along length of vehicle (where applicable) - distance between transverse plane corresponding to the longitudinal rearmost extremity to center of reference of rear indicators.	
	Heights of highest and lowest point of illuminating surfaces.	
E19.0	**Automotive bulbs**	
E19.1	**Head lamp bulb (main beam**)	
E19.1.1	Make	
E19.1.2	Category as per AIS –034	
E19.1.3	Identification: TAC No. / BIS License No. / E-Marking	
E19.1.4	**Head lamp bulb (Dipped beam)**	
E19.1.5	Make	
E19.1.6	Category as per AIS –034	

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL			
E19.1.7	Identification: TAC No. / BIS License No. / E-Marking		
E19.2	**Parking Lamp bulb – Front**		
E19.2.1	Make		
E19.2.2	Category as per AIS –034		
E19.2.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.3	**Parking Lamp bulb – Rear**		
E19.3.1	Make		
E19.3.2	Category as per AIS –034		
E19.3.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.4	**Direction indicator lamp bulb - front**		
E19.4.1	Make		
E19.4.2	Category as per AIS –034		
E19.4.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.5	**Direction indicator lamp bulb - rear**		
E19.5.1	Make		
E19.5.2	Category as per AIS –034		
E19.5.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.6	**Direction indicator lamp bulb - side**		
E19.6.1	Make		
E19.6.2	Category as per AIS –034		
E19.6.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.7	**Front Position Lamp bulb**		
E19.7.1	Make		
E19.7.2	Category as per AIS –034		
E19.7.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.8	**Rear Position Lamp (tail lamp) Bulb**		
E19.8.1	Make		
E19.8.2	Category as per AIS –034		
E19.8.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.9	**Stop lamp bulb**		
E19.9.1	Make		
E19.9.2	Category as per AIS –034		
E19.9.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.10	**Number plate lamp bulb**		
E19.10.1	Make		
E19.10.2	Category as per AIS –034		
E19.10.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.11	**End out Marker bulb**		
E19.11.1	Make		
E19.11.2	Category as per AIS –034		
E19.11.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.12	**Reversing lamp bulb**		
E19.12.1	Make		
E19.12.2	Category as per AIS –034		
E19.12.3	Identification: TAC No. / BIS License No. / E-Marking		
E19.13	**Stop Lamp Bulb (S3)**	**NA**	
E19.13.1	Make	-	

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL		
E19.13.2	Category as per AIS –034	-
E19.13.3	Identification: TAC No. / BIS License No. / E-Marking	-
E19.14	**Front Fog Lamp Bulb**	**NA**
E19.14.1	Make	-
E19.14.2	Category as per AIS –034	-
E19.14.3	Identification: TAC No. / BIS License No. / E-Marking	-
E19.15	**Rear Fog Lamp Bulb**	NA
E19.15.1	Make	-
E19.15.2	Category as per AIS –034	-
E19.15.3	Identification: TAC No. / BIS License No. / E-Marking	-
E19.16	**Side Marker Lamp Bulb**	NA
E19.16.1	Make	-
E19.16.2	Category as per AIS –034	-
E19.16.3	Identification: TAC No. / BIS License No. / E-Marking	-
E19.17	**Cornering lamp bulb (if provided)**	NA
E19.17.1	Make	-
E19.17.2	Category as per AIS –034	-
E19.17.3	Identification: TAC No. / BIS License No. / E-Marking	-
E19.18	**Day time Running lamp bulb (if provided)**	NA
E19.18.1	Make	-
E19.18.2	Category as per AIS –034	-
E19.18.3	Identification: TAC No. / BIS License No. / E-Marking	-
E19.19	**Bending lamp bulb (if provided)**	NA
E19.19.1	Make	-
E19.19.2	Category as per AIS –034	-
E19.19.3	Identification: TAC No. / BIS License No. / E-Marking	-
E20.0	**Warning Triangle**	
E20.1	Make	M/s. XXYYZZ Pvt Ltd
E20.2	Identification: TAC No. / BIS License No. / E-Marking	V9XYZ1
E21.0	**Reflective tape (AIS: 090)**	
E 21.1	Make	M/s. XXXYYYY
E 21.2	Width of tape(s) in mm	20 mm
E 21.3	Identification: TAC No. / BIS License No. / E-Marking	A9XXX4
E 21.4	Dimensional Drawing indicating installation details of reflective Tapes at front, Rear & side of the vehicle / load body / container / Tanker etc., as per AIS-090	VFT01XYZ
E22.0	**Electromagnetic Compatibility as per AIS:004 (Part 3)**	Refer Annexure 6A
E22.1	Description and drawings/photographs of the shapes and constituent materials of the part of the body forming the engine compartment and the part of the passenger compartment nearest to it:	--
E22.2	Drawings or photographs of the position of the metal components housed in the engine compartment (e.g. heating appliances, spare wheel, air filter, steering mechanism, etc.):	--
E22.3	List of all subassemblies, which includes an electronic oscillator or switching frequency greater than 9 kHz (like ECU, steering, suspension, Body	--

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL			
	Control Module, etc.). The list shall include Device name, Make/s and Part No. /Type ID/Drawing No Please fill information about Vehicle Alarm System (VAS)/ Immobilizer as per Annexure A to Table 6, if fitted. List of Electrical/Electronic Systems which are not previously listed		
E 22.3.1	List of all Electrical components, which include Broadband EMI sources (like HAVC Motor, Wiper Motor, Window motor and Horn etc.) The list shall include Device name, Make/s and Part No. /Type ID/Drawing No	--	
E 22.4	Table of installation and use of RF transmitters in the vehicle(s), if applicable (see paragraph 3.1.8. of this standard):		
	Frequency bands (Hz)	Max Output Power (W)	Antenna Position at Vehicle, specific conditions for installation and/or use
E22.5	Vehicle equipped with 24 GHz short-range radar equipment: yes/no/optional		
E 23.0	**Protective Devices as per AIS 075**		
E 23.1	Name of the protective device manufacturer	Jay Switches	
E23.1.1	Type/Part no./Identification number(ID)/Drawing No.	FKXYZS00	
E 23.2	Name of the manufacturer of the system (Steering column shaft / Gear shift control / Transmission) on which the Protective Device functions	XXYY Steering System	
E 23.2.1	Type/Part no./Identification number(ID)/Drawing No.of the device on which the Protective Device functions	FZY02XYZ – Upper Column FZY04XYZ – Intermediate column BDJ24XYZ- Steering assembly	
E 23.3	System locked by Protective Device (s) a) Locks the Steering (or) b) Locks the Transmission (or) c) Locks the Gearshift Control d) Locks the Brakes Applicable only in case of steering column locking systems	Locks the Steering	
E 23.4	Type of Protective Device (Electronic / Mechanical)	Mechanical	
E 23.5	Mechanism of Locking (for Steering) a) Normal blocking type b) Yield or Slipping Mechanism c) Freely rotating Steering Wheel	Normal Blocking Type	
E 23.6	Whether driver warning feature present in the vehicle in case if driver opens the side door with the device deactivated?	NO	
E 24.0	VLT SYSTEM DETAILS (If fitted)	NA	
E 24.1	Make:	--	
E 24.2	Type	--	
E 24.3	Model No	--	
E 24.4	Part No	--	
E 24.5	Installation layout: Attach drawing showing location in vehicle.	--	
E 25.0	**EMERGENCY BUTTONS (If fitted)**	NA	
E 25.1	Make	--	
E 25.2	Model No.	--	
E 25.3	Part No.	--	
E 25.4	Connector used	--	
E 25.5	Connector used for antennas	--	
E 25.5.1	Main GSM antenna	--	
E 25.5.2	GPS antenna	--	

Manufacturer signature: _____ Test agency: _____

Table 6 of AIS 007 (Revision 5) TECHNICAL SPECIFICATION – FOUR WHEELERS AND ABOVE PART E – ELECTRICAL				
E 25.5.3	WLAN antenna	--		
E 26.0	**SYSTEM SOFTWARE (If fitted)**	NA		
E 26.1	Make	--		
E 26.2	Version	--		
E 26.3	Operating System Details with Version	--		
E 27.0	**COMMUNICATION PROTOCOL USED (If fitted)**	NA		
E 27.1	Vehicle to Centre	--		
E 27.1.1	VLT to Control Centre	--		
E 27.1.2	Command Set for Configurations	--		
E 27.2	**DESCRIPTION OF DEVICE (If fitted)**	NA		
E 27.6	**DRAWINGS(If fitted)**	--		
E 27.7	Device/Emergency Button/ System Drawing.	--		
E 27.8	**INSTRUCTIONS MANUAL (If fitted)**	NA		
		Blower	**Low-Cost Heater**	**AC**
E28.0	**Air Conditioning System for cabin of N2 and N3 categories of vehicle as per AIS-056(Rev.1) (Provided -Yes/No)**	Optional		
E28.1	Make(s):	M/S. XYZS		
E28.2	Part No/Identification No:	B0CXYZ02	B0C12XYZ1	B0XYZ202
E28.3	Schematic diagram of AC system			
E28.4	Cooling Capacity (kW)	NA	NA	4 kW
E29.0	**Ventilation System for cabin of N2 and N3 categories of vehicle as per AIS-056(Rev.1) (Provided - Yes/No)**	Optional		
E29.1	Information for Ventilation system	--		
E29.1.1	Total area (cm^2) of the unblocked openings and their locations excluding the area of Side Door Windows (Drawing to be provided)	F0Y8XYZ5		
E29.1.2	Cabin volume (m^3)	1.89 m_3		
E29.2	Name of manufacturer of the installed blower(s)	M/S. XYZS		
E29.3	Total flow rate (m^3 /hr) of all the blowers installed	400 ± 10% m^3/Hr		
E29.4	No. of speeds offered in blower (s)	4	4	4
E29.5	Whether air vents have been provided for direction control, If yes, their locations	Yes (4) LH/CLH/CRH/RH	Yes (4) LH/CLH/CRH/RH	Yes (4) LH/CLH/CRH/RH
E29.6	Schematic diagram of the Cabin Ventilation System	B0CXYZ02	B0C12XYZ1	B0XYZ202

E 30.0	Rear marking plate for Long and Heavy Vehicles	-		
E 30.1	Make	-		
E 30.2	Identification	-		
E 30.3	Class	-		
E 30.4	Installation drawing with mounting dimensions of rear marking plate on vehicle	-		
E 31.0	**Any other features (As declared by the vehicle manufacturer)**			
E 31.1	Information for Reverse Parking Alert System			
E 31.2	Type of System (Sensor based / Camera based system)	Sensor		
E 31.3	Sensor based system (as applicable) information	Ultrasonic Sensor		
E 31.4	Make	XYZ Automotive Ltd		
E 31.6	Identification No. / Part No.	Description	AL Part No.	Hella Part No
		Sensor	FXXX0700	015.XYZ-00
		ECU	FXX01000	015.XYZ-01
		Buzzer	X4XX0400	015.XYZ-00
E 31.7	Number of sensors and mounting location	Option 1: 4 Sensors mounted on Tail Lamp bracket and Frame load body Option 2: 3 Sensors mounted on Tail Lamp bracket and load body		
E 31.8	Camera based System (as applicable)	NA		
E 31.9	Make	--		

Manufacturer signature: _____ Test agency: _____

E 31.10	Identification No. / Part No.	--
E 31.11	Camera mounting location	--
E 31.12	Display Make	--
E 31.13	Display Identification No. / Part No.	--
E 31.14	Display location	--
Information to be submitted for Type approval of VAS and/or Immobilizer Information sheet for AIS-076		
1.0	**Description of the VAS**	-
a.	Make	-
b.	Type	-
c.	Serial Number	-
d.	Name and Address of manufacture	-
1.1	A detailed description of the alarm system and of the vehicle parts related to alarm system installed with Block Diagram	
1.2	A list of main components comprising the alarm system	-
1.2.1	Components placed in Engine compartment	-
1.2.2	Components placed in Passenger compartment	-
1.3	Availability of radio/wireless transmission Yes/No	-
1.3.1	Details of radio/wireless transmission if any	-
1.3.2	frequency	-
1.3.3	Availability of WPC approval for wireless technology Yes/No	-
1.4	The measures taken against false alarm	-
1.5	Range of protection offered by the device. Details about the detection mechanism (opening of Door, Bonnet, luggage compartment, intrusion etc.)	-
1.6	Details & specification of audible alarm	-
1.7	Details & specification of optical alarm	-
1.8	Details & specification of radio alarm if fitted	-
1.9	Method of setting/ unsetting the device	-
1.10	Type of key used for unsetting (Mechanical Key / electronic device)	-
1.11	Number of interchangeable codes, if applicable(Supplier to provide undertaking regarding incorporation of rolling code)	-
1.12	Exit delay in Sec	-
1.13	Entry Delay in sec	-
1.14	Details of status display (0.5cd)	-
1.15	Details of self check , automatic failure indication	-
1.6	Details & specification of audible alarm	-
1.7	Details & specification of optical alarm	-
1.8	Details & specification of radio alarm if fitted	-
1.9	Method of setting/ unsetting the device	-
1.10	Type of key used for unsetting (Mechanical Key / electronic device)	-
1.11	Number of interchangeable codes, if applicable(Supplier to provide undertaking regarding incorporation of rolling code)	-
1.12	Exit delay in Sec	-
1.13	Entry Delay in sec	-
1.14	Details of status display (0.5cd)	-
1.15	Details of self check , automatic failure indication	-
1.16	Details about the panic alarm , if provided	-
2.0	**Description of the Immobilizer**	-
a.	Make	-
b.	Type	-
c.	Serial Number	-
d.	Name and Address of manufacture	-
2.1	A detailed description of the vehicle immobilizer and of the vehicle and the measures taken against inadvertent activation with block diagram.	
2.2	The vehicle system(s) on which the immobilizer acts.	-
2.3	Details of radio/wireless transmission if any	-

Manufacturer signature: _____ Test agency: _____

2.4	Method of setting/ unsetting the device.	-
2.5	Number of interchangeable codes, if applicable(Supplier to provide undertaking regarding incorporation of rolling code)	-
2.6	A list of main components comprising the device	-
3.0	**Instructions (Applicable for both VAS & Immobilizer)**	-
3.1	Instructions for use	-
3.2	Instructions for maintenance (if any)	-

Manufacturer signature: _____ Test agency: _____

Annexure T6 - A List of Electricals & Electronics components					
S.No.	**Name**	**Make and Type**		**Part No / Id No**	**Test Report Number**
1	ECU	XXXX		YYYY	YYYY
2	Instrument Cluster	XXXX		YYYY	YYYY
		XXXX		YYYY	YYYY
3	Speedometer & Odo	XXXX		YYYY	YYYY
		XXXX		YYYY	YYYY
4	ABS ECU	XXXX		YYYY	YYYY
5	AC unit	XXXX		YYYY	YYYY
6	Auto AC controller	XXXX		YYYY	YYYY
7	Front Wiper Motor	XXXX		YYYY	YYYY
8	Hazard/ Flasher Controller	XXXX		YYYY	YYY
9	LED Interior Lamps	XXXX		YYYY	YYY
10	Alternator	XXXX		YYYY	YYY
					YYY
11	Radiator assembly (Cooling fan)	XXXX		YYYY	YYY
					YYY
12	Radiator assembly (Cooling fan)	XXXX		YYYY	YYY
					YYY
13	RPAS	XXXX	YYYY	YYYY	YYY
			YYY	YYY	
			YYY	YYY	
14	Remote Central Locking system	XXXX		YYYY	YYY
15	Telematics Control Unit	XXXX		YYYY	YYY
16	Low Cost Heater	XXXX		YYYY	YYY
17	Blower	XXXX		YYYY	YYY

Manufacturer signature: _____ Test agency: _____