DATA 260 Homework 6 Report

Sreeram Achutuni

SJSU ID: 019151808

GitHub repository: https://github.com/sriram2930/Data260-1808

Section 0: Config values

SID4	1808
PORT_BASE	8008
PREFIX	s1808
SEED	1808
VERIFY_SEED	261808
DOMAIN_ID	0, Campus course catalogue and enrolment
Hardware	Intel Core i7-11390H, 16GB RAM, integrated Iris Xe graphics (no dedicated GPU)
Local model	qwen2.5:1.5b-instruct via Ollama (generation), sentence-transformers/all-MiniLM-L6-v2 (episodic + duplicate-detection embeddings)
Repo	https://github.com/sriram2930/Data260-1808
Collaborators	Sbnikitha and supriyaselvanganesan have repo access
Commit tagged as hw6	1dc510029be8ca31159b24fd95eef0163692d5b5

Note: evidence below is real screenshots: some are a real browser hitting the live FastAPI endpoints directly, the rest are a styled terminal page built from real captured curl/mongosh/python output and screenshotted with Playwright, since there was no Postman/Compass GUI driving the API/DB by hand for this homework. The text inside every screenshot is exact real output, not retyped or reworded.

Part 1: MongoDB Document API

Builds on HW5 with a MongoDB-backed document view of the campus course catalogue domain: an announcements collection (course update/enrollment/event notices) in a new database, s1808_doc, alongside the existing MySQL s1808_rel tables. Fields: title (required, max 100 chars), description (optional), status (enum draft/published/archived, default draft), category (enum course_update/enrollment/event/general), event_date (required), created_at/updated_at (automatic). Validation is enforced twice, independently: Pydantic at the API boundary and a real MongoDB $jsonSchema validator on the collection itself.

Code: Pydantic schema and MongoDB validator

```
class AnnouncementIn(BaseModel):
    title: str = Field(min_length=1, max_length=100)
    description: Optional[str] = None
```

```
    status: Status = "draft"
    category: Category
    event_date: datetime.datetime

ANNOUNCEMENT_SCHEMA = {
    "$jsonSchema": {
        "bsonType": "object",
        "required": ["title", "status", "category", "event_date", "created_at",
"updated_at"],
        "properties": {
            "title": {"bsonType": "string", "maxLength": 100},
            "status": {"bsonType": "string", "enum": ["draft", "published",
"archived"]},
            "category": {"bsonType": "string", "enum": ["course_update", "enrollment",
"event", "general"]},
            "event_date": {"bsonType": "date"},
        },
    }
}
```

Live API running (FastAPI auto-generated docs)

Campus Course Catalogue & Enrolment 0.1.0 OAS 3.1

/openapi.json

default

- GET /login Login Form
- POST /login Login
- GET /dashboard Dashboard
- GET /logout Logout
- POST /api/login Login
- GET /api/me Me
- POST /api/logout Logout
- POST /api/courses Create Course
- GET /api/courses Api Courses
- GET /api/courses/{course_id} Get Course
- PUT /api/courses/{course_id} Update Course
- DELETE /api/courses/{course_id} Delete Course
- POST /api/departments Create Department
- GET /api/departments List Departments
- GET /api/departments/{department_id} Get Department
- PUT /api/departments/{department_id} Update Department
- DELETE /api/departments/{department_id} Delete Department
- GET /api/departments/{department_id}/courses List Courses In Department
- GET /api/n1/naive List Naive
- GET /api/n1/fixed List Fixed
- GET /api/announcements List Announcements
- POST /api/announcements Create Announcement
- GET /api/announcements/{announcement_id} Get Announcement
- PUT /api/announcements/{announcement_id} Update Announcement
- DELETE /api/announcements/{announcement_id} Delete Announcement
- POST /api/chat Chat
- GET /api/memory/{user_id} Get Memory
- GET /api/aggregate/{user_id} Get Aggregate

CRUD verified live (screenshots below)

Login, then create a valid announcement:

bash -- announcements: login + create

```
--- LOGIN ---
{"id":1,"name":"Course Advisor","email":"advisor@sjsu.edu"}
HTTP 200

--- POST (create, valid) ---
{"id":"6ad68288eb92adf274843b4e","title":"Midterm date moved","description":"The CS 272 midterm moves from Oct 20 to
Oct 27.","status":"draft","category":"course_update","event_date":"2026-10-27T09:00:00","created_at":"2026-10-
19T20:50:16.014805","updated_at":"2026-10-19T20:50:16.014805"}
HTTP 201
```

Validation failures -- missing required title, then an invalid status enum:

bash -- announcements: validation errors (422)

```
--- POST (missing required title) ---
{"detail":[{"type":"missing","loc":["body","title"],"msg":"Field required","input":
{"category":"general","event_date":"2026-12-01T00:00:00"}}]}
HTTP 422

--- POST (invalid enum: status) ---
{"detail":[{"type":"literal_error","loc":["body","status"],"msg":"Input should be 'draft', 'published' or
'archived'","input":"not_a_real_status","ctx":{"expected":"'draft', 'published' or 'archived'"}}]}
HTTP 422
```

Get by id, update, get a nonexistent id (404), then delete:

bash -- announcements: get / update / get-404 / delete

```
--- GET (by id, 2nd announcement) ---
{"id":"6ad68290eb92adf274843b4f","title":"Fall enrollment opens Nov 1","description":"Priority enrollment window for
continuing students.","status":"published","category":"enrollment","event_date":"2026-11-
01T08:00:00","created_at":"2026-10-19T20:50:24.522000","updated_at":"2026-10-19T20:50:24.522000"}
HTTP 200

--- PUT (update 1st announcement) ---
{"id":"6ad68288eb92adf274843b4e","title":"Midterm date moved again","description":"Now moved to Oct 29
instead.","status":"archived","category":"course_update","event_date":"2026-10-29T09:00:00","created_at":"2026-10-
19T20:50:16.014000","updated_at":"2026-10-19T20:50:34.119000"}
HTTP 200

--- GET by bad id ---
{"detail":"Announcement not found"}
HTTP 404

--- DELETE (1st announcement) ---
{"ok":true,"deleted_id":"6ad68288eb92adf274843b4e"}
HTTP 200
```

MongoDB-level validator rejects bad data independently of the API

```
mongosh -- s1808_doc (validator rejection)

MongoServerError: Document failed validation
{
  failingDocumentId: ObjectId('6ad682b2b0a498ee053621e0'),
  details: {
    operatorName: '$jsonSchema',
    schemaRulesNotSatisfied: [
      {
        operatorName: 'properties',
        propertiesNotSatisfied: [
          {
            propertyName: 'status',
            details: [
              {
                operatorName: 'enum',
                specifiedAs: {
                  enum: [
                    'draft',
                    'published',
                    'archived'
                  ]
                },
                reason: 'value was not found in enum',
                consideredValue: 'not_valid_enum'
              }
            ]
          }
        ]
      }
    ]
  }
}
```

Collection contents (mongosh)

```
mongosh -- s1808_doc.announcements

> db.announcements.find().pretty()
[
  {
    _id: ObjectId('6ad5e3ee13482f9b4c0c8949'),
    title: 'Fall enrollment opens Nov 1',
    description: 'Priority enrollment window for continuing students.',
    status: 'published',
    category: 'enrollment',
    event_date: ISODate('2026-11-01T08:00:00.000Z'),
    created_at: ISODate('2026-10-19T09:33:34.672Z'),
    updated_at: ISODate('2026-10-19T09:33:34.672Z')
  },
  {
    _id: ObjectId('6ad68290eb92adf274843b4f'),
    title: 'Fall enrollment opens Nov 1',
    description: 'Priority enrollment window for continuing students.',
    status: 'published',
    category: 'enrollment',
    event_date: ISODate('2026-11-01T08:00:00.000Z'),
    created_at: ISODate('2026-10-19T20:50:24.522Z'),
    updated_at: ISODate('2026-10-19T20:50:24.522Z')
  }
]
```

Part 2: Short-, Long-, and Episodic Memory

New collections in the same s1808_doc database: messages, summaries, episodes. POST /api/chat saves the user message, pulls the last SHORT_TERM_N messages, the latest session/lifetime summaries, and the top-k episodic facts (cosine similarity over all-MiniLM-L6-v2 embeddings), composes a prompt, and calls the local Ollama model through the HW1 ModelClient adapter. A session summary is generated every SUMMARIZE_EVERY_USER_MSGS=5 user messages and condensed into a lifetime summary once a user has at least 2 session summaries. A 12-message real conversation (run_chat_demo.py) exercised all three memory types in one run.

Code: the three endpoints

```
@router.post("/chat", response_model=ChatOut)
def chat(payload: ChatIn):
    result = chat_turn(payload.user_id, payload.session_id, payload.message,
SHORT_TERM_N)
    return {"reply": result["reply"], "session_id": result["session_id"], "used":
result["used"]}

@router.get("/memory/{user_id}")
def get_memory(user_id: str):
    db = get_db()
    messages = list(db.messages.find({"user_id": user_id}, {"_id": 0})
                    .sort("created_at", -1).limit(16))
    messages.reverse()
    session_summary = db.summaries.find_one(
        {"user_id": user_id, "scope": "session"}, {"_id": 0}, sort=[("created_at", -
1)])
    lifetime_summary = db.summaries.find_one(
        {"user_id": user_id, "scope": "user"}, {"_id": 0}, sort=[("created_at", -1)])
    episodes = list(db.episodes.find({"user_id": user_id}, {"_id": 0, "embedding": 0})
                    .sort("created_at", -1).limit(20))
    return {"messages": messages, "latest_session_summary": session_summary,
            "latest_lifetime_summary": lifetime_summary, "episodes": episodes}

@router.get("/aggregate/{user_id}")
def get_aggregate(user_id: str):
    pipeline = [{"$match": {"user_id": user_id}},
                {"$group": {"_id": {"$dateToString": {"format": "%Y-%m-%d", "date":
"$created_at"}},
                            "count": {"$sum": 1}}}, {"$sort": {"_id": 1}}]
    daily_counts = [{"date": r["_id"], "count": r["count"]} for r in
db.messages.aggregate(pipeline)]
    recent_summaries = list(db.summaries.find({"user_id": user_id}, {"_id": 0})
                            .sort("created_at", -1).limit(5))
    return {"daily_message_counts": daily_counts, "recent_summaries": recent_summaries}
```

Code: episodic extraction and retrieval

```
def extract_episodes(user_id, session_id, user_message):
    """Extracts up to 3 short durable facts via the local model, embeds each, stores
them."""
```

```
    prompt = (
        "Extract up to 3 short, durable facts about the user from this message, each
with "
        "an importance score from 0 to 1. Reply with ONLY a JSON array like "
        '[{"fact": "...", "importance": 0.8}]'. ' + f"Message: {user_message!r}"
    )
    result = get_model_client().complete([{"role": "user", "content": prompt}],
format="json")
    try:
        parsed = json.loads(result["content"])
        if isinstance(parsed, dict):
            # the small model sometimes returns one fact object directly
            parsed = [parsed] if "fact" in parsed else parsed.get("facts", [])
    except (json.JSONDecodeError, AttributeError):
        parsed = []
    # ... embed each fact.get("fact") and db.episodes.insert_one(...)

def retrieve_episodes(user_id, query_text, k=3):
    episodes = list(db.episodes.find({"user_id": user_id}))
    query_vec = np.array(embed_model.get_text_embedding(query_text))
    scored = [(cosine(query_vec, np.array(e["embedding"])), e) for e in episodes]
    scored.sort(key=lambda x: x[0], reverse=True)
    return [ep for _sim, ep in scored[:k]]
```

Conversation excerpt (full 12-turn run in RUN_LOG.txt / chat_demo_shots.log)

```
python run_chat_demo.py -- turns 1, 6, 9 (12-turn run, user u1_shots)

--- turn 1 (24.2s) ---
user: Hi, my name is Sreeram and I am a grad student in Data Science.
assistant: Hello Sreeram! Glad to have you on the Data Science program. How can I assist you today?
used: short_term_count=1, has_session_summary=False, has_lifetime_summary=False, episodic_facts=[]

--- turn 6 (29.8s) ---
user: What is the difference between a session summary and a lifetime summary?
assistant: A session summary typically captures information about a specific course or program that a user has
interacted with during a single session or session period. It might include details about the courses, activities, or
materials covered and any decisions or outcomes made during that time.

A lifetime summary, on the other hand, would encompass a broader scope, capturing a user's experiences, achievements,
and learning over an extended period, often referring to all courses or programs they've taken and the progression of
their education or career. It could include long-term goals, mentorship, extracurricular activities, and overall
career progression.
used: short_term_count=11, has_session_summary=True, has_lifetime_summary=False, episodic_facts=['My advisor is Course
Advisor', "The user's name is Sreeram.", 'You are interested in cloud computing.']

--- turn 9 (13.5s) ---
user: What was the first thing I told you about myself?
assistant: The first thing I told you about yourself was your name, Sreeram.
used: short_term_count=12, has_session_summary=True, has_lifetime_summary=False, episodic_facts=['My advisor is Course
Advisor', "The user's name is Sreeram.", 'A session summary is an overview of recent activities, while a lifetime
summary includes all historical data.']
```

Note: by turn 8, the episodic store had already picked up one wrong fact ('Your major is Computer Science', when the user had said Data Science in turn 1), and it kept resurfacing in later turns alongside correct facts (visible in the GET /api/memory screenshot below). extract_episodes does not re-verify a fact against the conversation before storing it, so one hallucinated extraction becomes a persistent, retrievable memory from then on. This is a real

property of the system as built, documented here rather than fixed, since catching it required reading the raw per-turn output, not just the final answer. It reproduced identically on a second full run of the same 12 messages.

GET /api/memory/u1_shots (live browser screenshot)

Pretty-print ☐

{"messages":[{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"Can you remind me what my major is?","created_at":"2026-10-19T20:51:23.358000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"Your major is Data Science.","created_at":"2026-10-19T20:51:32.157000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"What is the difference between a session summary and a lifetime summary?","created_at":"2026-10-19T20:52:11.551000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"A session summary typically captures information about a specific course or program that a user has interacted with during a single session or session period. It might include details about the courses, activities, or materials covered and any decisions or outcomes made during that time.\n\nA lifetime summary, on the other hand, would encompass a broader scope, capturing a user's experiences, achievements, and learning over an extended period, often referring to all courses or programs they've taken and the progression of their education or career. It could include long-term goals, mentorship, extracurricular activities, and overall career progression.","created_at":"2026-10-19T20:52:38.117000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"I prefer online office hours over in-person ones.","created_at":"2026-10-19T20:52:41.321000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"Understood. You prefer online office hours. Let me know if you have any other questions or need assistance with something else.","created_at":"2026-10-19T20:52:53.647000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"How many courses are in the Data Science and AI department?","created_at":"2026-10-19T20:52:56.166000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"The Data Science and AI department offers a range of courses including:\n\n- Data Structures and Algorithms\n- Database Management Systems\n- Software Engineering\n- Artificial Intelligence\n- Computer Graphics and Multimedia\n- Human-Computer Interaction\n- Machine Learning\n- Natural Language Processing\n- Computer Vision\n- User Experience Design.\n\nThe department provides a comprehensive curriculum that covers essential skills in data science and artificial intelligence.","created_at":"2026-10-19T20:53:11.506000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"What was the first thing I told you about myself?","created_at":"2026-10-19T20:53:14.608000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"The first thing I told you about yourself was your name, Sreeram.","created_at":"2026-10-19T20:53:26.165000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"Do you remember my preferred office hours format?","created_at":"2026-10-19T20:53:28.135000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"Yes, I remember. You prefer online office hours.","created_at":"2026-10-19T20:53:36.561000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"One more thing, I am also minoring in Business Analytics.","created_at":"2026-10-19T20:54:18.406000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"Understood. You have a minor in Business Analytics as well.","created_at":"2026-10-19T20:54:31.275000"},{"user_id":"u1_shots","session_id":"48d6b931a400","role":"user","content":"Can you summarize everything you know about me so far?","created_at":"2026-10-19T20:54:33.295000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","role":"assistant","content":"Sure, I can provide a summary of the information we've covered so far. I know your name is Sreeram, you have a session summary but not a lifetime summary, you are a grad student in Data Science, interested in cloud computing, and are currently enrolled in several courses including Data Science, Artificial Intelligence, Database Management Systems, Software Engineering, and more. Your advisor is the Course Advisor, and your advisor ID is 019151808. Additionally, you are interested in Computer Science, which includes topics such as Fundamentals of Computer Science, Data Structures and Algorithms, Introduction to Programming, and more. You have a career goal but it has not been specified yet. You are not a student at a traditional college or university but rather an AI assistant.","created_at":"2026-10-19T20:54:55.652000"}],"latest_session_summary":
{"user_id":"u1_shots","session_id":"48d6b931a400","scope":"session","text":"- User: Data Science\n- Assistant: Offers courses including Data Structures and Algorithms, Database Management Systems, Artificial Intelligence, and more.\n- User: Computer Science department\n- Assistant: Provides courses such as Fundamentals of Computer Science, Data Structures and Algorithms, Introduction to Programming, and more.\n- User: Cloud computing topics\n- Assistant: Courses related to cloud computing, including Cloud Computing, Cloud Architecture and Design, Cloud Security and Compliance, Cloud Storage and Backup, Cloud Infrastructure Management, and Cloud Operations and Monitoring.\n- User: Student ID\n- Assistant: 019151808\n- User: Career goal\n- Assistant: Not specified in the conversation.\n- User: Data Science and AI department\n- Assistant: Offers courses including Data Structures and Algorithms, Database Management Systems, Software Engineering, Artificial Intelligence, and more.\n- User: First thing mentioned\n- Assistant: Name, Sreeram.","created_at":"2026-10-19T20:53:58.632000"},"latest_lifetime_summary":{"user_id":"u1_shots","session_id":null,"scope":"user","text":"- Grad student in Data Science\n- Interested in cloud computing\n- Advisor: Course Advisor, Student ID: 019151808\n- Courses offered: Data Science (includes Data Structures, Algorithms, and AI), Computer Science (covers Fundamentals, Programming, and more), Cloud Computing, Software Engineering, Artificial Intelligence, Database Management Systems, and more.\n- Sreeram's first thing mentioned: Data Science and AI department.","created_at":"2026-10-19T20:54:15.515000"},"episodes":[{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"Your message indicates that you are asking for a summary of the information you currently have about yourself.","importance":1.0,"created_at":"2026-10-19T20:54:57.798000"},{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"The user is a business analytics minor.","importance":0.8,"created_at":"2026-10-19T20:54:33.284000"},{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"Preferred office hours format: 2:00 PM to 3:00 PM on Tuesday, Thursday, and Friday.","importance":0.8,"created_at":"2026-10-19T20:54:18.394000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"The user is an AI assistant.","importance":0.8,"created_at":"2026-10-19T20:53:28.121000"},{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"The Data Science and AI department offers 15 courses.","importance":0.8,"created_at":"2026-10-19T20:53:14.590000"},{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"The user prefers online office hours over in-person ones.","importance":0.9,"created_at":"2026-10-19T20:52:56.152000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"A session summary is an overview of recent activities, while a lifetime summary includes all historical data.","importance":0.8,"created_at":"2026-10-19T20:52:41.304000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"Your major is Computer Science.","importance":0.8,"created_at":"2026-10-19T20:52:11.529000"},{"user_id":"u1_shots","session_id":"48d6b931a400","fact":"My advisor is Course

GET /api/aggregate/u1_shots (live browser screenshot)

Pretty-print ☐

{"daily_message_counts":[{"date":"2026-10-19","count":24}],"recent_summaries":[{"user_id":"u1_shots","session_id":null,"scope":"user","text":"- Grad student in Data Science\n- Interested in cloud computing\n- Advisor: Course Advisor, Student ID: 019151808\n- Courses offered: Data Science (includes Data Structures, Algorithms, and AI), Computer Science (covers Fundamentals, Programming, and more), Cloud Computing, Software Engineering, Artificial Intelligence, Database Management Systems, and more.\n- Sreeram's first thing mentioned: Data Science and AI department.","created_at":"2026-10-19T20:54:15.515000"},{"user_id":"u1_shots","session_id":"48d6b931a400","scope":"session","text":"- User: Data Science\n- Assistant: Offers courses including Data Structures and Algorithms, Database Management Systems, Artificial Intelligence, and more.\n- User: Computer Science department\n- Assistant: Provides courses such as Fundamentals of Computer Science, Data Structures and Algorithms, Introduction to Programming, and more.\n- User: Cloud computing topics\n- Assistant: Courses related to cloud computing, including Cloud Computing, Cloud Architecture and Design, Cloud Security and Compliance, Cloud Storage and Backup, Cloud Infrastructure Management, and Cloud Operations and Monitoring.\n- User: Student ID\n- Assistant: 019151808\n- User: Career goal\n- Assistant: Not specified in the conversation.\n- User: Data Science and AI department\n- Assistant: Offers courses including Data Structures and Algorithms, Database Management Systems, Software Engineering, Artificial Intelligence, and more.\n- User: First thing mentioned\n- Assistant: Name, Sreeram.","created_at":"2026-10-19T20:53:58.632000"},
{"user_id":"u1_shots","session_id":"48d6b931a400","scope":"session","text":"- **User**: Sreeram, a grad student in Data Science.\n- **Assistant**: Greetings Sreeram! Welcome to the Data Science program. What can I help you with today?\n- **User**: What courses does the Computer Science department offer?\n- **Assistant**: The department offers a range of courses including:\n - Fundamentals of Computer Science\n - Data Structures and Algorithms\n - Introduction to Programming\n - Object-Oriented Programming\n - Database Management Systems\n - Software Engineering\n - Artificial Intelligence\n - Computer Graphics and Multimedia\n - Human-Computer Interaction\n - Security and Cryptography\n - Internet and Web Technologies\n - Operating Systems\n - Compiler Design\n - Computer Networks\n - Advanced Programming Languages\n - Computer Architecture\n - Parallel and Distributed Computing\n - Digital Electronics\n - Machine Learning\n - Natural Language Processing\n - Computer Vision\n - Human-Computer Interaction\n - User Experience Design.\n- **User**: I'm particularly interested in cloud computing topics.\n- **Assistant**: Cloud computing is indeed relevant. Here are some courses related to cloud computing:\n - Cloud Computing\n - Cloud Architecture and Design\n - Cloud Security and Compliance\n - Cloud Storage and Backup\n - Cloud Infrastructure Management\n - Cloud Operations and Monitoring.\n- **User**: My advisor is Course Advisor and my student ID is 019151808.\n- **Assistant**: Your advisor is Course Advisor, and your student ID is 019151808. Everything is set.","created_at":"2026-10-19T20:52:08.959000"}]}

MongoDB collections (mongosh)

mongosh -- s1808_doc.messages / summaries / episodes

```
> db.messages.countDocuments({user_id:"u1_shots"})
24

> db.summaries.find({user_id:"u1_shots"},{text:1,scope:1,session_id:1,_id:0})
[
  {
    session_id: '48d6b931a400',
    scope: 'session',
    text: '- User: Data Science\n' +
      '- Assistant: Offers courses including Data Structures and Algorithms, Database Management Systems, Artificial
Intelligence, and more.\n' +
      '- User: Computer Science department\n' +
      '- Assistant: Provides courses such as Fundamentals of Computer Science, Data Structures and Algorithms,
Introduction to Programming, and more.\n' +
      '- User: Cloud computing topics\n' +
      '- Assistant: Courses related to cloud computing, including Cloud Computing, Cloud Architecture and Design,
Cloud Security and Compliance, Cloud Storage and Backup, Cloud Infrastructure Management, and Cloud Operations and
Monitoring.\n' +
      '- User: Student ID\n' +
      '- Assistant: 019151808\n' +
      '- User: Career goal\n' +
      '- Assistant: Not specified in the conversation.\n' +
      '- User: Data Science and AI department\n' +
      '- Assistant: Offers courses including Data Structures and Algorithms, Database Management Systems, Software
Engineering, Artificial Intelligence, and more.\n' +
      '- User: First thing mentioned\n' +
      '- Assistant: Name, Sreeram.'
  },
  {
    session_id: '48d6b931a400',
    scope: 'session',
    text: '- **User**: Sreeram, a grad student in Data Science.\n' +
      '- **Assistant**: Greetings Sreeram! Welcome to the Data Science program. What can I help you with today?\n' +
      '- **User**: What courses does the Computer Science department offer?\n' +
      '- **Assistant**: The department offers a range of courses including:\n' +
      '  - Fundamentals of Computer Science\n' +
      '  - Data Structures and Algorithms\n' +
      '  - Introduction to Programming\n' +
      '  - Object-Oriented Programming\n' +
      '  - Database Management Systems\n' +
      '  - Software Engineering\n' +
      '  - Artificial Intelligence\n' +
      '  - Computer Graphics and Multimedia\n' +
      '  - Human-Computer Interaction\n' +
      '  - Security and Cryptography\n' +
      '  - Internet and Web Technologies\n' +
      '  - Operating Systems\n' +
      '  - Compiler Design\n' +
      '  - Computer Networks\n' +
      '  - Advanced Programming Languages\n' +
      '  - Computer Architecture\n' +
      '  - Parallel and Distributed Computing\n' +
      '  - Digital Electronics\n' +
      '  - Machine Learning\n' +
      '  - Natural Language Processing\n' +
      '  - Computer Vision\n' +
      '  - Human-Computer Interaction\n' +
      '  - User Experience Design.\n' +
      "- **User**: I'm particularly interested in cloud computing topics.\n" +
      '- **Assistant**: Cloud computing is indeed relevant. Here are some courses related to cloud computing:\n' +
      '  - Cloud Computing\n' +
      '  - Cloud Architecture and Design\n' +
      '  - Cloud Security and Compliance\n' +
      '  - Cloud Storage and Backup\n' +
      '  - Cloud Infrastructure Management\n' +
      '  - Cloud Operations and Monitoring.\n' +
      '- **User**: My advisor is Course Advisor and my student ID is 019151808.\n' +
      '- **Assistant**: Your advisor is Course Advisor, and your student ID is 019151808. Everything is set.'
  },
  {
    session_id: null,
    scope: 'user',
    text: '- Grad student in Data Science\n' +
      '- Interested in cloud computing\n' +
      '- Advisor: Course Advisor, Student ID: 019151808\n' +
```

Part 3: What Memory Costs

The same fixed 30-message conversation (planted facts: name/student id/favorite subject in messages 1-3, birthplace in message 16) ran in a fresh session at SHORT_TERM_N = 4, 12, 30, then once more at 12 with an eviction/compression policy (short-term message truncation to 120 chars), asking memory_probes.yaml's five questions after each run.

Setting	Mean prompt tokens/turn	Mean latency (ms)	Probe quality (1-5)
SHORT_TERM_N=4	1790.3	25117.7	5.00
SHORT_TERM_N=12	1156.1	18149.8	4.60
SHORT_TERM_N=30	1433.3	18095.7	5.00
Eviction/compression (N=12)	728.7	6535.5	not measured (see note)

Note: the eviction/compression run was cut off at turn 26/30 (no probes) due to real-world time constraints finishing this homework on a CPU-only local model. The 26-turn average is still a fair token/latency comparison (an average isn't biased by sample length the way a total would be), but the probe-quality cell is genuinely missing data, not a zero.

SHORT_TERM_N barely affects probe quality on its own (4.6-5.0 across all three raw window sizes), because episodic memory and the session/lifetime summaries carry the planted facts forward independently of the raw window. Even SHORT_TERM_N=4, which drops the planted facts from the window after message 5, scored a perfect 5/5. The eviction/compression policy cut mean prompt tokens from 1156 to 729 (-37%) and mean latency from 18.1s to 6.5s (-64%) over the portion measured, a larger latency drop than the token drop alone predicts, consistent with this model slowing disproportionately as prompts approach its 4096-token window.

Memory-cost estimate (10,000 conversations x 30 turns)

Using $1/M input tokens, $5/M output tokens, each setting's mean prompt tokens/turn, and ~100 output tokens/turn observed across settings:

Setting	Input cost	Output cost	Total
SHORT_TERM_N=4 (worst)	$537.09	$150.00	$687.09
Eviction/compression (best)	$218.61	$150.00	$368.61

Worst is the highest mean-tokens setting with no mitigation (SHORT_TERM_N=4, counterintuitively the smallest raw window, since summaries and episodic facts end up dominating the prompt more than the window itself once several summarization cycles have run). Best is the only setting that actively reduces token cost rather than picking a different window size. The gap ($687 vs $369 for the same 300,000 turns) is driven entirely by input tokens; a policy that compresses the prompt is worth roughly 1.9x in cost at this volume, independent of answer quality.

Part 4: File-Based Memory and Consolidation

AGENT.md (reused and expanded from HW1) now covers five categories: project description, technology stack, coding conventions, testing approach, prohibited actions. MEMORY.md and file_memory.py implement loading, the consolidation trigger check (>40 non-comment lines, or >24h since last consolidation), and the /memory, /compact, /dream, /help commands (memory_cli.py).

Consolidation design: three attempts

```
1. One-shot full rewrite: asked the model to merge duplicates and resolve
contradictions
   in the whole 56-line test file at once. Barely touched anything: 56 -> 54 lines,
none
   of the 3 planted contradictions were resolved.

2. One-shot JSON line-number classification: asked the model to find duplicate groups
and
   contradiction pairs by line number instead of rewriting prose. Found zero real
   duplicates and hallucinated one false contradiction between unrelated facts.

3. Final design: embeddings find candidate pairs "about the same thing"; a
deterministic
   check (differing numbers, or an antonym like allowed/blocked) decides contradiction
vs.
   duplicate; a narrow yes/no model call confirms each duplicate candidate before
dropping
   anything; each contradiction gets its own small, focused merge call.
```

Stress test: 56-line file, 3 planted duplicates, 3 planted contradictions

Pipeline output (consolidation_result.json):

python run_consolidation_test.py


```
{
  "before_count": 56,
  "after_count": 51,
  "duplicate_groups": [
    [
      24,
      25
    ],
    [
      37,
      38
    ]
  ],
  "contradictions": [
    [
      10,
      11
    ],
    [
      13,
      14
    ],
    [
      18,
      19
    ]
  ],
  "rejected_duplicate_candidates": [
    [
      1,
      3
    ],
    [
      20,
      54
    ],
    [
      20,
      55
    ]
  ],
  "contradiction_resolutions": [
    "SHORT_TERM_N default is 8, previously stated as 12.",
    "Port 8008 is now the current value, previously stated as port 9000.",
    "Department deletion is blocked if courses reference it."
  ],
  "unresolved_flags": []
}


wrote consolidation_result.json and test_memory_after.md
```


	Result
Lines before	56
Lines after (pipeline's raw output)	51
Contradictions found	3 of 3 planted
Contradictions resolved correctly	2 of 3 (port 8008; Department deletion blocked)
Contradiction resolved INCORRECTLY	SHORT_TERM_N: pipeline said "8 is current, was 12" - backwards. Real default in memory.py is 12.
Duplicate merges that lost information	1-2 (MCP tool names, retry-cap detail

	dropped in merges)

Note: the pipeline's raw 51-line output still didn't meet the assignment's <40 target. The real reason: only 6 of 56 lines were truly redundant (3 dup pairs + 3 contradiction pairs); even perfect dedup caps out around 50 lines, since the other 44 are genuinely distinct facts. Getting under 40 required a human pass grouping related-but-distinct facts into combined bullets, a step the automated pipeline doesn't attempt. The human-corrected final version (test_memory_after.md) is 26 lines: fixes the one incorrect resolution (states the true SHORT_TERM_N=12, with the pipeline's wrong answer left visible in a parenthetical so the correction is auditable, not a silent overwrite), restores the two lost details, and groups facts into combined bullets. No fact from the original 56 lines is missing from the final 26.

AGENT.md compliance check



Comparing MongoDB memory and file-based memory

	MongoDB-backed (Part 2)	File-based (Part 4)
Inspectability	Needs a Mongo client; structured/queryable, not human-readable at a glance	Plain Markdown, readable/editable anywhere, no tooling
Persistence after restart	Durable as long as the container/volume persists	Durable as long as the files aren't deleted; no schema protects a bad manual edit
Scalability across sessions	Scales well: indexed by user_id, cheap to query out of millions of docs	Does not scale: one flat file per project, not per user/session
Facts that must not be forgotten	Good, but only as safe as the query that retrieves it	Better for a small curated set (whole file always in the

		prompt); doesn't scale to large sets

MongoDB memory is the right fit for high-volume, per-user, queryable history (Part 2's actual job); file-based memory is the right fit for a small number of durable, project-wide facts that should always be present (exactly what AGENT.md/MEMORY.md are used for here).

AI Use Statement

1. What I used an AI assistant for, and what I did myself

I used Claude Code to design and write the MongoDB schema and CRUD API, the short/long/episodic memory system and chat endpoint, the token-cost experiment harness, and the file-based memory system with consolidation. It ran all of this against real infrastructure: a real MongoDB container, the real local Ollama model, and real embeddings.

What I did myself: designed the announcements entity, decided how the one-turn lag in summaries/episodic retrieval should work (confirmed intentional, not a bug, by reading the actual turn-by-turn output), picked the 30-message test conversation and where to plant probe facts, iterated through three consolidation designs myself before the one that works, and manually reviewed and corrected the consolidation pipeline's one factually wrong resolution rather than accepting it at face value.

2. One AI-produced output that was wrong/unsuitable

Two. Episode extraction silently stored nothing on the first real conversation turn: the model replied with a single JSON object (the fact itself) instead of a list, and my parsing code treated that as "no facts." Separately, Part 4.5's stress test expects consolidation to merge 3+ duplicates and resolve 3+ contradictions in a 56-line file and land under 40 lines; the first design (one-shot rewrite) went from 56 to 54 lines and resolved none of the three planted contradictions.

3. How I detected the problem

For the episode bug: queried MongoDB directly after the first turn and got zero results despite an obviously memorable first message, then ran the extraction prompt by hand to see the model's raw (unwrapped) reply. For consolidation: the before/after line counts (56 to 54) immediately signaled something had gone wrong, and reading the actual file content confirmed all three planted contradictions were still present, untouched.

4. What I changed and why it works now

For episodes: the parser now checks whether a returned dict looks like a single fact directly (has a "fact" key) and wraps it in a list, in addition to the {"facts": [...]} case. For consolidation: after two more failed one-shot designs, duplicates are now found via embedding similarity and confirmed with a narrow yes/no call before anything is dropped, contradictions are found by checking which similar pair differs in a number or a polarity

word, and only the final one-line merge for a confirmed contradiction goes through the model. This caught all three planted contradictions reliably, though it still got one resolution factually wrong (SHORT_TERM_N) and missed two of three duplicate pairs due to the similarity threshold - documented and corrected by hand in METRICS.md and test_memory_after.md rather than quietly accepted.