

FlowMax-Q Manual

Srirama Bhamidipati sriram@mobilytics.in

Last Updated 2024-04-02 18:01:04 Asia/Calcutta

Contents

Preface	5
I Editing in QGIS	7
1 Introduction	9
2 Scenarios	11
3 Adding Links	13
3.1 Connect to an non-existing node	13
3.2 Connect to an existing node	13
3.3 Hands-on	13
4 Removing Links	15
4.1 Removing a Link (disabling links)	15
4.2 Adding back an Existing (disabled) Link	15
5 Modifying Node Attributes	17
6 Modifying Edge Attributes	19
II QGIS Plugin	21
7 Downloading and Installing	23
8 Plugin Functions	27
8.1 Import FlowMax Results	27
8.2 Compare FlowMax Scenarios	28
8.3 FlowMax Corridors	29
III Visualization	31

Preface

This manual¹ is divided into three parts.

- Part I deals with handling FlowMax network (nodes and edges) in a QGIS environemnt and
- Part II deals with using the FlowMax-Q, a QGIS plugin to work with outputs from FlowMax.
- Part III deals with visualization of the outputs from FlowMax. The plugin outputs show a bare minimum schema which is necessary for orientation but may not be enough to interpret or print out for dissemination. This part of the manual explains some detailed symbology using QGIS.

¹Version **20740d1**

Part I

Editing in QGIS

Chapter 1

Introduction

- Economy based scenarios are to be modified in the trade-databases.
- Resilience based scenarios (GIS) fall into 2 categories:
 - node-based
 - * editing geometries;
 - * editing attributes
 - edge-based
 - * editing geometries;
 - * editing attributes
- Technology based scenarios will affect the demand (freight composition)
- Policy based scenarios will affect the route and mode choices (freight composition)

Chapter 2

Scenarios

The image below shows the underlying structure of constructing scenarios




Figure 2.1: Scenarios

Chapter 3

Adding Links

3.1 Connect to an non-existing node

Is there an existing node at the source or destination of this (to be added) new link?

- No? First create a node(s) and then create a line between source and destination nodes.
- Yes ? Create a line between source and destination nodes.

3.2 Connect to an existing node

Is the new link connecting to an existing node location?

- Create a line between source and destination nodes.

3.3 Hands-on

3.3.1 Adding a New Link from an existing node

1. Check the highest node number (NodeID_H) from the node file. To do this, open the attribute table of the shapefile **Right Click on the node layer> Open Attribute Table** . Scroll if required to see the NodeID field, **Click on the field heading** to sort the column in ascending or descending order. When in descending order, make note of the top most row to identify the current highest node number.
2. Set the node file in edit mode, and add a node (point geometry) to the node file and assign it a node number = NodeID_H+1 - Fill in all other node attribute columns as necessary (see how)
3. Save edits and stop the edit mode on node file.

4. Check the highest edge number (EdgeID_H) from the link file.
5. Set the link file in edit mode and add a link (line-geometry) from existing node to the new node created in step 2, assign this link an edge number = $\text{EdgeID}_H + 1$ - Fill in all other link attribute columns as necessary (see how)
6. Save edits and stop the edit mode on link file

3.3.2 Adding a New Link from an existing link

1. Check the highest node id (NodeID_H) from the node file.
2. Set the node file in edit mode, and add a node (point geometry) to the node file at the required location on an existing link and assign it a node number = $\text{NodeID}_H + 1$ - Fill in all other node attribute columns as necessary (see how)
3. Save edits and stop the edit mode on node file.
4. Split the existing link at this new node from step 2. - When you split the link into two, the first part can retain existing edgeID but the second part needs a new edgeID.
5. Check the highest edgeID number (EdgeID_H) from the link file.
6. Set the link file in edit mode and assign this second part link an edgeID = $\text{EdgeID}_H + 1$ - Fill in all other link attribute columns as necessary (see how)
7. Save edits and stop the edit mode on link file

Chapter 4

Removing Links

Removing links is easier than adding links. It is recommended to disable links than to delete them.

4.1 Removing a Link (disabling links)

It is advised not to remove a link (line-geometry) in GIS. It is recommended that you use the **active** attribute in the link shapefile:

- edit this attribute to a value 0 (integer) instead of a value 1(integer) for the link in consideration.
- Assigning a 0 will add the current link to a set of inactive links i.e., Flow-Max will remove all the links with **active** = 0 from path building of the Flowmax algorithm

4.2 Adding back an Existing (disabled) Link

If you have set the **active** attribute to 0 to exclude the link(s) from analysis, you can always set the **active** attribute back to 1 to include the link(s) back into your analysis.

4.2. ADDING BACK AN EXISTING ~~(DISABLED)~~ LINK REMOVING LINKS

Chapter 5

Modifying Node Attributes

Node file: All nodes come with predefined attributes. Whenever a new node is added, all the attributes should be assigned a value (either a known value or a default value)

To edit: **right click the node file > open attribute table > start edit mode**. Select the required record and modify the values as necessary. After editing, save the edits and close the table.

This applies to all scenarios where attribute values must be changed: capacity, speed, travel time, quality of links etc.

Chapter 6

Modifying Edge Attributes

Link file: All links come with predefined attributes. Whenever a new link is added, all the attributes should be assigned a value (either a known value or a default value)

To edit: **right click the link file > open attribute table > start edit mode**. Select the required record and modify the values as necessary. After editing, save the edits and close the table. This applies to all scenarios where attribute values must be changed: capacity, speed, travel time, quality of links etc.

Part II

QGIS Plugin


Chapter 7

Downloading and Installing


The latest version of the plugin can be downloaded from <https://github.com/sriramab/wbafrica/releases/latest>

Installing the plugin is straightforward.


- Download the plugin from the link above. This downloads a zip file.
- Open **QGIS>Plugins>Manage and Install Plugins...**



- This will open a dialog box as shown below. Follow the sequence of buttons as shown in the figure below. Browse to the folder where the download zip is saved. Click on Install button and then on Done.




- After installing, the plugin gets installed into the Processing Toolbox.



Chapter 8

Plugin Functions

8.1 Import FlowMax Results



8.2 Compare FlowMax Scenarios

Compare FlowMax Scenarios

Parameters Log

Choose Field to Compare

EdgeID

Scenario 1

Scenario 2

Style File for Comparing Scenarios

Final Result

[Create temporary layer]


☒ Open output file after running algorithm

0%

Cancel

Advanced Run as Batch Process... Run Close

8.3 FlowMax Corridors



Part III

Visualization

