

sriramsurya11 / Python-Assignments ▾

🔍 Type / to search

▾

+

▾

<> Code

⦿ Issues

🔗 Pull requests

☁ Agents

▶ Actions

📁 Projects

📖 Wiki

🛡 Security and quality

📈 Insights

⚙ Settings

Python-Assignments

Public

📌 Pin

👁 Watch 0 ▾

🔗 Fork 0

★ Star 0 ▾

About

⚙

No description, website, or topics provided.

- 📖

Readme
- 📈

Activity
- ★

0 stars
- 👁

0 watching
- 🔗

0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

Contributors 1



sriramsurya11 Sriram E

main

1 Branch 0 Tags

Go to file

T

Go to file

Add file +

Code

...



sriramsurya11 Update README with Python assignments and examples

e8224c9 · now

2 Commits

README.md

Update README with Python assignments ...

now

README



Python-Assignments

1. Print all prime numbers between input range (Ex - input 20 50, prints all prime numbers between 20 and 50).

Code

```
start = int(input("Enter starting number: "))
end = int(input("Enter ending number: "))

print("Prime numbers are:")

for num in range(start, end + 1):
```



```
if num > 1:
    for i in range(2, num):
        if num % i == 0:
            break
    else:
        print(num, end=" ")
```

Output

```
In [1]: start = int(input("Enter starting number: "))
end = int(input("Enter ending number: "))

print("Prime numbers are:")

for num in range(start, end + 1):
    if num > 1:
        for i in range(2, num):
            if num % i == 0:
                break
        else:
            print(num, end=" ")
```

```
Enter starting number: 20
Enter ending number: 50
Prime numbers are:
23 29 31 37 41 43 47
```

2. Factorial using recursion

Code

```
def factorial(n):
    if n == 0 or n == 1:
```



```
        return 1
    else:
        return n * factorial(n - 1)

num = int(input("Enter a number: "))

if num < 0:
    print("Factorial is not defined for negative numbers")
else:
    print("Factorial:", factorial(num))
```

Output

```
In [2]: def factorial(n):
        if n == 0 or n == 1:
            return 1
        else:
            return n * factorial(n - 1)

        num = int(input("Enter a number: "))

        if num < 0:
            print("Factorial is not defined for negative numbers")
        else:
            print("Factorial:", factorial(num))

        Enter a number: 5
        Factorial: 120
```

3. Square of numbers using lambda

Code

```
square = lambda n: n * n
num = int(input("Enter a number: "))
print("Square:", square(num))
```



Output

```
In [3]: square = lambda n: n * n
        num = int(input("Enter a number: "))
        print("Square:", square(num))

Enter a number: 7
Square: 49
```

4. Find the second largest element in a list

Code

```
numbers = [10, 25, 8, 40, 30]
unique_numbers = list(set(numbers))
unique_numbers.sort()
if len(unique_numbers) >= 2:
    print("Second largest:", unique_numbers[-2])
else:
    print("Second largest element does not exist")
```



Output

```
In [4]: numbers = [10, 25, 8, 40, 30]
unique_numbers = list(set(numbers))
unique_numbers.sort()
if len(unique_numbers) >= 2:
    print("Second largest:", unique_numbers[-2])
else:
    print("Second largest element does not exist")
```

Second largest: 30

5. Count frequency of characters in a string

Code

```
text = input("Enter a string: ")
frequency = {}
for char in text:
    if char in frequency:
        frequency[char] += 1
    else:
        frequency[char] = 1

print("Character frequency:", frequency)
```



Output

```
In [6]: text = input("Enter a string: ")
frequency = {}
for char in text:
    if char in frequency:
        frequency[char] += 1
    else:
        frequency[char] = 1

print("Character frequency:", frequency)
```

```
Enter a string: vasavi
Character frequency: {'v': 2, 'a': 2, 's': 1, 'i': 1}
```

6. Calculate area of a circle using math library.

Code

```
import math

radius = float(input("Enter the radius: "))

area = math.pi * radius * radius

print("Area of the circle:", round(area, 2))
```



Output

```
In [7]: import math  
  
radius = float(input("Enter the radius: "))  
  
area = math.pi * radius * radius  
  
print("Area of the circle:", round(area, 2))
```

```
Enter the radius: 5  
Area of the circle: 78.54
```

7. Reverse a string without using built-in reverse

Code

```
text = input("Enter a string: ")  
  
reversed_text = ""  
  
for char in text:  
    reversed_text = char + reversed_text  
  
print("Reversed string:", reversed_text)
```



Output

```
In [8]: text = input("Enter a string: ")
        reversed_text = ""
        for char in text:
            reversed_text = char + reversed_text
        print("Reversed string:", reversed_text)
```

```
Enter a string: vasavi
Reversed string: ivasav
```

8. Remove duplicates from a list

Code

```
numbers = [10, 20, 10, 30, 20, 40]
unique_numbers = []
for num in numbers:
    if num not in unique_numbers:
        unique_numbers.append(num)

print("Original list:", numbers)
print("List without duplicates:", unique_numbers)
```



Output

```
In [8]: text = input("Enter a string: ")
        reversed_text = ""
        for char in text:
            reversed_text = char + reversed_text
        print("Reversed string:", reversed_text)
```

```
Enter a string: vasavi
Reversed string: ivasav
```

9. Merge two dictionaries

Code

```
dict1 = {"name": "Vasavi", "age": 21}
dict2 = {"course": "CSE", "college": "Engineering College"}

merged_dict = {**dict1, **dict2}

print("Merged dictionary:", merged_dict)
```



Output

```
In [9]: dict1 = {"name": "Vasavi", "age": 21}
dict2 = {"course": "CSE", "college": "Engineering College"}

merged_dict = {**dict1, **dict2}

print("Merged dictionary:", merged_dict)
```

```
Merged dictionary: {'name': 'Vasavi', 'age': 21, 'course': 'CSE', 'college': 'Engineering College'}
```

10. Fibonacci series using recursion

Code

```
def fibonacci(n):
    if n <= 1:
        return n
    else:
        return fibonacci(n - 1) + fibonacci(n - 2)

terms = int(input("Enter the number of terms: "))

if terms < 0:
    print("Please enter a non-negative number")
```

