

Rajalakshmi Engineering College

Name: srisanjay RD
Email: 240801332@rajalakshmi.edu.in
Roll no: 240801332
Phone: 8667212915
Branch: REC
Department: I ECE AF
Batch: 2028
Degree: B.E - ECE

Scan to verify results



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5

10 20 30 40 50

Output: 10 20 30 40 50

Answer

```
// You are using GCC
```

```
#include<stdio.h>
```

```
#include<stdlib.h>
```

```
struct Node{
    int data;
    struct Node*prev;
    struct Node*next;
};
```

```
struct Node*createNode(int data){
    struct Node* newNode=(struct Node*)malloc(sizeof(struct Node));
    newNode->data=data;
    newNode->prev=NULL;
    newNode->next=NULL;
    return newNode;
}
```

```
void insertEnd(struct Node**head,int data){
    struct Node*newNode=createNode(data);
    if(*head==NULL){
        *head=newNode;
        return;
    }
}
```

```
    struct Node*temp=*head;
    while(temp->next!=NULL){
        temp=temp->next;
    }
    temp->next=newNode;
    newNode->prev=temp;
}
```

```
void display(struct Node*head){
    struct Node*temp=head;
    while(temp!=NULL){
        printf("%d ",temp->data);
        temp=temp->next;
    }
}
```

```
int main()
{
    int N;
    scanf("%d",&N);

    struct Node* head=NULL;
    for(int i=0;i<N;i++){
        int id;
        scanf("%d",&id);
        insertEnd(&head,id);
    }
    display(head);
    return 0;
}
```

Status : Correct

Marks : 10/10