

# Rajalakshmi Engineering College

Name: sri sidharthan .T

Email: 241501210@rajalakshmi.edu.in

Roll no: 241501210

Phone: 9344823470

Branch: REC

Department: AI & ML - Section 4

Batch: 2028

Degree: B.E - AI & ML

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 2\_Q4

Attempt : 1

Total Mark : 10

Marks Obtained : 9

### Section 1 : Coding

#### 1. Problem Statement

Amit wants to evaluate the depreciation of his car over time to understand its current value and categorize it based on that value.

Write a program that helps him determine the current value of his car after a certain number of years of depreciation and classify it into one of three categories:

High: If the current value is greater than 10,000. Medium: If the current value is between 5,000 and 10,000, both inclusive. Low: If the current value is less than 5,000.

The depreciation rate of the car is 15% per year. The program should calculate the current value of the car after applying this depreciation over the given number of years and print the current value along with the category.

### ***Input Format***

The first line of input consists of an integer, representing the initial cost of the car.

The second line consists of an integer, representing the number of years the car has been depreciating.

### ***Output Format***

The first line of output prints a double value, representing the current value of the car, rounded off to two decimal places "Current Value: <value>".

The second line prints its category "Category: <categories>".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 20000  
5

Output: Current Value: 8874.11  
Category: Medium

### ***Answer***

```
// You are using Java
import java.util.Scanner;
import java.text.DecimalFormat;
```

```
public class Main {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        double initialCost = scanner.nextDouble();
        int age = scanner.nextInt();
        double currentValue = initialCost * Math.pow(1 - 0.15, age);
        DecimalFormat df = new DecimalFormat("0.00");
        System.out.println("Current Value: " + df.format(currentValue));
        String category = (currentValue > 10000) ? "High" : (currentValue >= 5000 ?
"Medium" : "Low");
        System.out.println("Category: " + category);
        scanner.close();
    }
}
```

}  
}  
241501210

241501210

241501210

241501210

**Status :** Partially correct

**Marks :** 9/10

241501210

241501210

241501210

241501210

241501210

241501210

241501210

241501210

241501210

241501210

241501210

241501210