

Rajalakshmi Engineering College

Name: Srithan Saravanan
Email: 240701532@rajalakshmi.edu.in
Roll no: 240701532
Phone: 7200352047
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 10_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : COD

1. Problem Statement

John is organizing a fruit festival, and the quantities of various fruits are stored in a HashMap where fruit names are keys and quantities are values.

Help him develop a program to find the total quantity of fruits for the festival by summing up the values in the HashMap.

Input Format

The input consists of fruit quantities in the format 'fruitName:quantity', where fruitName is the name of the fruit(a string), and quantity is a double value representing the quantity.

The input is terminated by entering "done".

Output Format

The output prints a double value, representing the sum of values in the HashMap, rounded off to two decimal places.

If the value is not numeric, print "Invalid input".

If any special characters other than ':' are entered, print "Invalid format".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: Banana:15.2

Orange:56.3

Mango:47.3

done

Output: 118.80

Answer

```
import java.util.Scanner;
import java.util.Map;
import java.util.HashMap;
class ValueProcessor{
    public static Map<String, Double> readValues(Scanner scanner){
        Map<String, Double> valueMap=new HashMap<>();
        while(true){
            String input=scanner.nextLine();
            if (input.toLowerCase().equals("done")){
                break;
            }
            String[] pair=input.split(":");
            if (pair.length==2){
                String key=pair[0].trim();
                try{
                    double value=Double.parseDouble(pair[1].trim());
                    valueMap.put(key, value);
                } catch (NumberFormatException e){
                    System.out.println("Invalid input");
                    return null;
                }
            } else{
```

```

        System.out.println("Invalid format");
        return null;
    }
}
return valueMap;
}
public static double calculateSum(Map<String,Double> valueMap) {
    double sum=0;
    for (double value:valueMap.values()){
        sum+=value;
    }
    return sum;
}
}
class Main{
    public static void main(String[] args){
        Scanner scanner=new Scanner(System.in);
        Map<String,Double> valueMap=ValueProcessor.readValues(scanner);
        if (valueMap!=null) {
            double sum=ValueProcessor.calculateSum(valueMap);
            System.out.printf("%.2f\n",sum);
        }
        scanner.close();
    }
}

```

Status : Correct

Marks : 10/10