Rajalakshmi Engineering College

Name: Srithan Saravanan
Email: 240701532@rajalakshmi.edu.in
Roll no: 240701532
Phone: 7200352047
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 8_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to validate the email address and display suitable exceptions if there is any mistake.

Create 3 custom exception classes as below

DotExceptionAtTheRateExceptionDomainException

A typical email address should have a " . " character, and a "@" character, and also the domain name should be valid. Valid domain names for practice be 'in', 'com', 'net', or 'biz'.

Display Invalid Dot usage, Invalid @ usage, or Invalid Domain message based on email id.

Get the email address from the user, validate the email by checking the

above-mentioned criteria, and print the validity status of the input email address.

Input Format

The first line of input contains the email to be validated.

Output Format

The output prints a Valid email address or an Invalid email address along with the suitable exception

If email ends with . or contains not exactly one . after @, it throws:

DotException: Invalid Dot usage

Invalid email address

If @ appears not exactly once, it throws:

AtTheRateException: Invalid @ usage

Invalid email address

If the part after the last dot is not among accepted domains:

DomainException: Invalid Domain

Invalid email address

If all conditions satisfied then print:

Valid email address

Refer to the sample input and output for format specifications.

Sample Test Case

Input: sample@gmail.com

Output: Valid email address

Answer

```
import java.util.*;
class DotException extends Exception{
   DotException(String m){super(m);}
}
class AtTheRateException extends Exception{
   AtTheRateException(String m){super(m);}
}
class DomainException extends Exception{
   DomainException(String m){super(m);}
}
public class Main{
   public static void main(String[] args){
      Scanner sc=new Scanner(System.in);
      String email=sc.nextLine();
      try{
         if(email.indexOf('@')==-1||email.indexOf('@')!=email.lastIndexOf('@'))
            throw new AtTheRateException("Invalid @ usage");
         if(email.startsWith("@")||email.endsWith("@"))
            throw new AtTheRateException("Invalid @ usage");
         if(email.endsWith(".")||!email.contains(".")||email.contains(".."))
            throw new DotException("Invalid Dot usage");
         String domainPart=email.substring(email.lastIndexOf('.')+1);
         if(!(domainPart.equals("com")||domainPart.equals("in")||
domainPart.equals("net")||domainPart.equals("biz")))
            throw new DomainException("Invalid Domain");
         System.out.println("Valid email address");
      }catch(DotException e){
         System.out.println("DotException: "+e.getMessage());
         System.out.println("Invalid email address");
      }catch(AtTheRateException e){
         System.out.println("AtTheRateException: "+e.getMessage());
         System.out.println("Invalid email address");
```

```
        }catch(DomainException e){
            System.out.println("DomainException: "+e.getMessage());
            System.out.println("Invalid email address");
        }
    }
}
```

Status : Correct **Marks : 10/10**