


# Whose wish is **it**?

Wishlists, wishes, and occasions, all owned by one person. One gate answers for every read and write.

SWIPE →

**Whose Wish Is It Anyway?**

@SRIVARDHANJALAN



ACCESS, JUDGED ONCE

**One gate. Three  
answers.**

**401**      **No token.**

**403**      **Not your wishlist.**

**404**      **An id that never existed.**

Every route reads through the same  
function, so access can't drift.


## NO SECOND RULEBOOK

# A wish never gets its own **rule.**

READ

### One gate, every route

A wish has no owner of its own. Its access is its wishlist's, judged in exactly one place.



Every wish route funnels through the one check: 404 if the wishlist is missing, 403 if it isn't yours. Access is never re-derived per route.

NO NEW PLUMBING

# Two more photos, zero new pipes.

Wishlist and wish photos reuse step 6's exact upload path. Sharing it with a third route is what finally forced it to grow teeth.

WHAT BIT ME

# A price that blew up the **write**.

My first wish with a cost 500'd: DynamoDB rejects Python floats outright. Store it as a Decimal, coerce it back to a number on read.

NOTHING ORPHANED

# Delete takes everything with **it.**

DELETE

## One cascade, no orphans

Deleting a wishlist takes its wishes and every photo they uploaded. One teardown path, two callers.



DELETE /wishlists/{id} and account deletion reuse the exact same cascade. Photos go first, rows after, so an interrupted teardown is one a retry can always finish.

WHOSE WISH IS IT ANYWAY

6 / 7

ZERO TO SHIPPED · STEP 07

**The full build is free on  
Medium.**

Link in the first comment ↓

**Zero to Shipped**