

ZERO TO SHIPPED · STEP 04


From nobody to a name.

Real sign-up, a code, a
real account — greeted
by name.

SWIPE →

Signed, Sealed, Delivered.


@SRIVARDHANJALAN



THE WHOLE FLOW

Sign up, verify, and you're **in.**

Three ways in, then a real
verification code.



THE ENDPOINT I REFUSED TO WRITE

Nobody creates their own user.

- 1 Your app sends a token — no profile
- 2 The backend fetches your profile from Clerk
- 3 ...then writes your record itself

Your app never sends a profile — so it can't fake one.

TWO SCREENS, ONE COMPONENT

Sign-in and sign-up are the **same form**.

The clone detector proved it — one component, the verb plugged in:

```
<AuthMethods ctaLabel="Sign In" ... /> # Sign In  
<AuthMethods ctaLabel="Sign Up" ... /> # Sign Up
```

WHOSE FAULT IS IT?

401 means **you**. 503
means **me**.

```
# your bad, forged, or missing token
```

```
401 "Invalid authentication token"
```

```
# mine — each names its own fix. missing  
table:
```


```
503 "run terraform apply and set  
ENVIRONMENT..."
```

A status code points at the right suspect. It
never leaks my internals to you.

THE WELCOME TOUR

It never replays.

One bit lives on the
backend record, not the
device. Reinstall, new
phone, cleared cache —
still gone.



ZERO TO SHIPPED · STEP 04

**The full write-up —
free on Medium.**

Link in the first comment ↓

Zero to Shipped

`github.com/srivardhanjalan/kivan-tutorial`