Status	Finished
Started	Friday, 2 October 2026, 9:33 PM
Completed	Friday, 2 October 2026, 9:38 PM
Duration	5 mins 10 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. create
b. dictionary
c. dict ✓
d. convert

Question **2**

Correct

Mark 1.00 out of 1.00

Dictionary is a _____ data type.

a. None of the mentioned
b. Ordered
c. Mapping ✓
d. Sequence

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

a. a and b ✓
b. a and c
c. b and d
d. c and d

Question **4**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. append
b. get
c. merge
d. update ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. True ✓
b. False

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. delete
b. remove
c. pop ✓
d. None of the mentioned

Question **7**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. True
b. False ✓

Question **8**

Correct

Mark 1.00 out of 1.00

Keys in dictionary are _____.

- a. Mutable
- b. Immutable ✓
- c. antique
- d. integers

Question **9**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

- a. D1.disp(7)
- b. D1.values(7)
- c. D1.get(7) ✓
- d. D1.pop(7)

Question **10**

Correct

Mark 1.00 out of 1.00

_____ datatype fall under mapping.

- a. Dictionary ✓
- b. Tuple
- c. List
- d. String

Question **11**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.

b. A dictionary can have two same keys or same values but cannot have two same key-value pair

c. A dictionary can have two same values with different keys. ✓

d. A python, a dictionary can neither have two same keys nor two same values.

Question **12**

Correct

Mark 1.00 out of 1.00

In dictionary Keys and values are separated by _____.

a. Colon (:) ✓

b. Semicolon(;)

c. dot(.)

d. Comma(,)

Question **13**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22
for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

- a. ['Emily', 'John', 'Erik'] ✓
- b. ['Janice', 'John', 'Erik']
- c. ['Janice', 'Emily', 'John']
- d. ['Janice', 'Emily', 'John', 'Eleanor']

Question **15**

Correct

Mark 1.00 out of 1.00

Keys of dictionary must be _____.

a. integers

b. mutable

c. antique

d. unique ✓