Status	Finished
Started	Sunday, 11 October 2026, 11:22 AM
Completed	Sunday, 11 October 2026, 11:28 AM
Duration	5 mins 58 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

- a. By comparing each element sequentially
- b. By starting from the first element
- c. By using a hash function
- d. By dividing the list length by two ✓

Question **2**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

- a. The last element is returned
- b. The first element is returned
- c. An error is raised
- d. The search is considered unsuccessful ✓

Question **3**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

- a. Deleting elements from a list
- b. Inserting elements into a list
- c. Determining whether an element is present in a list ✓
- d. Sorting elements in a list

Question **4**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

- a. By dividing the list into halves
- b. By sorting the list first
- c. By using a hash function
- d. By comparing each element in the list sequentially ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

- a. Mining
- b. Searching ✓
- c. Finding
- d. Discovering

Question **6**

Correct

Mark 1.00 out of 1.00

In which type of search is the list divided into smaller sublists during the search process?

- a. Hash search
- b. Linear search
- c. Sequential search
- d. Binary search ✓

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search is more efficient than binary search on large lists.
b. Linear search divides the list into halves.
c. Linear search requires the list to be sorted.
d. Linear search can be applied to both sorted and unsorted lists. ✓

Question **8**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Insertion
b. Selection
c. Complexity
d. Bubble ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What type of search would be most appropriate for finding an element in a list that is frequently updated?

a. Hash search
b. Interpolation search
c. Binary search
d. Linear search ✓

Question **10**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

- a. In the left sublist
- b. In the right sublist ✓
- c. In the middle of the list
- d. At the beginning of the list

Question **11**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

- a. Binary search has a lower time complexity on large, sorted lists ✓
- b. Binary search works on unsorted lists
- c. Binary search does not require dividing the list
- d. Binary search can find multiple instances of the target element

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

- a. When the list is unsorted
- b. When the list is very small
- c. When the list is sorted ✓
- d. When the list contains duplicate elements

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

- a. Linear search ✓
- b. Bubble search
- c. Quick search
- d. Merge search

Question **14**

Correct

Mark 1.00 out of 1.00

In a linear search, how many comparisons are made in the worst-case scenario to find an element in a list of size n?

- a. n/2
- b. 1
- c. n ✓
- d. log n

Question **15**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

- a. It always starts from the beginning of the list
- b. It compares elements sequentially
- c. It works on unsorted lists
- d. It can be applied only if the list is sorted ✓