

E-COMMERCE DATABASE MANAGEMENT -SYSTEM:

TABLES

DATA_INSERTED

QUERY_RESULTS

The screenshot displays the MySQL Workbench interface, showing the 'ecommercedb' schema and the results of a query. The schema includes tables for customers, products, and orders. The query results show a list of orders with columns for CustomerName, ProductName, Quantity, and OrderDate.

Schema: ecommercedb

- customers
- products
- orders

Query Results:

CustomerName	ProductName	Quantity	OrderDate
Rahul Sharma	Laptop	1	2025-05-01
Priya Reddy	Smartphone	2	2025-05-02
Amit Kumar	Headphones	3	2025-05-03

Query:

```
1 SELECT
2 C.CustomerName,
3 P.ProductName,
4 O.Quantity,
5 O.OrderDate
6 FROM Orders O
7 JOIN Customers C ON O.CustomerID = C.CustomerID
8 JOIN Products P ON O.ProductID = P.ProductID;
```

Output:

#	Time	Action	Message	Duration / Fetch
33	16:40:17	SELECT * FROM Products LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
34	16:40:17	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
35	16:42:51	SELECT C.CustomerName, P.ProductName, O.Quantity, O.OrderDate FROM Orders O JOIN Customers C ON O.CustomerID = C.CustomerID	3 row(s) returned	0.000 sec / 0.000 sec
36	16:43:33	SELECT SUM(P.Price * O.Quantity) AS TotalSales FROM Orders O JOIN Products P ON O.ProductID = P.ProductID	1 row(s) returned	0.000 sec / 0.000 sec
37	16:44:06	SELECT P.ProductName, SUM(O.Quantity) AS TotalQuantitySold FROM Orders O JOIN Products P ON O.ProductID = P.ProductID	3 row(s) returned	0.000 sec / 0.000 sec
38	16:44:36	SELECT C.CustomerName, COUNT(O.OrderID) AS NumberOfOrders FROM Customers C LEFT JOIN Orders O ON C.CustomerID = O.CustomerID	3 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Migration x Local instance MySQL97 - W... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

customers

Columns

Indexes

Foreign Keys

Triggers

orders

Columns

Indexes

Foreign Keys

Triggers

products

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

SQL File 1* SQL File 4* SQL File 5* SQL File 6* SQL File 7* SQL File 8*

Limit to 1000 rows

1 SELECT * FROM Customers;

2 SELECT * FROM Products;

3 SELECT * FROM Orders;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

OrderID CustomerID ProductID Quantity OrderDate

1001 1 101 1 2025-05-01

1002 2 102 2 2025-05-02

1003 3 103 3 2025-05-03

Customers 1 Products 2 Orders 3 x

Apply Revert Context Help Snippets

Output

Action Output

Time Action Message Duration / Fetch

33 16:40:17 SELECT * FROM Products LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec

34 16:40:17 SELECT * FROM Orders LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec

35 16:42:51 SELECT C.CustomerName, P.ProductName, O.Quantity, O.OrderDate FROM Orders O JOIN Custom... 3 row(s) returned 0.000 sec / 0.000 sec

36 16:43:33 SELECT SUM(P.Price * O.Quantity) AS TotalSales FROM Orders O JOIN Products P ON O.ProductID = P.P... 1 row(s) returned 0.000 sec / 0.000 sec

37 16:44:06 SELECT P.ProductName, SUM(O.Quantity) AS TotalQuantitySold FROM Orders O JOIN Products P ON ... 3 row(s) returned 0.000 sec / 0.000 sec

38 16:44:36 SELECT C.CustomerName, COUNT(O.OrderID) AS NumberOfOrders FROM Customers C LEFT JOIN Ord... 3 row(s) returned 0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Migration x Local instance MySQL97 - W... x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

ecommercedb

Tables

customers

Columns

Indexes

Foreign Keys

Triggers

orders

Columns

Indexes

Foreign Keys

Triggers

products

Columns

Indexes

Foreign Keys

Triggers

Views

Stored Procedures

Functions

sakila

sys

world

Administration Schemas

Information

Schema: ecommercedb

Object Info Session

SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11*

Limit to 1000 rows

1 SELECT

2 SUM(P.Price * O.Quantity) AS TotalSales

3 FROM Orders O

4 JOIN Products P ON O.ProductID = P.ProductID;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

TotalSales

111000.00

Result 1 x

Read Only Context Help Snippets

Output

Action Output

Time Action Message Duration / Fetch

33 16:40:17 SELECT * FROM Products LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec

34 16:40:17 SELECT * FROM Orders LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec

35 16:42:51 SELECT C.CustomerName, P.ProductName, O.Quantity, O.OrderDate FROM Orders O JOIN Custom... 3 row(s) returned 0.000 sec / 0.000 sec

36 16:43:33 SELECT SUM(P.Price * O.Quantity) AS TotalSales FROM Orders O JOIN Products P ON O.ProductID = P.P... 1 row(s) returned 0.000 sec / 0.000 sec

37 16:44:06 SELECT P.ProductName, SUM(O.Quantity) AS TotalQuantitySold FROM Orders O JOIN Products P ON ... 3 row(s) returned 0.000 sec / 0.000 sec

38 16:44:36 SELECT C.CustomerName, COUNT(O.OrderID) AS NumberOfOrders FROM Customers C LEFT JOIN Ord... 3 row(s) returned 0.000 sec / 0.000 sec

MySQL Workbench

Migration x Local instance MySQL97 - W... x

File Edit View Query Database Server Tools Scripting Help

Navigator

6* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11*

SQL File 10*

Limit to 1000 rows

Jump to

1 SELECT
2 P.ProductName,
3 SUM(O.Quantity) AS TotalQuantitySold
4 FROM Orders O
5 JOIN Products P ON O.ProductID = P.ProductID
6 GROUP BY P.ProductName
7 ORDER BY TotalQuantitySold DESC;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid

Product Name	TotalQuantitySold
Headphones	3
Smartphone	2
Laptop	1

Result 1 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	16:40:17	SELECT * FROM Products LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
34	16:40:17	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
35	16:42:51	SELECT C.CustomerName, P.ProductName, O.Quantity, O.OrderDate FROM Orders O JOIN Custom...	3 row(s) returned	0.000 sec / 0.000 sec
36	16:43:33	SELECT SUM(P.Price * O.Quantity) AS TotalSales FROM Orders O JOIN Products P ON O.ProductID = P.P...	1 row(s) returned	0.000 sec / 0.000 sec
37	16:44:06	SELECT P.ProductName, SUM(O.Quantity) AS TotalQuantitySold FROM Orders O JOIN Products P ON ...	3 row(s) returned	0.000 sec / 0.000 sec
38	16:44:36	SELECT C.CustomerName, COUNT(O.OrderID) AS NumberOfOrders FROM Customers C LEFT JOIN Ord...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Schema: ecommercedb

MySQL Workbench

Migration x Local instance MySQL97 - W... x

File Edit View Query Database Server Tools Scripting Help

Navigator

6* SQL File 7* SQL File 8* SQL File 9* SQL File 10* SQL File 11*

SQL File 11*

Limit to 1000 rows

Jump to

1 SELECT
2 C.CustomerName,
3 COUNT(O.OrderID) AS NumberOfOrders
4 FROM Customers C
5 LEFT JOIN Orders O ON C.CustomerID = O.CustomerID
6 GROUP BY C.CustomerName;

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Form Editor

CustomerName: Rahul Sharma

NumberOfOrders: 1

Result 1 x

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
33	16:40:17	SELECT * FROM Products LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
34	16:40:17	SELECT * FROM Orders LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
35	16:42:51	SELECT C.CustomerName, P.ProductName, O.Quantity, O.OrderDate FROM Orders O JOIN Custom...	3 row(s) returned	0.000 sec / 0.000 sec
36	16:43:33	SELECT SUM(P.Price * O.Quantity) AS TotalSales FROM Orders O JOIN Products P ON O.ProductID = P.P...	1 row(s) returned	0.000 sec / 0.000 sec
37	16:44:06	SELECT P.ProductName, SUM(O.Quantity) AS TotalQuantitySold FROM Orders O JOIN Products P ON ...	3 row(s) returned	0.000 sec / 0.000 sec
38	16:44:36	SELECT C.CustomerName, COUNT(O.OrderID) AS NumberOfOrders FROM Customers C LEFT JOIN Ord...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Schema: ecommercedb

Query Completed