Web Tech Lab Assignment 1
9th August 2024

1. Create a webpage using HTML that prints heading titled "Welcome To VIPS Family" at the centre of the screen with different heading size.

Source Code:

```html
<!-- Create a webpage using HTML that prints heading titled "Welcome To VIPS
     Family" at the centre of the screen with different heading size. -->

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>WT Assignment 1</title>
</head>
<body>
    <h1 align="center">Welcome to VIPS Family</h1>
    <h2 align="center">Welcome to VIPS Family</h2>
    <h3 align="center">Welcome to VIPS Family</h3>
    <h4 align="center">Welcome to VIPS Family</h4>
    <h5 align="center">Welcome to VIPS Family</h5>
    <h6 align="center">Welcome to VIPS Family</h6>
</body>
</html>
```

Output:

Welcome to VIPS Family

Welcome to VIPS Family

Welcome to VIPS Family

Welcome to VIPS Family

Welcome to VIPS Family

Welcome to VIPS Family

2. Create a webpage using HTML to implement Text formatting Tags such as Bold, Italic, Underline, Strike, Marquee, Subscript, Superscript, Font as well as the use of empty tags such as
 <hr>.

Source Code:

```html
<!--Create a webpage using HTML to implement Text formatting Tags such as
    Bold, Italic, Underline, Strike, Marquee, Subscript, Superscript, Font as
well as
    the use of empty tags such as &lt;br&gt;, &lt;hr&gt;-->

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>WT Assignment 1</title>
</head>
<body>
    <hr>
    <p align="center"> Creating a webpage using HTML</p>
    <p align="center"> Implementing text formatting tags such as</p>
    <p align="center"> <b>Bold</b> <br> <i>Italic</i> <br> <u>Underline</u>
<br> <s>Strike</s></p>
    <p align="center"> Also a <sub>Subscript</sub> and a
<sup>SuperScript</sup></p>
    <hr>
</body>
</html>
```

Output:

Creating a webpage using HTML

Implementing text formatting tags such as

Bold
Italic
<u>Underline</u>
~~Strike~~

Also a Subscript and a SuperScript

3. Create a webpage using HTML to implement different types of ordered as well as unordered list as follows:

Source Code:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>WT Assignment 1</title>
</head>
<body bgcolor="pink">
    <h1 align="center"> Online Books Library</h1>
    <p>Books are our best friends. We can obatain many thoughts from books.
<br>
        The Various types of books Featured in our library are: </p>
    <ol type="A" start="1">
        <li>Autobiography</li>
        <ol type="a" start="1">
            <li>My Experiments with truth</li>
            <li>Wings of Fire</li>
        </ol>
        <li>Fiction</li>
        <ul>
            <li>Bacon Death</li>
            <li>Pride and Predujice</li>
        </ul>
        <li>Adventure</li>
        <ul>
            <li>Gulliver's Travel</li>
            <li>The Phanton Toolbooth</li>
        </ul>
    </ol>
</body>
</html>
```

Output:

Online Books Library

Books are our best friends. We can obatain many thoughts from books.
The Various types of books Featured in our library are:

A. Autobiography
    a. My Experiments with truth
    b. Wings of Fire
B. Fiction
    o Bacon Death
    o Pride and Predujice
C. Adventure
    o Gulliver's Travel
    o The Phanton Toolbooth