

3rd Party Lead Push API (Detailed Guide)

This document explains how a 3rd party agency can push leads into Kashless so that the leads appear in the Admin Panel.

Document version: 1.0 • Generated on 2026-06-25

1) Overview

Goal	Create leads from external partners and view/manage them in the Kashless Admin Panel (Leads section).
Flow	1. 3rd party agency sends lead details to Kashless API 2. Kashless stores lead in MongoDB (status = new) 3. Admin Panel fetches leads and shows them in the Leads table + dashboard counts
Where it appears	Admin Panel → Leads (table) and Dashboard (counts/charts)

2) Base URL

The backend uses the API prefix `/api`. Your final base URL depends on deployment.

- Local: `http://localhost:5000/api`
- Production (example): `https://<YOUR_BACKEND_DOMAIN>/api`

3) Authentication & Security

Current implementation accepts lead creation without login (public endpoint). For 3rd party integrations, we strongly recommend securing this endpoint.

Recommended (Best Practice)

- IP allow-list for partner servers (only allow known partner IPs)
- API key header (example: `X-API-Key`)
- Rate limiting per partner

- Idempotency key to avoid duplicates (example: `X-Idempotency-Key`)

If you want, we can add an API-key based auth layer and share partner keys (per-agency) securely.

4) Create Lead Endpoint (3rd party push)

Method

`POST`

Path

`/leads`

Full URL

`{BASE_URL}/leads` where `{BASE_URL}` =
`https://<YOUR_BACKEND_DOMAIN>/api`

Headers

`Content-Type: application/json`

Optional (recommended): `X-API-Key: <partner-key>`

Optional (recommended): `X-Idempotency-Key: <unique-id>`

4.1 Request Body (JSON)

name	string • required • 2–100 chars
phone	string • required • exactly 10 digits (example: 9876543210)
email	string • required • valid email
loanType	string • required • see supported values below
amount	string • required • example: "60000"
notes	string • optional • up to 1000 chars (any extra info)
userId	string • optional • MongoDB ObjectId (only if you want to link lead to an existing user)

4.2 Supported loanType values

- `personal` (Personal Loan)
- `home` (Home Loan)
- `lap` (Loan Against Property)
- `merchant-working-capital` (Merchant Loan - Working Capital)
- `msme-secured` (MSME Secured Loan)

- `short-term` (Short Term Loan)
- `payday` (Payday Loan)
- `car` (Car Loan)
- `two-wheeler` (Two Wheeler Loan)
- `advance-salary` (Advance Salary)
- `invoice-finance` (Invoice Finance)
- `two-wheeler-merchant-program` (Two Wheeler Merchant Program)
- `electronics-partner-program` (Electronics Partner Program)
- `fmcg-distribution-program` (FMCG Distribution Program)
- `cement-dealer-program` (Cement Dealer Program)
- `paint-dealer-program` (Paint Dealer Program)
- `tyre-dealer-program` (Tyre Dealer Program)

4.3 Example (cURL)

```
curl -X POST "{BASE_URL}/leads" \
-H "Content-Type: application/json" \
-d '{
  "name": "Amit Kumar",
  "phone": "9876543210",
  "email": "amit.kumar@example.com",
  "loanType": "personal",
  "amount": "60000",
  "notes": "Source: partner-x, City: Kolkata"
}'
```

4.4 Example (Node.js)

```
async function pushLead(baseUrl, lead) {
  const res = await fetch(`${baseUrl}/leads`, {
    method: "POST",
    headers: {
      "Content-Type": "application/json"
    },
    body: JSON.stringify(lead)
  });

  if (!res.ok) {
    const err = await res.json().catch(() => ({}));
    throw new Error(err?.message || `HTTP ${res.status}`);
  }

  return res.json();
}

pushLead("https://<YOUR_BACKEND_DOMAIN>/api", {
```

```
name: "Amit Kumar",
phone: "9876543210",
email: "amit.kumar@example.com",
loanType: "merchant-working-capital",
amount: "120000",
notes: "Partner: XYZ Agency"
}).then(console.log).catch(console.error);
```

5) Responses

5.1 Success (201 Created)

```
{
  "_id": "66a3ce9227c418bfee000000",
  "name": "Amit Kumar",
  "phone": "9876543210",
  "email": "amit.kumar@example.com",
  "loanType": "personal",
  "amount": "60000",
  "status": "new",
  "notes": "Source: partner-x, City: Kolkata",
  "createdAt": "2026-06-25T00:00:00.000Z",
  "updatedAt": "2026-06-25T00:00:00.000Z"
}
```

5.2 Validation error (400)

```
{
  "message": "Validation failed",
  "errors": [
    { "field": "phone", "message": "Phone number must be 10 digits" }
  ]
}
```

5.3 Rate limit (429)

The backend applies rate limiting. If the partner sends too many requests, the API can respond with 429.

6) Operational Notes (for partners)

- Send phone as 10 digits only (no +91, no spaces)
- Send amount as a string (example: "60000")

- Use a unique idempotency key per lead to avoid duplicates (recommended)
- Store the returned lead ID (`_id`) for future references
- If you need additional fields (city, pincode, company name, gst, etc.), tell us and we can add them to the schema + admin UI

7) Admin Visibility

Once the lead is created via API:

- Admin Panel → Leads: lead will appear in the list
- Admin Panel → Dashboard: charts and counts will reflect the new lead after refresh/polling

Support: care@kashless.in • WebFino Solution Private Limited • CIN: U62012WB2025PTC283996