	numpy as learn.fea	_	raction.te	ext impo	rt Tfic	dfVect	toriz:	er											
df = pd	.read_csv	/('news.c:	sv')																
Un	nnamed: 0					title								te	xt la	abel			
0	8476	NA/-1 - l- Tl F		ou Can Sme	-		C	Daniel G								AKE			
2	10294 3608		rry to go to Pa				GC	oogle Pint U.S. Secr								REAL			
3	10142		supporters on		_	_	-	/dee King			_								
4	875 	The Battle	e of New York	: Why This P	rimary M	latters 		lt's primar	ry day ir	n Nev	V York a	and fro	nt-ru		s F	REAL 			
6330	4490		Department sa				Th	ne State D				-				REAL			
6331 6332	8062 8622		P' in PBS Shou ump Protester					The 'P' Anti-Trui								AKE			
6333	4021		iia, Obama see		·											REAL			
6334	4330		Is Suddenly A	ttacking Tru	mp. Here	e's W	Je	b Bush Is	Sudden	ily Att	tacking	Trump	. Her	e's W	/ F	REAL			
6335 TOWS	s × 4 colum	iris																	
		ctorizer()) df['text']	1)															
		ce_names_c						1			,								
			0',, '	والمرضى	,' 1	»', 'E	ijade'], aty	pe=ob	ject	.)								
		ame(X.toa: cfidf.get_	rray()) _feature_r	names_out	c()]														
00	000	0000 000	000031 000	000031 00	0035 (00006	0001	0001pt	0002		حلب	عربي	عن	لم	ما	اولات	مح	من	هذا
0 0.0	0.000000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	(0.0	0.0	0.0
1 0.0 2 0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0		0.0				0.0		0.0
	0.000000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0		0.0					0.0	
4 0.0	0.000000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0		(0.0	0.0	
6330 0.0	0.029299	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	(0.0	0.0
	0.000000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0		0.0					0.0	
	0.007522	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0		0.0				0.0	0.0	0.0
	0.000000	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0		0.0					0.0	
6335 rows	s × 67659 c	columns																	
df2.sum	.()																		
00	37.	380637																	
0000 00000003	31 0.	.097361 .026123 .053099																	
0.04121	ت 7	 محا و لان																	
0.04121 0.04121 0.04121	7 7	مـن هـد ا و الـمـرضـ																	
ខា ade	0.	032057 htype: flo	oat64																
y = df. y	iloc[:,3]																		
0 1	FAKE FAKE																		
2 3	REAL FAKE																		
4 6330	REAL REAL																		
6331 6332	FAKE FAKE																		
6333 6334 Name: 1	REAL REAL abel, Ler	ngth: 6335	5, dtype:	object															
			ng import		coder														
	belEncode fit_trans																		
y array([0, 0, 1,	, 0, 1	1, 1])																
x = df2																			
from sk	learn.mod	_	tion impo						0.5				2.1						
_			_test = ti						.20,r	ando	om_st	ate=(J)						
classif	ier = Pas		l import l essiveClas train)					ier											
			_train) ier(max_it	ter=50)															
y_pred	= classif	fier.pred	ict(x_test	=)															
y_pred																			
array([1, 0, 0,	, 0, 1	1, 0])																
			ort confus test,y_pre				onMat	rixDisp	olay										
			splay(con:				displa	ay_labe	els=['	True	e','S	pam'])						
import	seaborn a	as sns																	
		s. plot.co	onfusion_n	natrix.Co	onfusio	onMatr	rixDi	splav a	t 0x2	3dc3	22af2	e0>							
disp.pl				■	± (1 a	<u> ک</u> ده پ	2 پ		-							
disp.pl				- 500															
disp.pl	611		41																
disp.pl <sklear< td=""><td>611</td><td></td><td>41</td><td>- 400</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear<>	611		41	- 400															
disp.pl	611		41																
disp.pl <sklear< td=""><td>611</td><td></td><td>577</td><td>- 400</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear<>	611		577	- 400															
disp.pl <sklear< td=""><td></td><td></td><td></td><td>- 400 - 300</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear<>				- 400 - 300															
disp.pl <sklear< td=""><td>38 True</td><td>Predicted labe</td><td>577 Spam</td><td>- 400 - 300 - 200</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear<>	38 True	Predicted labe	577 Spam	- 400 - 300 - 200															
disp.pl <sklear< td=""><td>38 True</td><td></td><td>577 Spam</td><td>- 400 - 300 - 200 - 100</td><td>n_repo:</td><td>rt</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear<>	38 True		577 Spam	- 400 - 300 - 200 - 100	n_repo:	rt													
disp.pl <sklear cr="cl</td" from="" frue="" sk=""><td>Tue learn.met</td><td>trics impo</td><td>577 Spam</td><td>-400 -300 -200 -100</td><td>_</td><td>rt</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear>	Tue learn.met	trics imp o	577 Spam	-400 -300 -200 -100	_	rt													
disp.pl <sklear from="" sk<="" spam="" td="" true=""><td>True learn.met assificat r)</td><td>trics impo</td><td>Spam el ort class: rt(y_test,</td><td>-400 -300 -200 -100</td><td>_</td><td>rt</td><td>Ē</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear>	True learn.met assificat r)	trics imp o	Spam el ort class: rt(y_test,	-400 -300 -200 -100	_	rt	Ē												
disp.pl <sklear cr="cl</td" from="" frue="" sk=""><td>True learn.met assificat r)</td><td>trics impo</td><td>Spam el ort class: rt(y_test, recall 0.94</td><td>-400 -300 -200 -100 ification y_pred)</td><td>re si</td><td></td><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></sklear>	True learn.met assificat r)	trics impo	Spam el ort class: rt(y_test, recall 0.94	-400 -300 -200 -100 ification y_pred)	re si		5												
spam- from sk cr = cl print(c	True learn.met assificat r) pr 0 1 uracy	crics important crics important crics in crics i	Spam el ort class: rt(y_test) recall 0.94 0.94	-400 -300 -200 -100 ification y_pred) f1-scon	- se si 94 94	upport 615 652 1267	5 2 7												
spam- from sk cr = cl print(c	learn.met assificat r) pr 0 1 uracy o avg	crics important crics important crics important crics in cric crics in crics in cric cric cric cric cric cric cric c	Spam el ort class: rt(y_test, recall 0.94	-400 -300 -200 -100 ification y_pred;	- 94 94 94	upport 615 652	5 2 7 7												
from sk cr = cl print(c	Jearn.met assificat r) pr 0 1 uracy 0 avg d avg	crics important crics in crics i	Spam el ort class: rt(y_test, recall 0.94 0.94	-400 -300 -200 -100 -100 f1-scor 0.9 0.9 0.9	ee si 94 94 94 94	upport 615 652 1267 1267	5 2 7 7												
from sk cr = cl print(c from sk cr = cl print(c	learn.met assificat r) pr 0 1 uracy o avg d avg	crics important crics in c	Spam el ort class: rt(y_test) recall 0.94 0.94 0.94	-400 -300 -200 -100 ification y_pred) f1-scon 0.9 0.9 0.9	ee si 94 94 94 94	upport 615 652 1267 1267	5 2 7 7												
from sk cr = cl print(c from sk cr = cl print(c	learn.met assificat r) pr 0 1 uracy o avg d avg	crics important crics in	Spam el ort class: rt(y_test) recall 0.94 0.94 0.94 0.94 ort accura	-400 -300 -200 -100 ification y_pred) f1-scon 0.9 0.9 0.9	ee si 94 94 94 94	upport 615 652 1267 1267	5 2 7 7												
from sk cr = cl print(c from sk score = score	learn.met assificat r) pr 0 1 uracy o avg d avg learn.met	crics important crics in	Spam el ort class: rt(y_test) recall 0.94 0.94 0.94 0.94 ort accura	-400 -300 -200 -100 ification y_pred) f1-scon 0.9 0.9 0.9	ee si 94 94 94 94	upport 615 652 1267 1267	5 2 7 7												