DROP INDEX *index*;

Find the Solution for the following:

1. Create a sequence to be used with the primary key column of the DEPT table. The sequence should start at 200 and have a maximum value of 1000. Have your sequence increment by ten numbers. Name the sequence DEPT_ID_SEQ.

2. Write a query in a script to display the following information about your sequences: sequence name, maximum value, increment size, and last number

3. Write a script to insert two rows into the DEPT table. Name your script lab12_3.sql. Be sure to use the sequence that you created for the ID column. Add two departments named Education and Administration. Confirm your additions. Run the commands in your script.
4. Create a nonunique index on the foreign key column (DEPT_ID) in the EMP table.

5. Display the indexes and uniqueness that exist in the data dictionary for the EMP table.

1) CREATE SEQUANCE dept.id.seq.
INCREMENT BY 10
START WITH 200
MAXVALUE 1000
NO CYCLE
NOCACHE;

2) SELECT Sequence . name . max.value.
increment.by, last number.
FROM user - sequences

3) INSERT INTO dept(dept.id . dept.name)
VALUES (dept.id-seq.NEXTVAL,'Education');
INSERT INTO dept (dept.id, dept_name)
VALUES (dept_id.seq .NEXTVAL,'Administation);
COMMIT;
SELECT * FROM dept;
SELECT dept_id - seq . CURRVAL FROM dual;

4) CREATE INDE emp - deptid - idx
ON emp (deptd.id);

5) SELECT ic.index.name, ic.column.name,ic.column.position AS colpos,
ix uniqueness.
FROM user-indexes ix
JOIN user ind.column ic
ON ic - index name = ix index name
WHERE ic.table name = 'EMP';