



[Products](#) / [ReconX](#) / [ReconX Manual](#) / [Configurations](#)

Configurations

Configurations

Available Configurations

Navigation

Ops Process

Navigation

Ops Process Types

Configuration Fields

Multi-Match Settings

Partial Match

Prerequisites

Creating an Ops Process

Form Actions

Editing Ops Process

Deleting Ops Process

N-Way Recon Process

Configuration Fields

Creating N-Way Recon Process

Form Actions

Editing N-Way Recon Process

Deleting N-Way Recon Process

Metadata

Navigation

Creating a Metadata Column

Form Actions

Editing Metadata Columns

Configuration Fields

Data Type Options

Recon Rules

Rule Table Columns

Rule Best Practices

This section covers administrative setup of ReconX. Configurations are accessed via **Admin > ReconX**.

Available Configurations

ReconX has three primary configuration areas:

- **Ops Process** - defines the data sources and operational settings for reconciliation
- **N-Way Recon Process** - groups multiple Ops Processes for 3+ source reconciliation
- **Metadata** - defines reference/master data used in reconciliation

Navigation

- Admin > ReconX > Ops Processes
- Admin > ReconX > N-Way Recon Processes
- Admin > ReconX > Metadata

Ops Process

An **Ops Process** (Operations Process) is a configured reconciliation setup that defines what data to compare and how.

NOTE

An **Ops Process** is the heart of ReconX. You must create Ops Processes first, and then use them to build **N-Way Recon Processes**.

Navigation

Admin > ReconX > Ops Processes

Ops Process Types

Type	Description	When to Use
ReconX	Reconciliation only (no exception workflow)	Auto-resolve scenarios, simple matching
ResolveX	Exception workflow only (no reconciliation)	Manual case management
ReconX and ResolveX	Reconciliation with exception handling	Full workflow with escalation

Configuration Fields

Field Name	Type	Description	Required	Validation
Ops Process Name	Text	Unique name identifying this reconciliation process	Required	Unique across system, matters. Allow numbers, spaces, and underscores, and hyphens, and allowed: spaces (, # , Example: "I Reconciliati "Bank@Rec
Ops Process Type	Dropdown	Determines where this process is available: ReconX only, ResolveX only, or both modules	Required	Must select ResolveX, and Resol
Departments	Multi-select dropdown	Which departments can access and use this process	Required	At least one must be se
Data Set 1	Dropdown	Primary data source structure. When selected, Data Source Config ID 1 auto-populates with the default configuration for this Data Set.	Required	Must be a c Data Set fr module
Data Set 2	Dropdown	Secondary data source for 2-way reconciliation. When selected, Data Source Config ID 2 auto-populates with the default configuration for this Data Set.	Conditional	Required for reconciliation is ReconX c and Resolve different fr 1 - selecting dataset for will cause v error. Not ap ResolveX-o processes.

Field Name	Type	Description	Required	Validation
Workflows	Multi-select dropdown	Exception workflows that can receive unmatched records from this process	Conditional	Required if ResolveX and ResolveY are enabled. Selected workflows must belong to one of the Departments no overlap, be able to create workflows to work with ResolveX for configuring
Requires Multi-Match	Checkbox	Enable 1-to-many / many-to-1 / many-to-many matching scenarios	Optional	When enabled, additional configurations are required
One-to-Many	Checkbox	Allow one record from Data Source 1 to match multiple records from Data Source 2	Optional	Only available if Requires Multi-Match is enabled
Many-to-One	Checkbox	Allow multiple records from Data Source 1 to match one record from Data Source 2	Optional	Only available if Requires Multi-Match is enabled
Multi-Match Buffer	Number (percentage)	Percentage tolerance applied to aggregated amounts in multi-match scenarios (e.g., 2 = 2% buffer)	Optional	Must be numeric 0-100. Default: 5 (5% match). Example: 2% buffer, if match sum ₹9,800-₹10,000, then <u>Multi-Match</u> for calculation
Enable Machine Learning	Checkbox	Enable ML-powered matching to identify likely matches that rules might miss, improving auto-match rates by 15-25%	Optional	Default: enabled. Uncheck or not desired process

Field Name	Type	Description	Required	Validation
Requires Partial Match	Checkbox	Enable a Partial Match reconciliation pass after the standard matching pass. When enabled, records that share the same key fields but whose amounts fall outside the configured tolerance are grouped and stamped with a PARTIAL_MATCH status and a shared group identifier instead of remaining OPEN with no relationship shown.	Optional	Default: disabled. Must be enabled for 1:Many, and reconciliations. AIM-enabled amounts are unified partial matches; at least one enabled rule configured to run means
Allow in N-Way Recon Process	Checkbox	Make this Ops Process available for selection when creating N-Way Recon Processes	Optional	Must be enabled for this process to be included in N-way reconciliations

Multi-Match Settings

This subsection groups the **Requires Multi-Match**, **One-to-Many**, and **Many-to-One** options referenced in use cases.

Partial Match

When **Requires Partial Match** is enabled, ReconX runs an additional reconciliation pass after the standard and multi-match passes have completed.

The pass targets records that remain OPEN after all earlier passes — specifically, records where all non-aggregable rules (dates, identifiers, reference codes) match, but the aggregable amounts fall outside the configured tolerance.

What Partial Match does:

- Groups the DS1 and DS2 records that partially satisfy the matching criteria.
- Stamps each record with the status **PARTIAL_MATCH**.
- Assigns a shared group identifier to all records in the group, so the partial settlement is visible and queryable as a unit.

How match candidates are identified:

The pass reuses the AIM-enabled rule columns already configured on the Ops Process. Columns with **AIM enabled** (`aimEnabled = true`) are the columns the engine may relax when searching for a partial match. No additional rule configuration is required beyond what is already set up for AIM.

Pass order:

1. Standard 1:1 pass (always runs).
2. Multi-match pass (runs if **Requires Multi-Match** is enabled).
3. Partial Match pass (runs if **Requires Partial Match** is enabled, over records still OPEN).

TIP

Enable at least one AIM-enabled rule column on the Ops Process before enabling Partial Match. Without AIM-enabled columns, the pass has no relaxable dimensions and will not produce any PARTIAL_MATCH results.

Prerequisites

Before creating an Ops Process, ensure the required DataX configurations are available:

- Data Sets are created in the DataX module.
- Data Source Configurations are created in the DataX module.

Creating an Ops Process

1. Navigate to **Admin > ReconX > Ops Processes**
2. Click **Create Ops Process**
3. Enter **Ops Process Name**
4. Select **Ops Process Type**
5. Select one or more **Departments**
6. Select **Data Set 1** (Data Source Config ID 1 auto-populates)
7. If 2-way reconciliation:
 - Select **Data Set 2** (Data Source Config ID 2 auto-populates)
8. If ResolveX enabled:
 - Select one or more **Workflows**
9. Configure matching options as needed
10. Click **Submit**

Form Actions

- **Submit** - Saves the Ops Process and returns to the list

- **Submit & New** - Saves the Ops Process and opens a blank form for creating another
- **Delete** - Removes the Ops Process (available when editing; shows confirmation dialog)
- **Cancel** - Discards changes and returns to the list

Editing Ops Process

1. Navigate to the Ops Process list
2. Click the **Edit** icon next to the Ops Process you want to modify
3. Update the configuration fields as needed
4. Click **Submit** to save changes

NOTE

Editing an Ops Process may affect ongoing reconciliation or exception workflows. Communicate changes to relevant stakeholders.

Deleting Ops Process

1. Navigate to the Ops Process list
2. Click the **Delete** icon next to the Ops Process you want to remove
3. A confirmation dialog will appear
4. Click **Agree** to delete or **Disagree** to cancel

WARNING

Deleted Ops Processes cannot be recovered. Ensure no active dependencies (running reconciliations, workflows) exist before deletion.

N-Way Recon Process

N-Way Recon Processes enable comparing 3 or more data sources simultaneously.

Configuration Fields

Field Name	Type	Description	Required	Validation
N-Way Recon Name	Text	Unique name for this N-Way reconciliation process	Required	Unique with system
Departments	Multi-select dropdown	Which departments can access and use this N-Way process	Required	At least one must be selected

Field Name	Type	Description	Required	Validation
Ops Processes	Multi-select dropdown	Select 2 or more Ops Processes to include in N-Way reconciliation. Only Ops Processes with Allow in N-Way Recon Process enabled will appear in this list.	Required	Minimum 2 Processes r N-Way reconc

TIP

Prerequisites for N-Way: Each Ops Process must have **Allow in N-Way Recon Process** enabled before it appears in the selection list.

Creating N-Way Recon Process

1. Navigate to **Admin > ReconX > N-Way Recon Processes**

2. Click **Create N-Way Recon Process**

3. Enter a unique **N-Way Recon Name**

4. Select one or more **Departments**

5. Select the **Ops Processes** to include (minimum 2)

6. Click **Submit**

Form Actions

- **Submit** - Saves the N-Way Recon Process and returns to the list
- **Submit & New** - Saves and opens a blank form for creating another
- **Delete** - Removes the N-Way process (available when editing; shows confirmation dialog)
- **Cancel** - Discards changes and returns to the list

Editing N-Way Recon Process

1. Navigate to the N-Way Recon Process list

2. Click the **Edit** icon next to the N-Way Recon Process you want to modify

3. Update the configuration fields as needed

4. Click **Submit** to save changes

NOTE

Editing an N-Way Recon Process may affect users currently working with this reconciliation.

Deleting N-Way Recon Process

1. Navigate to the N-Way Recon Process list
2. Click the **Delete** icon next to the N-Way Recon Process you want to remove
3. A confirmation dialog will appear
4. Click **Agree** to delete or **Disagree** to cancel

| WARNING

Deleting an N-Way Recon Process is irreversible. Verify there are no active dependencies before deletion.

Metadata

The Metadata section allows users to define and customize data columns used within the reconciliation process. In the Metadata screen, you select an **Ops Process** and **Form Layout**, select the required data source tab, then use **Add New Column** to define the required columns.

Navigation

Admin > ReconX > Metadata

Creating a Metadata Column

1. Navigate to **Admin > ReconX > Metadata**
2. Select **Ops Process** from the dropdown
3. Select **Form Layout** (1 column, 2 column, or 3 column)
4. Select the required data source tab (Data Source 1 or Data Source 2)
5. Click **Add New Column**
6. Enter the **Column Name**
7. Select the **Data Type**
8. Configure data type-specific fields (see Data Type Options)
9. Set **Is Required** and **Visibility** flags
10. Click **Submit**

Upon successful submission, the system displays: "Successfully saved the Meta Data"

Form Actions

- **Submit** - Saves the metadata column and returns to the column list
- **Submit & New** - Saves the column and opens a blank form for creating another

- **Delete** - Removes the metadata column (available when editing)
- **Cancel** - Discards changes and returns to the column list

Editing Metadata Columns

To edit an existing metadata column:

1. Navigate to **Admin > ReconX > Metadata**
2. Select the Ops Process containing the column you want to edit
3. Locate the column in the list
4. Click the **Edit** icon
5. Update the required fields
6. Click **Submit**

IMPORTANT

The **Data Type** of an existing column **cannot be changed** after creation. If you need to change the data type, you must delete the column and create a new one with the desired type.

Configuration Fields

Field Name	Type	Description	Required	Validation
Ops Process	Dropdown	Which Ops Process this metadata column belongs to. Only Ops Processes of type ResolveX or ReconX & ResolveX appear in the list.	Required	Must select used Ops P
Form Layout	Dropdown	Layout used for the metadata screen: 1 column, 2 column, or 3 column view	Required	Must select option
Data Source	Tab selection	Select the data source tab for which you want to configure metadata columns (Data Source 1 or Data Source 2)	Required	Must select source tab
Column Name	Text	Field name shown in the UI and used for data entry	Required	Must be unique in the selected

Field Name	Type	Description	Required	Validation
Data Type	Dropdown	Type of data this column will accept. See Data Type Options below for detailed configuration options for each type.	Required	Must select NUMERIC , DOCUMENT
Is Required	Checkbox	Whether this field must be filled in by users	Required	Select True (mandatory) or False (optional)
Visibility	Checkbox	Whether this field is visible in the UI	Required	Select True (visible) or False (hidden)

NOTE

Add New Column is limited to a maximum of 30 columns per data source.

Data Type Options

When creating a metadata column, the **Data Type** selection determines what additional configuration options are available. Each data type has specific configuration requirements and use cases.

STRING Data Type

The STRING data type supports three input field types to suit various user requirements:

TEXTBOX

Enables users to input free-text.

Additional Configuration Fields:

Field Name	Type	Description	Required	Validation
Min Length	Number	Minimum number of characters required	Optional	Must be less than or equal to Max Length if both are set
Max Length	Number	Maximum number of characters allowed	Optional	Must be greater than or equal to Min Length if both are set
Help Text	Text	Additional guidance displayed to users about this field	Optional	Max 200 characters

Field Name	Type	Description	Required	Validation
Validation Message	Text	Message shown to users if input validation fails	Optional	Max 200 ch

Use Cases: Comments, notes, reference numbers, addresses

SELECT

Enables dropdown creation for field values where users can select one option from a predefined list.

Additional Configuration Fields:

Field Name	Type	Description	Required	Validation
Options	Key-value pairs	Use Add Option to define dropdown choices. For each option, provide: Key (internal value) and Value (display label)	Required	At least one must be de
Help Text	Text	Additional guidance displayed to users about this field	Optional	Max 200 ch
Validation Message	Text	Message shown to users if selection is required but not provided	Optional	Max 200 ch

Use Cases: Status values, categories, priority levels, predefined classification values

MULTIPLE CHOICE

Enables multiple selections using checkboxes where users can select one or more options from a predefined list.

Additional Configuration Fields:

Field Name	Type	Description	Required	Validation
Options	Key-value pairs	Use Add Option to define checkbox choices. For each option, provide: Key (internal value) and Value (display label)	Required	At least one must be de

Field Name	Type	Description	Required	Validation
Help Text	Text	Additional guidance displayed to users about this field	Optional	Max 200 ch
Validation Message	Text	Message shown to users if selection is required but not provided	Optional	Max 200 ch

Use Cases: Tags, multi-category classification, feature toggles

NUMERIC Data Type

Accepts only numeric input (integers or decimals).

Additional Configuration Fields:

Field Name	Type	Description	Required	Validation
Help Text	Text	Additional guidance displayed to users about this field	Optional	Max 200 ch
Validation Message	Text	Message shown to users if numeric input is invalid	Optional	Max 200 ch

Use Cases: Amounts, quantities, scores, percentages

Upon successful submission, the system displays: "Successfully saved the Meta Data"

DATE Data Type

Accepts date input in supported format.

Additional Configuration Fields:

Field Name	Type	Description	Required	Validation
Help Text	Text	Additional guidance displayed to users about this field	Optional	Max 200 ch
Validation Message	Text	Message shown to users if date input is invalid	Optional	Max 200 ch

Use Cases: Due dates, transaction dates, deadline tracking

Upon successful submission, the system displays: "Successfully saved the Meta Data"

DOCUMENT Data Type

Allows file upload for supporting documentation.

Additional Configuration Fields:

Field Name	Type	Description	Required	Validation
Supported File Types	Multi-select	File formats that can be uploaded: PDF , PNG , SVG , JPG , JPEG	Required	At least one must be selected
Help Text	Text	Additional guidance displayed to users about this field (e.g., "Upload supporting invoice")	Optional	Max 200 characters
Validation Message	Text	Message shown to users if document upload is required but not provided	Optional	Max 200 characters

Use Cases: Invoice copies, receipts, approval documents, supporting evidence

Upon successful submission, the system displays: "Successfully saved the Meta Data"

Recon Rules

Recon Rules define how records are matched. They are configured per Ops Process.

Rule Table Columns

Column	Description
Data Source 1 Column	Field from first data source to compare
Data Source 2 Column	Field from second data source to compare
Multi-Match	Enable aggregation on this field (for 1-to-many matching)
ML Enabled	Use Machine Learning for this field
Autonomous Tolerance	Let AI calculate tolerance automatically

Column	Description
Tolerance Value	Manual tolerance amount (if not using Autonomous)
Data Type	STRING, NUMERIC, or DATE
AIM Enabled	Enable Advanced Intelligence Matching
AIM Confidence Score	Minimum confidence for AIM suggestions (0-100)

Rule Best Practices

Practice	Why It Matters
Start with exact matching	Add tolerance only when data analysis shows it's needed
Use appropriate data types	NUMERIC allows mathematical comparison; STRING is literal
Enable ML for messy data	AI handles typos, formatting variations, abbreviations
Run Optimizer regularly	Data patterns change; rules should evolve
Test with sample data	Verify rules before applying to production volume



Copyright 2019 - 2026 3Cortex Technologies. All Rights Reserved.
[Privacy](#).

