



[Products](#) / [PlatformX](#) / [PlatformX Manual](#) / [Configurations](#)

Configurations

Configurations

Available Configurations

Navigation

Organisations

Business Purpose

When You Need This

Configuration Fields

Options

Screen Actions

Step-by-Step: Create an Organisation

After Creating an Organisation

Common Organisation Patterns

What Not To Do

Troubleshooting

Departments

Business Purpose

When You Need This

Department Fields

Options

Step-by-Step: Create a Department

What Not To Do

Troubleshooting

Service Providers

Business Purpose

When You Need This

Service Provider Fields

Step-by-Step: Configure Branding

What Not To Do

Users

Business Purpose

User Fields

Options

Step-by-Step: Create a User

What Happens After Creation


Update a User

Disable / Delete a User

Import From Existing User
What Not To Do
Troubleshooting
Roles
Business Purpose

This section covers administrative setup of PlatformX. Configurations are accessed via **Admin > PlatformX**.

Available Configurations



PlatformX provides the following configuration areas:

- **Organisations** - tenant setup and product enablement
- **Departments** - team/grouping used for routing and ownership
- **Service Providers** - white-label branding
- **Users** - login accounts and assignments
- **Roles** - permission and access control
- **Locales** - language support

Navigation

- Admin > PlatformX > Organisations
- Admin > PlatformX > Departments

- **Admin > PlatformX > Service Providers**
- **Admin > PlatformX > Users**
- **Admin > PlatformX > Roles**
- **Admin > PlatformX > Locales**

Organisations

Business Purpose

An **Organisation** represents a client company or business entity in SAYA. All data, users, and configurations are scoped to an organisation, ensuring data isolation between clients.

When You Need This

- Onboarding a new client
- Setting up a new business unit (if data segregation required)
- Updating client details or product access

Configuration Fields

The following fields are available when creating or editing an organisation.

Label	Description	Validations
Organisation ID	The ID of the organisation	
Organisation Name*	The name of the organisation	• Organisation name is required • Organisation name must not exceed 256 characters
Organisation Description*	The description of the organisation	• Organisation description is required • Organisation description must not exceed 512 characters
Email*	The email address	• Please enter a valid email address • Email is required
Organisation Logo	Logo image content	
Products*	Products associated with the organisation	• At least one product must be selected

Options

Option	Details
Products	At least one product must be enabled. Users in the organisation will only see modules that are enabled here.
Logo	Accepts common image formats (PNG/JPG/SVG). For best results, use a small image (typically ≤ 1MB) and a square logo that fits within ~100x100.
Email	Used as the organisation contact email. This is not the same as a user's login email.

Screen Actions


Header Controls

- **Import From** (create only): Select an existing organisation to prefill the form. This is useful when creating a similar organisation.
- **Clear Form** (create only): Resets the form (and clears any imported selection).
- **Error Badge**: Shows the current validation error count. Click to expand the error summary when using Summary mode.
- **Form Settings** (gear icon): Controls validation mode and how validation errors are displayed.

Footer Buttons

- **Submit**: Creates or updates the organisation.
- **Submit & New** (create only): Creates the organisation, then resets the form to create another.
- **Cancel**: Returns to the organisations list without saving.

See [Understanding Form Validation Errors](#) for details on **Form Settings** and error display.



Step-by-Step: Create an Organisation

1. Navigate to **Admin > PlatformX > Organisations**
2. Click **Create Organisation**
3. Enter name/description/email
4. Select products
5. Optionally upload logo
6. Click **Submit**

The screenshot shows the 'Kreiraj Organizaciju' (Create Organization) form in the SAYA Platform. The page title is 'Kreiraj Organizaciju'. The form contains the following fields:

- Naziv organizacije *** (Organization Name)
- Opis organizacije *** (Organization Description)
- E-pošta *** (Email)
- Products *** (Dropdown menu with 'Search or Select' option)
- Logotip** (Logo upload area with a cloud icon and text: 'Click to upload or drag and drop. SVG, PNG, JPG - Max 100x100px - Transparent background recommended.')

At the bottom of the form, there are three buttons: **Pošalji** (Send), **Submit & New**, and **Otkazi** (Cancel).

At the bottom right, there is a copyright notice: © 2026 3CORTEX TECHNOLOGIES PRIVATE LIMITED.

After Creating an Organisation

1. Create Departments
2. Create Roles
3. Create Users
4. Configure Ops Processes (if using ReconX)

TIP

For a complete onboarding workflow, see [Onboarding Process](#).

Common Organisation Patterns

Segregation by Business Unit

Parent Company Holdings

TEXT

- └─ Holdings - Retail Banking (Organisation 1)
- └─ Holdings - Commercial Banking (Organisation 2)
- └─ Holdings - Wealth Management (Organisation 3)

Single Organisation with Department Segregation

MidSize Bank (Single Organisation)

TEXT

- └─ Department: Treasury
- └─ Department: Operations
- └─ Department: Finance
- └─ Department: IT

Service Provider Multi-Tenancy

Service Provider: FinTech Solutions Inc

TEXT

- └─ Client Organisation: Bank A
- └─ Client Organisation: Bank B
- └─ Client Organisation: Credit Union C

What Not To Do

WARNING

- Do not create multiple organisations for the same client unless data segregation is required
- Do not use generic names like "Test Org" in production
- Do not forget to select products - users won't see modules their org doesn't have
- Do not delete organisations with active data - archive or migrate first

Troubleshooting

Issue	Solution
User can't see a module (e.g., ReconX)	Edit the organisation and enable the product. Then confirm the user's role has permissions for that module.
Logo not displaying	Verify image format (PNG/JPG/SVG) and re-upload. If it still doesn't display, use a smaller image and a square logo that fits within ~100x100.
Cannot delete organisation	Remove dependencies first (users, processes, datasets, etc.). If you are unsure what depends on the organisation, contact support.
Users can login but see blank/limited menus	Confirm both the required product is enabled in the organisation and the user's role includes the required menu actions.
Products list is empty on create/edit	This is typically an environment/setup issue (product catalog not available). Contact support.

Departments


Business Purpose

Departments represent teams/divisions and are used for:

- Workflow routing
- Notification distribution
- Escalation paths
- User grouping

When You Need This

- Setting up a new organisation
- Adding a new team
- Configuring routing rules



Department Fields

Field	Required	Description
Department Name	Yes	Team name (e.g., "Treasury Operations")
Department DL Email	No	Distribution list email
Escalation Email Address	No	Escalation notifications

Options

Option	Details
Department DL Email	Used for department-level notification distribution where applicable.
Escalation Email Address	Used for escalations. If your processes use escalations, populate this to ensure alerts are received.

Step-by-Step: Create a Department

1. Navigate to **Admin > PlatformX > Departments**
2. Click **Create Department**
3. Enter name
4. Optionally add DL email and escalation email
5. Click **Submit**

© 2026 3CORTEX TECHNOLOGIES PRIVATE LIMITED

What Not To Do

WARNING

- Do not delete departments with users assigned - reassign users first
- Do not create too many small departments - consolidate where logical
- Do not leave escalation email empty if the department handles exceptions

Troubleshooting

Issue	Solution
Cannot delete department	Users are assigned; reassign users to another department first.
Notifications not received	Verify DL/escalation email values, and confirm email delivery (SMTP) is working in the environment.
Department does not appear in user creation dropdown	Refresh the page and confirm you have permission to read departments. If it still does not appear, ensure the department was saved successfully.

Service Providers

Business Purpose


Service Provider configuration enables white-label branding:

- Display partner branding
- Customise colours/logo/copyright

- Branded experience for end clients

When You Need This

- Initial platform deployment
- Rebranding
- Market-specific branding




Service Provider Fields

Field	Required	Description
Service Provider Name	Yes	Name displayed in the platform
Email	No	Contact email
Copyright Clause	Yes	Footer text
Powered By	Yes	"Powered by" label
Version No.	Read-only	Current platform version
Primary Color	No	Main brand colour
Secondary Color	No	Accent colour
Logo	No	Header logo (PNG/JPG/SVG recommended). For best results, use ~100x100 pixels, max 1MB
Favicon	No	Browser tab icon (ICO/PNG format, 16x16 or 32x32 pixels)

Step-by-Step: Configure Branding

1. Navigate to **Admin > PlatformX > Service Providers**
2. Edit the service provider record
3. Update fields and upload logo/favicon
4. Click **Submit**



What Not To Do

WARNING


- Do not use extremely large logo files (>1MB)
- Do not choose colours with poor contrast
- Do not leave default SAYA text if white-labelling

Users

Business Purpose

Users are login accounts. Each user:

- Has a unique username
- Belongs to one organisation
- Is assigned to one department
- Has one role



User Fields

Field	Required	Description	Editable After Creation
Username	Yes	Login identifier; must be unique	No
Email	Yes	Used for notifications/password reset	Yes
First Name	Yes	Display name	Yes
Last Name	Yes	Display name	Yes
Organisation	Yes	Determines data scope	No
Department	Yes	Used for routing	Yes
Role	Yes	Determines access	Yes

Options

Option	Details
Username	Cannot be changed after creation.
Organisation	Cannot be changed after creation. Create a new user if the organisation is incorrect.
Import From	Copies organisation/department/role from an existing user as a starting point.

Step-by-Step: Create a User

Prerequisites

- You must have `users.create`
- Department exists
- Role exists

Steps

1. Navigate to **Admin > PlatformX > Users**
2. Click **Create User**
3. Enter username/email/name
4. Select organisation/department/role
5. Click **Submit**

The screenshot shows the 'Kreiraj Korisnika' (Create User) form in the SAYA Platform. The form is located in the 'PlatformX > Korisnici > New' section. It contains the following fields:

- Korisničko ime *
- E-pošta *
- Ime *
- Prezime *
- Organisation * (Search or Select)
- Department * (Search or Select)
- Role * (Search or Select)

At the bottom of the form, there are three buttons: **Pošalji**, **Submit & New**, and **Otkazi**.

What Happens After Creation

- Account is created
- Temporary password may be generated if SSO is not configured
- User may be prompted to change password on first login

Update a User

1. Navigate to Users list

2. Edit user
3. Modify editable fields
4. Submit

Disable / Delete a User

Users can be disabled by changing to a "No Access" role (if configured) or deleting the account.

NOTE

Deleting a user removes the account but preserves audit history. Username cannot be reused.

Import From Existing User

1. In Create User form, use **Import From**
2. Select an existing user
3. Update username/email/name
4. Submit

What Not To Do

WARNING

- Do not create duplicate usernames
- Do not choose wrong organisation (cannot be changed later)
- Do not assign admin roles to regular users
- Do not use shared accounts; each person should have their own account

Troubleshooting


Issue	Solution
User already exists with username	Choose a different username.
User already exists with email	Use a different email or update existing user.
Cannot change organisation	By design; create a new user under correct org.
User cannot see certain features	Review role and effective permissions.
User cannot login	Verify username/password flow; check SSO configuration. If using non-SSO login, confirm the user has an active account and correct credentials.

Roles

Business Purpose

Roles define what users can see and do. Key features:

- Hierarchical inheritance from building-block roles
- Granular control via direct permission assignment
- Reusability across the organisation
- Audit compliance via exportable effective permissions



Role Fields

Field	Required	Description
Role Name	Yes	Unique name (e.g., "Finance Analyst")
Role Description	Yes	Purpose and intended users

The Role Editor

The role editor is split into two panels.

Left panel — Roles / Permissions tabs

The left panel has two tabs for assigning access to the role:

Tab	What it shows
Roles	A hierarchy tree of composable building-block roles (ORG roles from the platform organisation). Select a role to inherit its full permission set. Service provider (SP) high-level roles such as "Operations Head" do not appear here — they are only available in the role assignment dropdown when creating users, not as building blocks.
Permissions	A flat chip grid — one row per resource, one chip per available action. Select chips to assign permissions directly without relying on a parent role.

Changes in either tab update the same underlying selection: switching tabs always reflects the combined current state.

Right panel — Effective Permissions

The right panel shows the **Effective Permissions** table at all times — the computed union of all inherited and directly assigned permissions. Rows are sorted A–Z by resource name; actions within each row are sorted alphabetically.

Use this panel to verify what a role actually grants before saving, and to spot unintended permissions from inheritance.

A **Download CSV** button in the panel header exports the current effective permissions table for auditing and documentation.

Role-Centric Graph

Click **View Graph** on any role to open a full-screen modal showing:

- The current role in the centre.
- Roles that **use** this role (parents) on the left.
- Roles that **this role uses** (children) on the right.

This answers the two most common role design questions: "what depends on this role?" and "what does this role pull in?".

Options

Option	Details
Roles tab (hierarchy)	Use inherited roles to compose permissions from building-block ORG roles. Prefer this for standard operational roles that should track platform-level permission sets.
Permissions tab (direct)	Use direct assignment for fine-grained control or to create a role without any inheritance.

Option	Details
Clone	Creates a new role pre-populated from an existing role. Update the name and adjust permissions before saving.
Export CSV	Downloads the effective permissions table from the right panel as a CSV file.

Step-by-Step: Create a Role

Prerequisites

- You must have `roles.create`

Steps

1. Navigate to **Admin > PlatformX > Roles**
2. Click **Create Role**
3. Enter role name and description.
4. On the **Roles** tab, select parent roles to inherit from, and/or switch to the **Permissions** tab to assign individual actions directly.
5. Review the **Effective Permissions** panel on the right to confirm the combined result.
6. Click **Submit**

The screenshot displays the 'Create Role' interface. At the top, the breadcrumb navigation is 'Administracija > PlatformX > Uloge > New'. The main form area is titled 'Create Role'. It contains two input fields: 'Naziv Uloge*' (Role Name) and 'Opis Uloge*' (Role Description), both with red outlines and error messages 'Naziv uloge je obavezan' and 'Opis uloge je obavezan' respectively. Below these are two panels: 'Pridruži Uloge / Dozvole' (Associate Roles / Permissions) on the left and 'Pregled' (Preview) on the right. The 'Pregled' panel has two tabs: 'Grafikon' (Diagram) and 'Efektivne Dozvole' (Effective Permissions). The 'Efektivne Dozvole' tab is active, showing a table with a grid of permissions. At the bottom of the form are two buttons: 'SAČUVAJ' (Save) and 'OTKAŽI' (Cancel). The top right of the interface shows a language dropdown set to 'Serbian', a user profile for 'saya.peg', and a welcome message 'Dobrodošli u SAYA'.

Understanding the Permission Tree

TEXT

- └─ Roles tab (inherit permission sets)
 - └─ ReconX View
 - └─ ReconX Modify
 - └─ ResolveX View
- └─ Permissions tab (individual actions)
 - └─ Dashboard
 - └─ View
 - └─ Export
 - └─ ReconX
 - └─ View
 - └─ Reconcile
 - └─ Link
 - └─ Send to ResolveX
 - └─ Users
 - └─ Create
 - └─ Read
 - └─ Update
 - └─ Delete
 - └─ ...

Inheritance vs Direct Assignment

Method	How It Works	When to Use
Inherit from Role (Roles tab)	Select a building-block ORG role; all its permissions are included	When the new role should have everything a standard building-block role has, plus more
Direct Menu Actions (Permissions tab)	Select permissions one by one via chip grid	When you need fine-grained control or want to create a role without any parent dependency

Role Design Guidelines

Role	Permissions	Typical Users
Cloud Admin	All permissions across modules (PlatformX Manage++)	SAYA Ops only — internal, not visible to client organisations
Client Admin	Manage users/roles/departments within own org (PlatformX Manage)	Client IT admins
Operations Manager	View workspaces and dashboards; no config access	Managers
Analyst	Operational actions; no admin access	Daily users

Role	Permissions	Typical Users
Viewer	Read-only access	Auditors

NOTE

Internal Saya operations roles (Cloud Admin, Super Admin, Cloud Operations roles) are not visible in role hierarchy trees or user assignment dropdowns for client organisations. These roles are exclusively managed by the Saya platform team via Flyway.

Clone an Existing Role

1. Open an existing role.
2. Click **Clone**.
3. Modify name/description and adjust permissions using the Roles and Permissions tabs.
4. Review Effective Permissions, then submit.

What Not To Do

WARNING

- Do not delete roles with assigned users
- Do not grant admin permissions to operational roles
- Do not create too many roles; prefer inheritance from building-block roles
- Do not save without reviewing the Effective Permissions panel

Troubleshooting

Issue	Solution
Cannot delete role	Users are assigned; reassign first.
User missing expected permission	Check parent roles and effective permissions in the right panel.
Role inheriting too many permissions	Remove parent role inheritance on the Roles tab; use the Permissions tab to assign only what is needed.
A role I expect to see in the hierarchy tree is missing	Only building-block ORG roles appear in the hierarchy tree. High-level SP roles (Operations Head, Department Head, etc.) are intentionally excluded from the tree; they are still available in the user role assignment dropdown.

Permission Reference

Resource	Actions
Dashboard	View, Export
ReconX Workspace	View, Reconcile, Link, Delink, Send to ResolveX, Edit Rules
ResolveX Workspace	View, Perform Actions, Add Notes
DataX Workspace	View, Manual Upload, Trigger Ingestion
Users	Create, Read, Update, Delete
Roles	Create, Read, Update, Delete
Organisations	Create, Read, Update, Delete
Ops Processes	Create, Read, Update, Delete
Data Sets	Create, Read, Update, Delete

Standard Roles Reference

The platform ships with default building-block roles visible to client organisations:

Role	PlatformX Tasks	Access Level
Client Admin	Org-level administration (users/roles/departments)	Organisation-scoped admin (includes PlatformX Manage)
Operations Head	Operational ownership across modules	High-level admin (includes PlatformX Manage)
Department Head	Configure/manage within department scope	Config access (includes PlatformX Modify)
Operations User	Day-to-day usage with limited permissions	Read-only / limited (includes PlatformX View)


NOTE

Internal Saya platform roles (**Cloud Admin**, **Super Admin**, **Cloud Operations View/Modify/Manage**, **PlatformX Manage++**) are seeded via Flyway and visible only when logged in as the Saya platform organisation. They do not appear in the hierarchy tree or role assignment dropdowns for client organisations.

Locales

Business Purpose

Locales enable multi-language support. Users can switch language and UI labels/messages display accordingly.



Locale Fields

Field	Required	Description
Locale Code	Yes	Standard locale code (e.g., "en", "sr", "de-DE")
Locale Name	Yes	Display name (e.g., "English")
Storage Type	Read-only	Where translation files are stored
Storage Path	Read-only	Translation location

Step-by-Step: Add a New Locale

1. Navigate to **Admin > PlatformX > Locales**
2. Click **Create Locale**
3. Enter locale code and name
4. Click **Submit**
5. Ensure translation files exist in the configured storage path

Troubleshooting

Issue	Solution
Locale is created but language labels show as keys	Translation files are missing or incomplete for the locale. Add/update translations in the configured storage path.
Locale does not appear in the language switcher	Confirm the locale exists and translation files are present. Then refresh/relogin.

What Not To Do

WARNING

- Do not create locales without translation files
- Do not use invalid locale codes



Copyright 2019 - 2026 3Cortex Technologies. All Rights Reserved.
[Privacy](#).

