



[Products](#) / [ReconX](#) / [ReconX Manual](#) / [Workspace](#)

Workspace

Workspace

Accessing the Workspace

1-Way Reconciliation Workspace

Quick Start (15 minutes)

Prerequisites

Step 1: Select Ops Process, Period, and Status

Step 2: Upload data (CSV)

Step 3 (Optional): Run Recon Optimizer

Step 4: Review and set Recon Rules

Step 5: Run reconciliation

Step 6: Review suggested matches and link records

Step 7: Correct mistakes (Delink)

Step 8: Download results

N-Way Reconciliation Workspace

Workspace Layout

Component Reference

Action Toolbar Reference

Typical 1-Way Workflow

How Matching Works (Quick)

Records Table Features

Suggested Matches Panel

AIM Analysis Panel

Linked Records Panel

N-Way Reconciliation Workspace

N-Way Matching Logic

The ReconX Workspace is where daily reconciliation operations happen. It provides a unified view of all your reconciliation data.

Accessing the Workspace

1. Navigate to **Dashboard > ReconX > Workspace**
2. Select **1-Way** or **N-Way** depending on reconciliation type

1-Way Reconciliation Workspace

The 1-Way workspace is used for comparing two data sources (2-Way reconciliation) or validating a single data source. (Note: 1-Way refers to a single Ops Process / reconciliation unit (pair), not the number of data sources.)

TIP

Need technical details? See [Algorithms Reference](#) for deep dives into multi-match aggregation, N-way transitive matching, and performance optimization.

Quick Start (15 minutes)

Use this guided flow if you are new to ReconX and want to complete one reconciliation cycle end-to-end.

Prerequisites

Make sure the following are ready:

- An **Ops Process** exists for the reconciliation you want to run (see [Ops Process Configuration](#))
- **Data Source 1** and **Data Source 2** are configured for that Ops Process in DataX
- Your upload files are in `.csv` format
- The CSV headers match the columns expected by the configured data sources

TIP

For end-to-end examples (Bank vs Ledger, Payment Gateway, N-Way settlements), see [Use Cases and Examples](#).

Step 1: Select Ops Process, Period, and Status

1. In the workspace header, select the **Ops Process**.
2. Select a **Period** (e.g., P-30D).
3. Keep **Status** as `All` for initial review.

Expected outcome:

- The table loads records for the selected Ops Process and period.
- You can switch between **Data Source 1** and **Data Source 2** tabs to see each side.

Step 2: Upload data (CSV)

1. Click the upload action and choose the CSV for **Data Source 1**.

2. Choose the CSV for **Data Source 2**.

3. Click **Submit**.

Expected outcome:

- A success message appears after the upload completes.
- The records table updates and shows the newly ingested rows.

Step 3 (Optional): Run Recon Optimizer

If you do not have rules yet (or you want a baseline), run the optimizer.

1. Click **Recon Optimizer**.
2. Wait for the job to complete.

Expected outcome:

- Rules become available under **View & Edit Recon Rule**.

Step 4: Review and set Recon Rules

1. Open **View & Edit Recon Rule**.
2. Ensure you have at least:
 - One **strong identifier** rule (e.g., Transaction ID , Reference , Voucher No)
 - One **supporting** rule (e.g., Amount with tolerance, Date)
3. Save the rules.

Expected outcome:

- The system has a defined basis for matching between the two data sources.

Step 5: Run reconciliation

1. Click **Reconcile**.
2. Wait for the job to complete.

Expected outcome:

- The system updates record statuses.
- You can filter the table by **Open** and **Reconciled**.

Step 6: Review suggested matches and link records

1. Click a row to view suggested matches.
2. Select the matching record(s) from the other data source.
3. Enter **User Notes** explaining why you are linking the records.
4. Click **Link Records**.

Expected outcome:

- The record moves from **Open** to **Reconciled**.
- Linked records appear in the **Linked Records** panel.

Step 7: Correct mistakes (Delink)

If you linked incorrectly:

1. Open the reconciled record in detail view.
2. Enter notes explaining the correction.
3. Click **Delink Records**.

Expected outcome:

- The record returns to **Open** so you can re-link correctly.

Step 8: Download results

1. Use the download action.
2. Choose **Current Page** (quick check) or **All Records** (full output).

Expected outcome:


- A CSV is downloaded for sharing or further analysis.

N-Way Reconciliation Workspace

The N-Way workspace follows the same flow as 1-Way, but operates on **N-Way Recon Processes** configured in Admin. Select an N-Way process from the workspace header to reconcile three or more data sources in a single run.

Workspace Layout






Component Reference

Component	Purpose
Ops Process Selector	Dropdown to select which reconciliation process to work with
Period Filter	Filter data by date range (All Time, Last 1 Day, 7 Days, 30 Days, 90 Days, 180 Days, 1 Year)
Status Filter	Filter by All, Open, or Reconciled records
Data Source Tabs	Switch between Data Source 1 and Data Source 2
Records Table	Main table showing reconciliation data with columns from your Data Set
Suggested Matches Panel	AI-suggested matches for the selected record (appears on row click)
Linked Records Panel	Records already linked to the selected record
Action Toolbar	Buttons for reconciliation actions

Action Toolbar Reference



	SAYA AI Ethics	Shows explanation of AI decisions and rule optimization rationale
	ATC (Autonomous Tolerance Calibrator)	AI calculates optimal tolerance values
	Recon Optimizer	Runs AI to optimize matching rules
	Reconcile	Triggers automatic matching using configured rules
	View & Edit Recon Rule	Opens rule configuration dialog
	Download	Export to CSV (All Records or Current Page)

When viewing a specific record (Detail View):

	Send to ResolveX (if OPEN)	Escalate to exception workflow
	Delink Records (if RECONCILED)	Remove existing links
	Link Records (if OPEN)	Manually link selected records
	Back	Return to main workspace view

Typical 1-Way Workflow

1. Select an Ops Process

2. Upload data for each data source

- Click the upload action and upload **Data Source 1** and **Data Source 2** files
- Only **.csv** format is supported in the UI

3. (Optional) Run **Recon Optimizer**

- Auto-generates an initial set of matching rules

4. Review and maintain **Recon Rules**

- Add, edit, or delete rules
- Enable **Multi Match** and **ML Enabled** as needed

5. Run reconciliation

- Click the reconciliation action to match records based on the configured rules

6. Review results

- Use the recon status filter to switch between **Open** and **Reconciled**

7. Link / Delink

- Double-click a record to open the detail view
- Use **Link Records** for manual matching and **Delink Records** to undo an incorrect match

8. Audit

- In the detail view, open audit details to review the trail of user actions

9. Send to ResolveX (when enabled)

- For **Open** records, send to ResolveX to continue investigation via workflow

10. ATC (Autonomous Tolerance Calibrator)

- If enabled for a rule, ATC can calibrate tolerance values based on manual matching patterns

11. SAYA AI Ethics

- Use the AI Ethics button to see why the system suggested matches and which rules were applied

12. Search and download

- Use column filters / global search to find records
- Download current page or all records as CSV

How Matching Works (Quick)

ReconX matches records by applying your **Recon Rules** between **Data Source 1** and **Data Source 2**.

- **Rule mapping** - Each rule compares one column from source 1 (`columnIdSrc1`) to one column from source 2 (`columnIdSrc2`).

- **Tolerance** - For numeric/date-like comparisons, a rule can allow a difference via `toleranceValue` using `toleranceType` (typically `ABSOLUTE` or `PERCENTAGE`).
- **ATC** - When `autonomousTolerance` is enabled on a rule, the system can compute and update tolerance based on accumulated manual matches (with outlier removal).
- **ML indicator** - ML-enabled behavior is tracked via the `hexScoreUse` flag on rules. The UI may display a robot icon to indicate ML-related matching.
- **Multi-match** - When multi-match is enabled for an Ops Process, the system can match one-to-many or many-to-one using rules marked `colForMultiMatch`.

For worked examples and scenarios, see **Use Cases and Examples**.

Records Table Features

- **Sortable columns** - Click column header to sort
- **Column filters** - Filter within specific columns
- **Virtualized scrolling** - Handles large datasets efficiently by loading records only as you scroll (supporting 500+ records per page).
- **Row selection** - Click row to view details and suggested matches
- **Status indicators** - Color-coded status chips (Open = Yellow, Reconciled = Green)
- **Rule-configured column highlighting** - In Suggested Matches and AIM Analysis tables, columns used in reconciliation rules are visually highlighted with a highlighted color background and rule icon (see Rule-Configured Column Highlighting)

TIP

Pro Tip: Double-click any row to open the detail view with suggested matches, linked records, and available actions.

Suggested Matches Panel

When you click on a record:

1. Panel appears showing potential matches from the other data source
2. AI confidence scores indicate match likelihood (higher % = better match)
3. Select matching record(s) to link
4. Enter user notes explaining the link decision
5. Click Link to create the match

TIP

Use the **SAYA AI Ethics** button during audits to show exactly why the system suggested a specific match. This provides transparency for regulatory compliance.

NOTE

NOTE

Why User Notes Matter: Notes become part of the permanent audit trail. They help: - Future reviewers understand decisions - Auditors verify compliance - Train AI to make better suggestions

Rule-Configured Column Highlighting

The Suggested Matches table visually highlights columns that are part of your configured reconciliation rules, making it easier to focus on the fields that matter for matching.

SUGGESTED MATCHES TABLE (with highlighting)

TEXT

Match ID	Transaction ID	Amount	Bank	Date
	[HIGHLIGHTED] 	[HIGHLIGHTED] 		
M-001	TXN-12345	₹10,000	HDFC	2024-01-15
M-002	TXN-12346	₹10,000	ICICI	2024-01-15
M-003	TXN-12347	₹9,998	HDFC	2024-01-16

Legend:

[HIGHLIGHTED]  = Column is part of a configured reconciliation rule
(No highlight) = Column is not used for matching

What It Means:

- Highlighted color background + rule icon ()** - This column is actively used by the reconciliation engine to find matches
- No highlight** - This column is shown for context but not used in matching logic

Why It Helps:

Scenario	Benefit
Reviewing 20+ columns	Your eyes immediately go to the 3-4 highlighted columns that drove the match decision
Audit compliance	Auditors can verify that matches were based on the correct business logic

How It Works Behind the Scenes:

- System fetches your configured rules (e.g., Transaction ID ↔ Transaction ID , Amount ↔ Amount)
- For each column in the Suggested Matches table, the system checks: "Is this column name in the rules?"
- If yes → apply highlighted color background + rule icon

4. If no → render normally

IMPORTANT

Column highlighting is **read-only visual feedback**. It does not change matching behavior — it only shows you which columns the system is already using based on your configured rules.

Example Workflow:

Step 1: You configure rules

- Rule 1: Transaction ID (DS1) ↔ Transaction ID (DS2)
- Rule 2: Amount (DS1) ↔ Amount (DS2)

Step 2: You click an OPEN record to see suggested matches

Step 3: The Suggested Matches table loads

- "Transaction ID" column header = HIGHLIGHTED + 
- "Amount" column header = HIGHLIGHTED + 
- "Bank" column header = normal (not in rules)
- "Date" column header = normal (not in rules)

Step 4: You review the match

- You focus on the highlighted columns to verify the match
- If Transaction ID and Amount match, you link the records
- If they differ, you investigate or reject the suggestion

TEXT

AIM Analysis Panel

The AIM (AI Intelligence Matching) Analysis panel provides ML-powered confidence scoring for potential matches.

Key Features:

- Confidence percentage (0-100%) for each candidate match
- Column highlighting for rule-configured fields (same as Suggested Matches)
- Sort by confidence to prioritize review

AIM ANALYSIS TABLE

TEXT

Match ID	Confidence	Transaction ID [HIGHLIGHTED] 	Amount [HIGHLIGHTED] 	Bank
M-001	100%	TXN-12345	₹10,000	HDFC
M-002	95%	TXN-12345	₹10,000	ICICI
M-003	72%	TXN-12347	₹9,998	HDFC

Legend:

[HIGHLIGHTED]  = Column used in reconciliation rules
 Confidence % = ML-calculated match likelihood

TIP

Highlighted columns show which fields contributed to the confidence score. Non-highlighted columns are for context only.

Linked Records Panel

For reconciled records:

1. Shows all records linked together
2. Displays link ID, linked date, and user who linked
3. Delink option available if correction needed (requires notes)

N-Way Reconciliation Workspace

The N-Way workspace handles reconciliation across 3 or more data sources simultaneously.

N-Way Matching Logic

N-WAY MATCH STATES

TEXT

Source A	Source B	Source C	Status
✓	✓	✓	FULLY RECONCILED
✓	✓	X	PARTIALLY MATCHED (C missing)
✓	X	✓	PARTIALLY MATCHED (B missing)
✓	X	X	OPEN (only in A)
X	X	X	EXCEPTION (nowhere!)

WARNING

In N-Way reconciliation, a record is only **Fully Reconciled** when it matches across ALL configured sources. Partial matches are flagged as exceptions.



Copyright 2019 - 2026 3Cortex Technologies. All Rights Reserved.
[Privacy](#)

