

CHAPTER

# 5

---

## FOODS AND THEIR GLYCEMIC LOAD

Building a Smart Meal Plan  
by the Numbers

I've explained the importance of how macronutrients and foods impact your body's release of insulin. Now it's time for you to start to understand how to put together a nutrition program that will allow you to take advantage of all that I've learned over the years. The key is to choose foods that are of the proper numbers on the glycemic load (GL) index.

If a food has a score of more than 20 or so on the GL index, then you should cut the portion size down so it will fit in your zone for GL. That's true even if it's smaller than your hand measure would say. This is just a way of not limiting what you eat and getting bored on my nutrition program. If you do eat high GL foods, then just be careful to eat small or moderate portions.

## MEAL SELECTION: KNOW YOUR SCORE

Your portion sizes will be either 1:2, 1:1.5 or 1:1, depending on your choices and goals. As a reminder, that means your protein choice should be of the hand-size that's right for you, and your carb choice should be based on the GL in a 1:2 ratio with the size of your protein, or 1:1.5 or 1:1 based on your goal.

Here's what's important: **The lower your overall GL score, the more you can eat.** It's a simple concept once you get used to checking GL scores.

For example, if you choose a skinless chicken breast, you could have twice the amount of a carbohydrate food that scores between 1-10 on the GL score (a 1:2 ratio). If you choose a carbohydrate that's between 11-20, then the carbohydrate and protein should be in a 1:1.5 ratio. Follow me on this part; if you didn't then re-read this section.

If you want to eat something that scores over 21, then cut the portion so it's the same size as your protein (a 1:1 ratio). For instance, if you choose a piece of salmon the size of your palm and first row of knuckles and you want a baked potato, which equals 36.4, then you need to cut the potato down to

the size of your salmon. That ends up not being a lot of food when you are choosing carbohydrates that are on the 21-and-over list. The concept is to try and pick foods in the 1-10 list, so you can consume a larger volume of food.

If you choose to eat a secondary protein I would highly recommend that you only choose carbs from the 1-10 part of the list so you can consume a reasonable volume of food. Volume is one of the keys to success on this program.

The good news: You will have a choice between many different daily meal plans and foods. Feel free to change it around, eat other foods you like, and make the nutrition program your own. **The most important thing to do is to try to stay within the 1:2 or 1:1.5 or 1:1 ratio that's right for you, and enjoy what you are eating.** Remember, salads are a free food as long as you use salsa (without oil) or lemon juice as a dressing. And don't add croûtons because they are a source of unwanted carbs.

## GET A HANDLE ON YOUR PORTIONS AND RATIOS



In this top photo you see a typically sized plate in comparison to a hand. Of course, you need to keep in mind that the hand-sized portion of a primary protein—or other size of protein—should be based on your hand. That's critical for determining portion size on my Superhero Nutrition program.



Here's a shot of my hand with an amount of salmon sashimi that's equal to my palm and first row of knuckles. Notice that the edamame is twice the size of the salmon because edamame is a carb that falls in the 1:2 ratio. This meal is perfect for fat-loss, but it may not

be enough food if you're seeking to increase muscle mass. You can increase these amounts, proportionally, if your goal is to add bodyweight.

## 1:2 Ratio



Here's what a full hand-sized portion of a primary protein looks like in comparison to double the amount broccoli, a low-glycemic-load carb choice for the 1:2 ratio for supporting muscle building without weight gain.



(Left to right) Split your low-glycemic-load carbs when you want to create more variety in your meals. You can always add a salad as a free food to any meal so long as you eat it with dressings that have virtually no impact on insulin: lemon, salsa or vinaigrette.

## 1:1.5 Ratio



When you go with skinless chicken—a primary protein—and you want to add in other carbs, you can go with sweet potatoes and/or lentils. But you need to consume these in a 1:1.5 ratio because these foods trigger greater insulin release based on their glycemic load.

---

## 1:1 Ratio



Sometimes you crave a carb that has a higher glycemic load. White rice is one of the foods on the 1:1 ratio list. Keep the portion of rice equal to your primary protein, but remember that you can consume as much salad as you want to make the quantity of food you consume satisfying.

When your goal is to burn fat while building or maintaining muscle mass, you can also add in healthy calories such as strawberries covered in 90% or higher dark chocolate that contains few grams of sugar.



---

## FOODS AND THEIR GL

This section provides the scientific specifics about the GL of individual foods, as consumed in typical (individual) quantities. That's much more important, as I've mentioned before, than how they measure on the unhelpful glycemic index. Before I get into the chart, though, I want to remind you of the parameters you should be searching for as you put together your daily meal plans.

But don't overthink this! I'm also going to provide you with several recipes and a 30-day meal plan to make this easy for you to follow and figure out for yourself. This section is merely to help you make choices beyond those I provide.

Some bullet points to keep you focused:

### PRIMARY CARBOHYDRATE SELECTION

Any food that scores 10 or under is considered a primary carbohydrate. You can consume more of these than other carbs with higher GL scores.

### SECONDARY CARBOHYDRATE SELECTIONS

Any foods that score between 11-20 on the list below. You need to consume about  $\frac{1}{4}$  the quantity per serving or hand-size as a primary carb to control insulin release.

### THE NEVER-EAT FOODS (UNLESS IT'S A CHEAT MEAL)

Avoid all foods above 20 on the list below unless you're consuming it during your two-hour, once-a-week cheat window, or you are following my rules for portion management.



# GL FOODS: KNOW THE SCORE

Here is an extensive list of the GLs of a variety of foods, separated by category. If a food you want to eat is not on this list, then just Google it. But make sure they are giving you the GL and not the glycemic *index* for that food.

## BEANS AND LEGUMES

*These foods should be consumed liberally as your carb choice on my meal plan. The servings provide a large volume of food with little impact on insulin release. It's not a coincidence that many of these are also high in fiber, which not only supports health but also encourages fat loss.*

| BEANS AND LEGUMES                  | SERVING SIZE  | GL   |
|------------------------------------|---------------|------|
| Soy beans                          | 172 g (1 cup) | 1.4  |
| Peanuts                            | 146 g (1 cup) | 1.6  |
| Green lentils                      | 150 g (1 cup) | 5    |
| Mung beans                         | 150 g (1 cup) | 5    |
| Red lentils                        | 150 g (1 cup) | 5    |
| Butter beans                       | 150 g (1 cup) | 6    |
| Yellow split peas                  | 150 g (1 cup) | 6    |
| Lentils                            | 198 g (1 cup) | 7    |
| Kidney beans                       | 256 g (1 cup) | 7    |
| Black beans                        | 150 g (1 cup) | 7    |
| Marrow fat beans, boiled and dried | 150 g (1 cup) | 7    |
| Lima beans                         | 241 g (1 cup) | 7.4  |
| Beans, dried and boiled            | 150 g (1 cup) | 9    |
| Pinto beans                        | 171 g (1 cup) | 11.7 |
| Haricot and navy beans             | 150 g (1 cup) | 12   |
| Black eyed beans and peas          | 150 g (1 cup) | 13   |
| Chickpeas, boiled                  | 240 g (1 cup) | 13.3 |
| Baked beans                        | 253 g (1 cup) | 18.2 |

## VEGETABLES

*Those that score a zero on the GL are essentially free foods that you can consume these the same way you take in salads when you want more food volume. These are your “free” foods when you want to eat more while losing fat. Keep in mind, though, that you shouldn’t consume them between meals, either. Take in as much of these very low-calorie, low-GL foods with meals as you want. Those that score above zero should be consumed as your carbs choice, but you can make some adjustments in portion size based on the score. Remember, the lower the score, the more of that food you can consume, relative to the recommended serving size.*

| VEGETABLES            | SERVING SIZE             | GL   |
|-----------------------|--------------------------|------|
| Broccoli, cooked      | 78 g (1/2 cup)           | 0    |
| Cabbage, cooked       | 75 g (1/2 cup)           | 0    |
| Spinach               | 30 g (1 cup)             | 0    |
| Mushrooms             | 70 g (1 cup)             | 0    |
| Cauliflower           | 100 g (1 cup)            | 0    |
| Celery, raw           | 62 g (1 stalk)           | 0    |
| Carrot, raw           | 15 g (1 large)           | 1    |
| Tomato                | 123g (1 med)             | 1.5  |
| Green peas            | 80 g                     | 3    |
| Pumpkin               | 80 g                     | 3    |
| Peas, frozen          | 72 g (1/2 cup)           | 3.4  |
| Beets, canned         | 246g (1/2 cup)           | 9.6  |
| Parsnip               | 78 g (1/2 cup)           | 11.6 |
| Yam                   | 150 g                    | 13   |
| Sweet corn on the cob | 1 (small ear 6.5 inches) | 14.0 |
| Mashed potato         | 150 g                    | 15   |
| Yam                   | 136 g (1 cup)            | 16.8 |
| Sweet potato          | 150 g                    | 17   |
| Baked potato          | 150 g                    | 18   |
| French fries          | 150 g                    | 22   |
| Potato                | 213 g (1 med)            | 36.4 |



## FRUITS

*All fruits have an impact on insulin release because they contain sugar. That's true even though they often have plenty of fiber to mitigate that. You can include many of these fruits in your daily plans, but realize that you should stick to the recommended quantity that will keep the GL under 10 per serving. For those with scores above 10, you should reduce the serving size.*

| FRUITS                                | SERVING SIZE      | GL   |
|---------------------------------------|-------------------|------|
| Plum                                  | 66 g (1 fruit)    | 1.7  |
| Peach                                 | 98 g (1 med)      | 1.4  |
| Grapefruit                            | 123 g (1/2 fruit) | 1.6  |
| Cherries                              | 120 g             | 5    |
| Peaches, canned in juice              | 120 g             | 5    |
| Strawberries                          | 152 g (1 cup)     | 5    |
| Sweet cherries, raw                   | 117 g (1 cup)     | 6    |
| Watermelon                            | 120 g (1 fruit)   | 6    |
| Apricot, raw                          | 120 g             | 7    |
| Peach                                 | 120 g (1 fruit)   | 7    |
| Pear, canned in natural juice         | 120 g             | 7    |
| Kiwi, w/ skin                         | 76 g (1 fruit)    | 7    |
| Apples, w/ skin                       | 138 g (1 med)     | 7.4  |
| Grapes                                | 92 g (1 cup)      | 9    |
| Blueberries                           | 150 g (1 cup)     | 9.6  |
| Papaya                                | 140 g (1 cup)     | 11.7 |
| Pears                                 | 166 g (1 med)     | 12   |
| Pineapple                             | 120 g (1 fruit)   | 13   |
| Watermelon                            | 152 g (1 cup)     | 13.3 |
| Orange                                | 140 g (1 fruit)   | 18.2 |
| Cantaloupe                            | 177 g (1 cup)     | 7.8  |
| Grapes                                | 120 g             | 8    |
| Peaches, canned in heavy/ light syrup | 120 g             | 9    |
| Apple, dried                          | 60 g              | 10   |
| Prunes                                | 60 g              | 10   |

| FRUITS                                                 | SERVING SIZE     | GL   |
|--------------------------------------------------------|------------------|------|
| Papaya                                                 | 120 g (1 fruit)  | 10   |
| Pineapple, raw                                         | 155 g (1 cup)    | 11.9 |
| Banana                                                 | 118 g (1 med)    | 12.2 |
| Pears, canned in pear juice                            | 248 g (1 cup)    | 12.3 |
| Mango                                                  | 165 g (1 cup)    | 12.8 |
| Figs, dried                                            | 60g              | 16   |
| Pears, canned, light syrup                             | 251 g (1 cup)    | 17.7 |
| Raisins                                                | 43 g (small box) | 20.5 |
| Apricot, dried                                         | 130 g (1 cup)    | 23   |
| Apricot, canned in light syrup<br>(syrup is the issue) | 253 g (1 cup)    | 24.3 |
| Peaches, canned, heavy syrup<br>(syrup is the issue)   | 262 g (1 cup)    | 28.4 |
| Prunes                                                 | 132 g (1 cup)    | 34.2 |
| Dates                                                  | 60g              | 42   |

## NUTS

*These foods are high in calories. But if you eat them in small quantities you can readily consume them with meals on my program. Consider adding them to salads or cooking with them. Note that they are NOT free foods that you can keep adding to salads (which are free foods). That's because nuts are high in calories despite their low GL.*

| NUTS      | SERVING SIZE | GL |
|-----------|--------------|----|
| Walnuts   | 1oz          | 0  |
| Almonds   | 1oz          | 0  |
| Peanuts   | 1oz          | 1  |
| Hazelnuts | 1oz          | 1  |
| Macadamia | 1oz          | 1  |
| Pecans    | 1oz          | 1  |
| Cashews   | 1oz          | 2  |

# DAIRY

*Likely you know that many forms of dairy contain carbs, and virtually every form of dairy has some impact on insulin release. Nevertheless, some choices are still acceptable on my nutrition program. Note, interestingly, that skim and whole milk have the same GL, despite their difference in calories for the same quantity. That's due to the fact that the fat in whole milk slows insulin release. Again, calories aren't the only issue—it's also about insulin release and GL.*

| DAIRY                         | SERVING SIZE    | GL  |
|-------------------------------|-----------------|-----|
| Yogurt, sweetened low fat     | 200 g           | 3   |
| Milk, whole                   | 244 g (1 cup)   | 4   |
| Milk, skim                    | 250 g (1 cup)   | 4   |
| Mousse                        | 50 g            | 4   |
| Ice cream                     | 72 g (1/2 cup)  | 6   |
| Instant vanilla pudding       | 100 g           | 6   |
| Custard (home made)           | 100 g           | 7   |
| Instant chocolate pudding     | 100 g           | 7   |
| Yogurt, reduced fat           | 200 g           | 7   |
| Yogurt, plain                 | 245 g (1 cup)   | 6.1 |
| Soy milk                      | 250 g           | 8   |
| Pudding                       | 100 g (1/2 cup) | 8.4 |
| Ice cream (lower fat)         | 76 g (1/2 cup)  | 9.4 |
| Soy yogurt                    | 200 g           | 13  |
| Milk, condensed and sweetened | 250 g           | 83  |

## MEAT/PROTEIN

*These foods contain calories and dietary fats, but they have no GL. Still, you need to consume them in the serving sizes that are right for you. Even though GL is crucial, calories begin to count after you've consumed a certain amount. Again, it's not a free-for-all. That's what my hand-size ratio is about: helping you balance serving size with GL.*

| MEAT/PROTEIN | SERVING SIZE | GL |
|--------------|--------------|----|
| Beef         | 3 oz         | 0  |
| Chicken      | 3 oz         | 0  |
| Eggs         | 1 large egg  | 0  |
| Fish         | 3 oz         | 0  |
| Lamb         | 3 oz         | 0  |
| Pork         | 3 oz         | 0  |
| Veal         | 3 oz         | 0  |
| Deer venison | 3 oz         | 0  |
| Elk          | 3 oz         | 0  |
| Buffalo      | 3 oz         | 0  |
| Rabbit       | 3 oz         | 0  |
| Duck         | 3 oz         | 0  |
| Ostrich      | 3 oz         | 0  |
| Shellfish    | 3 oz         | 0  |
| Lobster      | 3 oz         | 0  |
| Turkey       | 3 oz         | 0  |
| Ham          | 3 oz         | 0  |

## MIXED MEALS/CONVENIENCE FOODS

*Every now and then you have little choice but to consume a meal on the go. When it's your only option, you don't need to feel as though you've fallen off your diet so long as you make good choices. Choose foods that have a low GL, and reduce portions to further reduce calories and the GL.*

| MIXED MEALS/CONVENIENCE FOODS                                    | SERVING SIZE | GL |
|------------------------------------------------------------------|--------------|----|
| Chicken nuggets, frozen                                          | 100 g        | 7  |
| Fish fingers                                                     | 100 g        | 7  |
| Pizza Super Supreme, thin and crispy (Pizza Hut)                 | 100 g        | 9  |
| Pizza Super Supreme (Pizza Hut)                                  | 100 g        | 9  |
| Pies, party size beef                                            | 100 g        | 12 |
| Pizza Vegetarian Supreme, thin and crispy (Pizza Hut)            | 100 g        | 12 |
| Pizza, cheese                                                    | 100 g        | 16 |
| Sushi                                                            | 100 g        | 19 |
| Pizza, plain baked dough with Parmesan cheese and tomato sauce   | 100 g        | 22 |
| Lean Cuisine, French chicken with rice                           | 400 g        | 24 |
| Spaghetti bolognaise                                             | 360 g        | 25 |
| White bread with skim milk cheese                                | 100 g        | 26 |
| White and whole-meal wheat bread with peanut butter              | 100 g        | 26 |
| White bread with butter                                          | 100 g        | 29 |
| Kugel                                                            | 150 g        | 31 |
| Sirloin chop with mixed vegetables and mashed potato (home made) | 360 g        | 35 |

## NUTRITIONAL SUPPORT PRODUCTS

*Many of these foods provide energy, but that often comes at the expense of burning bodyfat. Keep in mind that these foods contain calories and should not be consumed in your fasting windows between meals. Also realize that many of these products are designed for elderly or sick people who don't get in enough calories to support optimal health.*

| NUTRITIONAL SUPPORT PRODUCTS                    | SERVING SIZE | GL |
|-------------------------------------------------|--------------|----|
| Choice vanilla                                  | 237 g        | 6  |
| Glucerna, vanilla                               | 237 g        | 7  |
| Ensure Bar, chocolate fudge brownie             | 38 g         | 8  |
| Resource Diabetic, French vanilla               | 237 g        | 8  |
| Ensure Pudding, old-fashioned vanilla           | 113 g        | 9  |
| Sustagen Instant Pudding,<br>Vanilla powder mix | 250 g        | 13 |
| Ensure, vanilla                                 | 250 g        | 16 |
| Ensure Plus, vanilla                            | 237 g        | 19 |
| Enercal Plus, made from powder                  | 237 g        | 19 |
| Resource Diabetic, Swiss chocolate              | 237 g        | 19 |
| Ensure                                          | 237 g        | 19 |

## MEAL-REPLACEMENT PRODUCTS

*These protein shakes are often designed to help bodybuilders and other athletes put on weight. That often means both muscle mass and bodyfat. Keep in mind that you shouldn't take in calories in that 2-3-hour window before you exercise when your goal is to reduce bodyfat. You can use protein shakes after workouts as part of your next meal, but you can also just as easily consume whole food meals that are rich in protein and provide more satiety.*

| MEAL REPLACEMENT PRODUCTS                          | SERVING SIZE | GL |
|----------------------------------------------------|--------------|----|
| Ultra Pure Protein shakes, cappuccino              | 250 g        | 1  |
| Ultra Pure Protein shakes,<br>Frosty chocolate     | 250 g        | 1  |
| Ultra Pure Protein shakes,<br>Strawberry shortcake | 250 g        | 1  |
| Ultra Pure Protein Shakes,<br>Vanilla ice cream    | 250 g        | 1  |
| Burn It Bars, chocolate deluxe                     | 50 g         | 1  |
| Burn It Bars, chocolate deluxe                     | 50 g         | 2  |
| Pure Protein bars, peanut butter                   | 80 g         | 2  |
| Designer Chocolate, sugar- free                    | 35 g         | 3  |
| Pure Protein Cookies,<br>Choc-Chip Cookie Dough    | 55 g         | 3  |
| Pure Protein Cookies,<br>Peanut butter             | 55 g         | 3  |
| Pure Protein bars, Chewy Choc-Chip                 | 80 g         | 4  |
| Pure Protein Cookies, coconut                      | 55 g         | 4  |
| Pure Protein bars, chocolate deluxe                | 80 g         | 5  |
| L.E.A.N Products                                   | 40 g         | 6  |
| Pure Protein bars, Strawberry Shortcake            | 80 g         | 6  |
| Pure Protein bars,<br>White chocolate mousse       | 80 g         | 6  |
| Hazelnut and apricot bar                           | 50 g         | 9  |



## PASTAS/NOODLES

*This category of foods is high in carbs and often high in fiber—the fiber often reduces the GL (as do pastas that contain meat or cheese due to fat content). Nevertheless, most of the foods in this category should be consumed infrequently or in small quantities when you're really craving them. They're a good option, though, for your once-a-week cheat meal.*

| PASTA/NOODLES               | SERVING SIZE | GL |
|-----------------------------|--------------|----|
| Tortellini, cheese          | 180 g        | 10 |
| Ravioli, meat filled        | 180 g        | 15 |
| Spaghetti, white            | 180 g        | 15 |
| Spaghetti, whole meal       | 180 g        | 16 |
| Fettuccine, egg             | 180 g        | 18 |
| Instant noodles             | 180 g        | 19 |
| Spaghetti, gluten-free      | 180 g        | 19 |
| Capellini                   | 180 g        | 20 |
| Gluten free pasta           | 180 g        | 22 |
| Linguine                    | 180 g        | 22 |
| Rice noodles                | 180 g        | 23 |
| Macaroni                    | 180 g        | 23 |
| Udon noodles, plain         | 180 g        | 30 |
| Corn pasta, gluten-free     | 180 g        | 32 |
| Macaroni and cheese (Kraft) | 180 g        | 32 |
| Gnocchi                     | 180 g        | 33 |
| Rice pasta, brown           | 180 g        | 35 |

# RICE/GRAINS

While many of these foods are considered to be low in calories, they're also high in fast-digesting carbs, which cause insulin release. And that bumps up their GL for fairly moderate portions. Add these foods in sparingly or save them for your weekly cheat meal.

| RICE/GRAINS          | SERVING SIZE | GL |
|----------------------|--------------|----|
| Cracked wheat        | 150 g        | 12 |
| Wheat, whole kernels | 50 g (dry)   | 14 |
| Rice, brown          | 150 g        | 18 |
| Basmati              | 150 g        | 22 |
| Rice, white (boiled) | 150 g        | 23 |
| Couscous             | 150 g        | 23 |
| Long grain           | 150 g        | 23 |
| Parboiled rice       | 150 g        | 26 |
| Instant/puffed rice  | 150 g        | 29 |
| Risotto rice         | 150 g        | 36 |
| Jasmine rice         | 150 g        | 46 |

# SOUPS

Many of these foods likely have a higher GL than you'd expect. Many soups also digest fairly quickly, providing satiety for a shorter period of time. While you can consume some soups that are very low (or zero) on the GL scale, you should be very aware of their GL before consuming them.

| SOUPS                                                         | SERVING SIZE | GL |
|---------------------------------------------------------------|--------------|----|
| Noodle soup (traditional Turkish Soup with stock and noodles) | 250 g        | 0  |
| Tomato Soup                                                   | 250 g        | 6  |
| Minestrone, traditional, Country Ladle (Campbell's)           | 250 g        | 7  |
| Lentil, canned                                                | 250 g        | 9  |
| Split pea                                                     | 250 g        | 16 |
| Black bean                                                    | 250 g        | 17 |
| Green pea, canned (Campbell's)                                | 250 g        | 27 |

## BREADS

*You CAN consume small servings of bread on my program, but note that they do have a GL and these serving sizes are fairly small (essentially one slice). When in doubt, cut out the breads. You can always enjoy them during your cheat meal. If you're going to eat bread during the process and you're unsure of the GL, then search for versions that are higher in fiber, but still keep portions moderate to small.*

| BREADS                       | SERVING SIZE | GL |
|------------------------------|--------------|----|
| Ezekiel bread                | 30 g         | 2  |
| Rye bread                    | 30 g         | 6  |
| Sourdough rye                | 30 g         | 6  |
| Sourdough wheat              | 30 g         | 8  |
| Barley kernel bread          | 30 g         | 9  |
| Barley flour bread           | 30 g         | 9  |
| Oat bran bread               | 30 g         | 9  |
| Buckwheat bread              | 30 g         | 10 |
| Pita bread                   | 30 g         | 10 |
| Gluten free multigrain bread | 30 g         | 10 |
| White flour bread            | 30 g         | 10 |
| Wonder, enriched bread       | 30 g         | 10 |
| Cracked wheat bread          | 30 g         | 11 |
| English muffin bread         | 30 g         | 11 |
| Oat bread                    | 30 g         | 12 |
| Baguette, white              | 30 g         | 15 |
| Bagel, white                 | 70 g         | 25 |

# SNACK FOODS/CONFECTIONARY

*Yeah, you guessed it. You should avoid these foods while you're on the Superhero Nutrition program. I recommend that you eliminate most of these from your nutrition program altogether. Of course, you can include them as a cheat food if they're exactly what you're craving, but chips and popcorn, etc., are just not a good choice for calories or nutrition.*

| SNACK FOODS/ CONFECTIONERY | SERVING SIZE   | GL |
|----------------------------|----------------|----|
| Fruity Bitz                | 15 g           | 4  |
| Popcorn, plain             | 20 g           | 8  |
| Potato crisps              | 50 g           | 11 |
| Pretzels                   | 30 g           | 16 |
| Corn chips                 | 50 g           | 17 |
| Fruit Roll Up              | 30 g (1 snack) | 24 |
| Burger rings, BBQ          | 50 g           | 28 |

# CANDY/SWEETS

*You can eat these in very small quantities with your meals if this is what will keep you on my program. Still, most of these are best left for your two-hour cheat window once a week as they are low in beneficial nutrients, and high in unwanted sugar, often highly processed.*

| CANDY/SWEETS            | SERVING SIZE   | GL   |
|-------------------------|----------------|------|
| Honey                   | 1 Tbsp         | 3    |
| Nutella                 | 20 g           | 4    |
| Dove Dark chocolate bar | 37 g (1oz)     | 4.4  |
| Peanut M&Ms             | 30 g (1oz)     | 5.6  |
| Table sugar             | 2Tsp           | 7    |
| Strawberry jam          | 2Tbsp          | 10.1 |
| Twix bar                | 60 g           | 17   |
| Life Savers, peppermint | 30 g           | 21   |
| Jelly beans             | 1 oz           | 22   |
| Snickers bar            | 60 g (1/2 bar) | 23   |

## BAKED GOODS & CEREALS

*These foods can count toward any of your three meals in the portions I outline below. Just make sure you don't overeat them. Those that rise above 10 should be consumed in smaller portions than the serving sizes on this list. And, of course, beware of those that have a GL above 20.*

| BAKED GOODS & CEREALS                | SERVING SIZE      | GL   |
|--------------------------------------|-------------------|------|
| Popcorn                              | 8 g (1 Cup)       | 2.8  |
| Pumpernickel bread                   | 26 g (1 Slice)    | 4.5  |
| Taco shell                           | 13 g (1 med)      | 4.8  |
| Melba toast                          | 12 g (4 rounds)   | 5.6  |
| Oatmeal cookie                       | 18 g (1 Large)    | 6    |
| Oatmeal                              | 117 g (1/2 Cup)   | 6.4  |
| Plain scone                          | 25 g (1 scone)    | 7    |
| Corn tortilla                        | 24 g (1 tortilla) | 7.7  |
| Wheat bread                          | 28 g (1 slice)    | 7.7  |
| Cornmeal-based taco shell            | 20 g              | 8    |
| Graham crackers                      | 14 g (2 sqrs)     | 8.1  |
| Pound cake, Sara Lee                 | 30 g (1 piece)    | 8.1  |
| White bread                          | 25 g (1 slice)    | 8.4  |
| Rye bread, 100% whole                | 32 g (1 slice)    | 8.5  |
| Apple muffin without sugar           | 60 g (1 muffin)   | 9    |
| Cornmeal                             | 13 g (1 cup)      | 9    |
| Waffles                              | 35 g (1 waffle)   | 10   |
| Angel-food cake                      | 28 g (1 slice)    | 10.7 |
| Rye crisp crackers                   | 25 (1 wafer)      | 11.1 |
| Whole-wheat Mini Wheats              | 30 g (1 cup)      | 12   |
| Raisin bran                          | 30 g (1 cup)      | 12   |
| Chocolate cake w/ chocolate frosting | 64 g (1 slice)    | 12.5 |
| Crumpet                              | 50 g (1 piece)    | 13   |
| Apple muffin with sugar              | 60 g (1 muffin)   | 13   |
| Bran flakes                          | 29 g (3/4 cup)    | 13.3 |
| Cheerios                             | 30 g (1 cup)      | 13.3 |
| Oatmeal, instant                     | 234 g (1 cup)     | 13.7 |

| BAKED GOODS & CEREALS             | SERVING SIZE      | GL   |
|-----------------------------------|-------------------|------|
| Special K                         | 30 g (1 cup)      | 14   |
| Vanilla wafers                    | 25 g              | 14   |
| Kellogg's Special K               | 31 g (1 cup)      | 14.5 |
| Bran muffin                       | 57 g (1 muffin)   | 15   |
| Pastry                            | 57 g (1 pastry)   | 15   |
| Pound cake                        | 53 g (1 slice)    | 15   |
| Banana cake/ no sugar             | 80 g (1 slice)    | 16   |
| Buckwheat                         | 150 g             | 16   |
| Vanilla cake and vanilla frosting | 64 g (1 slice)    | 16   |
| Whole wheat pita                  | 64 g (1 pita)     | 17   |
| Blueberry muffin                  | 57 g (1 muffin)   | 17   |
| Plain sponge cake                 | 63 g (1 slice)    | 17   |
| Croissant                         | 57 g (1 med)      | 17   |
| Cake doughnut                     | 47 g (1 doughnut) | 17   |
| Croissant butter                  | 57 g (1 med)      | 17.5 |
| Banana cake w/sugar               | 80 g (1 slice)    | 18   |
| Fruit Loops                       | 30 g (1 cup)      | 18   |
| Golden Grahams                    | 30 g (1 cup)      | 18   |
| Pikelets                          | 40 g (1 piece)    | 18   |
| Fiber Plus Bar                    | 30 g (1 bar)      | 18   |
| Waffle (home made)                | 75 g (1 waffle)   | 18.7 |
| Angel food cake                   | 50 g (1 piece)    | 19   |
| Strawberry-iced cupcake           | 38 g (1 cupcake)  | 19   |
| Chocolate cake (Betty Crocker)    | 111 g (1 slice)   | 20   |
| Sweet corn                        | 150 g             | 20   |
| Coco Pops                         | 30 g (1 cup)      | 20   |
| Corn Chex                         | 30 g (1 cup)      | 20.8 |
| Cornflakes                        | 28 g (1 cup)      | 21.1 |
| Kaiser roll                       | 57 g (1 roll)     | 21.2 |
| Buckwheat pancakes                | 77 g (1 pancake)  | 22   |
| Corn Pops                         | 31 g (1 cup)      | 22.4 |
| Rice Krispies                     | 33 g (1 cup)      | 23   |

| BAKED GOODS & CEREALS      | SERVING SIZE      | GL   |
|----------------------------|-------------------|------|
| Muselix                    | 55 g (2/3 cup)    | 23.8 |
| Vanilla (Betty Crocker)    | 111 g (1 slice)   | 24   |
| Corn flakes                | 30 g (1 cup)      | 24   |
| Donut (large glazed)       | 75 g (1 donut)    | 24.3 |
| Raisin bran                | 61 g (1 cup)      | 24.4 |
| Double chocolate Pop Tarts | 50 g (1 pop tart) | 25   |
| French bread               | 64 g (1 slice)    | 29.5 |
| Blueberry muffin           | 113 g (1 med)     | 30   |
| Bran muffin                | 113 g (1 med)     | 30   |
| Cornbread                  | 60 g (1 piece)    | 30.8 |
| Flan cake                  | 70 g (1 slice)    | 31   |
| Grape nuts                 | (1/2 Cup)         | 31.5 |
| Bagel                      | 89 g (1/4 in.)    | 33   |
| Pancakes                   | 80 g (1 pancake)  | 39   |

# BEVERAGES

*Few food groups are more easily consumed than beverages, as I mentioned earlier. Honestly, I recommend that you seek your calories from foods rather than beverages. These liquids tend to spike insulin without providing satiety, a terrible combination when you're trying to get lean and healthy.*

| BEVERAGES                     | SERVING SIZE      | GL    |
|-------------------------------|-------------------|-------|
| Tomato juice                  | 243 g (1 cup)     | 3.4   |
| Soy milk                      | 245 g (1 cup)     | 4     |
| Yakult milk drink             | 65 g              | 6     |
| Carrot juice (freshly made)   | 250 g             | 10    |
| Grapefruit juice, unsweetened | 250 g             | 11    |
| Hot chocolate mix 28g         | (1 packet)        | 11.7  |
| Apple juice                   | 248 g (1 cup)     | 11.9  |
| Gatorade powder               | 16 g (.75 scoop)  | 12.5  |
| Grapefruit juice, sweetened   | 250 g (1 cup)     | 13.4  |
| Orange juice                  | 249 g (1 cup)     | 14.25 |
| Pineapple juice               | 250 g (1 cup)     | 14.7  |
| Orange Fanta                  | 250 g             | 23    |
| Cranberry juice cocktail      | 153 g (1 cup)     | 24.5  |
| Coca Cola                     | 370 g (12 oz can) | 25.2  |



## SUGARS/SUGAR ALCOHOLS

*Bodybuilders use sugar to drive insulin release to build muscle mass, but unless you're a bodybuilder then insulin release is more likely to prevent bodyfat from being released from storage or, worse, cause more bodyfat to be stored. While sugar alcohols have a low GL, you already know that I think they're bad for you. I recommend avoiding sugar and sugar alcohols as much as possible. Save your sugar fix for your weekly cheat meal.*

| SUGARS/SUGAR ALCOHOLS                             | SERVING SIZE | GL |
|---------------------------------------------------|--------------|----|
| Lactitol                                          | 10 g         | 0  |
| Litesse II, with polydextrose and sorbitol        | 10 g         | 0  |
| Litesse III Ultra, with polydextrose and sorbitol | 10 g         | 1  |
| Xylitol                                           | 10 g         | 1  |
| Blue Agave Cactus Nectar, high fructose           | 10 g         | 1  |
| Fructose                                          | 10 g         | 2  |
| Lactose                                           | 10 g         | 5  |
| Glucose consumed with gum fiber                   | 10 g         | 6  |
| Maltitol, 25g Malbit CH (99% maltitol)            | 10 g         | 7  |
| Sucrose                                           | 10 g         | 7  |
| Glucose with 3g dried ginseng                     | 10 g         | 8  |
| Glucodex                                          | 10 g         | 8  |
| Maltitol, 25g Maltidex 200 (50% maltitol)         | 10 g         | 9  |
| Glucose                                           | 10 g         | 10 |
| Honey                                             | 25 g         | 10 |

*I'm including the following groups of ethnic foods to show you how much they vary in terms of GLs. As always, choose foods and portion sizes that fit the parameters of your individualized program.*

**INDIGENOUS OR TRADITIONAL FOODS (AFRICAN)**

| AFRICAN                            | SERVING SIZE | GL |
|------------------------------------|--------------|----|
| Gram dhal                          | 50 g (dry)   | 1  |
| Brown beans                        | 50 g (dry)   | 6  |
| Ga kenkey, from fermented cornmeal | 150 g        | 7  |
| Cassava, boiled with salt          | 100 g        | 12 |
| Unripe plantain, raw               | 120 g        | 13 |
| Gari                               | 100 g        | 15 |
| Yam                                | 150 g        | 23 |
| Maize meal porridge, unrefined     | 50 g (dry)   | 25 |
| Maize meal porridge, refined       | 50 g (dry)   | 30 |
| M'fino or morogo, wild greens      | 120 g        | 34 |
| Maize meal porridge or gruel       | 50 g (dry)   | 41 |

**INDIGENOUS OR TRADITIONAL FOODS (ARABIC OR TURKISH)**

| ARABIC OR TURKISH                                                 | SERVING SIZE | GL |
|-------------------------------------------------------------------|--------------|----|
| Hummus                                                            | 30 g         | 0  |
| Turkish noodle soup                                               | 250 g        | 0  |
| Stuffed grapevine leaves                                          | 100 g        | 5  |
| Turkish bread, whole wheat                                        | 30 g         | 8  |
| Kibbeh saynieh, lamb and burghul                                  | 120 g        | 9  |
| Majadra                                                           | 250 g        | 10 |
| Turkish bread, white-wheat flour                                  | 30 g         | 15 |
| Moroccan couscous                                                 | 250 g        | 17 |
| Lebanese bread (white, unleavened), hummus, falafel and tabbouleh | 120 g        | 39 |

## INDIGENOUS OR TRADITIONAL FOODS (ASIAN)

| ASIAN                                               | SERVING SIZE | GL |
|-----------------------------------------------------|--------------|----|
| Lungkow bean thread                                 | 180 g        | 12 |
| Glutinous rice ball with cut glutinous cake (mochi) | 75 g         | 14 |
| Rice gruel with dried algae                         | 250 g        | 15 |
| Rice noodles, fresh and boiled                      |              |    |
| Lychee, canned in syrup (drained)                   | 120 g        | 16 |
| Mung Bean noodles, drained and boiled               | 180 g        | 18 |
| Sushi                                               | 100 g        | 19 |
| White rice and nonfat yogurt                        | 150 g        | 19 |
| Salted rice ball                                    | 75 g         | 20 |
| Roasted rice ball                                   | 75 g         | 21 |
| Rice vermicelli, Kongmoon                           | 180 g        | 22 |
| Soba noodles, instant, reheated                     | 180 g        | 22 |
| Rice noodles, dried and boiled                      | 180 g        | 23 |
| Rice cracker, plain                                 | 30 g         | 23 |
| White rice with fermented soy bean                  | 150 g        | 24 |
| Udon Noodles                                        | 180 g        | 26 |
| White rice with raw egg and soy sauce               | 150 g        | 26 |
| White rice, dried sea algae and milk                | 300 g        | 26 |
| Curry rice with cheese                              | 150 g        | 27 |
| White rice with pickled vinegar and cucumber        | 150 g        | 27 |
| Glutinous rice flour with roasted soy bean          | 100 g        | 27 |
| White rice with roasted ground soybean              | 150 g        | 29 |
| White rice with instant miso soup                   | 150 g        | 29 |
| Glutinous rice cake with dried sea algae            | 75 g         | 32 |
| White rice with low fat milk                        | 300 g        | 32 |
| Non-glutinous rice flour                            | 100 g        | 34 |
| Broken white rice                                   | 150 g        | 37 |
| White rice with salted dried plum                   | 150 g        | 39 |

| ASIAN                                                          | SERVING SIZE | GL |
|----------------------------------------------------------------|--------------|----|
| White rice with sea algae rolled in sheet of toasted sea algae | 150 g        | 39 |
| Butter rice                                                    | 150 g        | 40 |
| White rice with dried fish strip (Okaka)                       | 150 g        | 40 |
| Curry rice                                                     | 150 g        | 41 |
| Low-protein white rice with dried sea algae                    | 150 g        | 42 |
| Glutinous rice                                                 | 150 g        | 44 |
| Jasmine white rice                                             | 150 g        | 46 |
| Stir-fried vegetables, chicken and rice (home made)            | 360 g        | 55 |

## INDIGENOUS OR TRADITIONAL FOODS (ASIAN INDIAN)

| ASIAN INDIAN                                         | SERVING SIZE | GL |
|------------------------------------------------------|--------------|----|
| Bengal gram dhal, chickpea                           | 150 g        | 4  |
| Black gram (Phaseolus mungo)                         | 150 g        | 8  |
| Barley (Hordeum Vulgare)                             | 150 g        | 16 |
| Amaranth, eaten with milk and nonnutritive sweetener | 30 g         | 18 |
| Bajra                                                | 75 g (dry)   | 29 |
| Banana, nendra variety                               | 120 g        | 31 |
| Idli                                                 | 250 g        | 36 |

## INDIGENOUS OR TRADITIONAL FOODS (PACIFIC ISLANDER)

| PACIFIC ISLANDER      | SERVING SIZE | GL |
|-----------------------|--------------|----|
| Taro                  | 150 g        | 4  |
| Green banana/plantain | 120 g        | 8  |
| Yam                   | 150 g        | 13 |
| Sweet potato          | 150 g        | 17 |
| Breadfruit            | 120 g        | 18 |

## INDIGENOUS OR TRADITIONAL FOODS (CHAPPATI)

| CHAPPATI                                                            | SERVING SIZE | GL |
|---------------------------------------------------------------------|--------------|----|
| Dhokla                                                              | 100 g        | 6  |
| Green gram                                                          | 150 g        | 6  |
| Uppuma Kedgerree                                                    | 150 g        | 6  |
| Rajmah                                                              | 150 g        | 6  |
| Laddu                                                               | 50 g         | 8  |
| Cheela, Bengal gram, fermented batter                               | 150 g        | 10 |
| Cheela, green gram, fermented batter                                | 150 g        | 10 |
| Cheela, green gram                                                  | 150 g        | 12 |
| Tapioca, steamed                                                    | 250 g        | 12 |
| Cheela, Bengal gram                                                 | 150 g        | 12 |
| Chapatti, flour made from popped wheat, moth bean, and Bengal gram  | 60 g         | 14 |
| Horse gram                                                          | 150 g        | 15 |
| Chapatti, wheat                                                     | 60 g         | 21 |
| Chapatti, flour from roller dried wheat, moth bean, and Bengal gram | 60 g         | 23 |
| Millet/Ragi, dehusked                                               | 150 g        | 23 |
| Chapatti, flour from malted wheat, moth bean, and Bengal gram       | 60 g         | 25 |
| Rice (Oryza Sativa)                                                 | 150 g        | 26 |
| Dosai                                                               | 150 g        | 26 |
| Poori                                                               | 150 g        | 28 |
| Upittu                                                              | 150 g        | 28 |
| Semolina, steamed                                                   | 67 g (dry)   | 28 |
| Green gram, whole with varagu                                       | 80 g (dry)   | 29 |
| Lentil and cauliflower curry with rice                              | 360 g        | 31 |
| Chapatti, wheat flour, thin, with green gram dhal                   | 200 g        | 32 |
| Varagu                                                              | 76 g (dry)   | 34 |
| Pongal                                                              | 250 g        | 35 |
| Idli                                                                | 250 g        | 36 |
| Green Gram dhal with varagu                                         | 78 g (dry)   | 39 |

## INDIGENOUS OR TRADITIONAL FOODS (AUSTRALIAN ABORIGINAL)

| AUSTRALIAN ABORIGINAL                                                     | SERVING SIZE | GL |
|---------------------------------------------------------------------------|--------------|----|
| Acacia aneura, mulga seed, roasted, wet ground to paste                   | 50 g         | 1  |
| Castanospermum australe, blackbean seed sliced, soaked, pounded and baked | 50 g         | 1  |
| Araucaria bidwillii, bunya tree nut                                       | 50 g         | 7  |
| Macrozamia communis, cycad palm seed                                      | 50 g         | 10 |
| Acacia coriacea, desert oak, seed bread                                   | 75 g         | 11 |
| Brush honey, sugar bag                                                    | 30 g         | 11 |
| Disoscorea bulbifera, cheeky yam, peeled, sliced, soaked, baked           | 150 g        | 12 |

## INDIGENOUS OR TRADITIONAL FOODS (ISRAELI)

| ISRAELI                          | SERVING SIZE | GL |
|----------------------------------|--------------|----|
| Melawach and 15g locust bean     | 130 g        | 16 |
| Melawach and 15g maize cob fiber | 130 g        | 31 |
| Melawach                         | 115 g        | 35 |
| Melawach and 15g lupin fiber     | 130 g        | 38 |

## INDIGENOUS OR TRADITIONAL FOODS (PIMA INDIAN)

| PIMA INDIAN                 | SERVING SIZE | GL |
|-----------------------------|--------------|----|
| Acorns, stewed with venison | 100 g        | 1  |
| Mesquite cakes              | 60 g         | 1  |
| Yellow teparies broth       | 250 g        | 8  |
| Tortilla                    | 60 g         | 9  |
| White teparies broth        | 250 g        | 10 |
| Lima beans broth            | 250 g        | 12 |
| Corn hominy                 | 150 g        | 12 |
| Fruit leather               | 30 g         | 17 |
| Cactus jam                  | 30 g         | 18 |

## INDIGENOUS OR TRADITIONAL FOODS (SOUTH AFRICAN)

| SOUTH AFRICAN                                                         | SERVING SIZE | GL |
|-----------------------------------------------------------------------|--------------|----|
| Nopal                                                                 | 100 g        | 0  |
| Pinto beans, boiled in salt water                                     | 150 g        | 4  |
| Black beans                                                           | 150 g        | 7  |
| Wheat tortilla                                                        | 50 g         | 8  |
| Brown beans                                                           | 150 g        | 9  |
| Corn tortilla served with refried mashed pinto beans and tomato sauce | 100 g        | 9  |
| Corn tortilla, fried, with mashed potato, fresh tomato and lettuce    | 100 g        | 11 |
| Arepa, made from dehulled high-amylose corn flour                     | 100 g        | 11 |
| Corn tortilla                                                         | 50 g         | 12 |
| Arepa, corn bread cake, made with corn flour                          | 100 g        | 31 |
| Arepa, made from ordinary dehulled dent corn flour                    | 100 g        | 35 |

