

Practice Final Exam Fall 2019

Question 1

#The director of admissions at a state university wished to determine how accurately students' grade-point averages at the end of their freshman year (Y);

#X1= the high school class rank as percentile where 99 indicates student is at or near the top of his or her class and 1 indicates student is at or near the bottom of the class #X2= ACT score #X3= Academic Year

#a-) Create a development sample (70% of the data) and hold-out sample (%30) of the data, build your regression model on the development data, check the regression for the followings: normality, outliers and influential points, and multi collinearity document all your work and attach relevant r graphs._

#b-) Test the performance of the model on the hold out sample, and investigate the model stability on the hold out sample?_


#c-) Divide the cases into two groups, placing 247 cases with the smallest fitted values (\hat{Y}_i) into group 1 and the remaining cases into group 2. Conduct the Brown-Forsythe test for constancy of the error variance, using $\alpha = .01$. State the decision rule and conclusion._

Solutions: #Part a: $\hat{Y} = -14.691 + 0.009X1 + 0.037X2 + 0.008X3$. R square is 19%. X1 and X2 are significant. while X3 is not significant. QQ looks normal with constant variance. The cooks distance graph does not indicate that there are influential or outliers. No outliers in Y or Xs. VIFs <10, no multi collinearity exists.

```
set.seed(1234)
Admission.Data <- read.csv("/cloud/project/Admission Data.csv")
n<-dim(Admission.Data)[1]
sample.ind <- sample(1:n, size = round(n*0.7))
dev.sample <- Admission.Data[sample.ind,]
holdout.sample <- Admission.Data[-sample.ind,]
f.q1<-lm(Y~X1+X2+X3,data=dev.sample)
summary(f.q1)
```

```
##
## Call:
## lm(formula = Y ~ X1 + X2 + X3, data = dev.sample)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.09925 -0.30183  0.06202  0.39737  1.29302
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -14.691487   36.190018  -0.406    0.685
## X1           0.009429    0.001506   6.263 8.30e-10 ***
## X2           0.036876    0.007032   5.244 2.34e-07 ***
## X3           0.008024    0.018110   0.443    0.658
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.5642 on 489 degrees of freedom
## Multiple R-squared:  0.1903, Adjusted R-squared:  0.1853
## F-statistic: 38.31 on 3 and 489 DF,  p-value: < 2.2e-16
```

```
par(mfrow=c(2,2))
plot(f.q1)
library(faraway)
```



```
vif(f.q1)
```

```
##          X1          X2          X3
## 1.219068 1.216963 1.001939
```

```
library(olsrr)
```

```
## Registered S3 methods overwritten by 'car':
##   method                                from
##   influence.merMod                      lme4
##   cooks.distance.influence.merMod      lme4
##   dfbeta.influence.merMod              lme4
##   dfbetas.influence.merMod            lme4
##
## Attaching package: 'olsrr'
##
## The following object is masked from 'package:faraway':
##
##   hsb
##
## The following object is masked from 'package:datasets':
##
##   rivers
```

```
influence.measures(f.q1)
```

```
## Influence measures of
```

```
## lm(formula = Y ~ X1 + X2 + X3, data = dev.sample) :
##
##      dfb.1_      dfb.X1      dfb.X2      dfb.X3      dffit cov.r      cook.d
## 284 -2.98e-03  3.91e-02  7.42e-03  2.81e-03 -0.049914 1.027 6.24e-04
## 101 5.12e-02  9.19e-03 -1.63e-02 -5.12e-02 0.064278 1.010 1.03e-03
## 623 1.87e-02  6.07e-03 -7.53e-03 -1.87e-02 -0.024742 1.014 1.53e-04
## 645 2.61e-02 -1.69e-02 -7.81e-03 -2.61e-02 -0.039084 1.016 3.83e-04
## 400 3.67e-03 -2.15e-02 1.56e-02 -3.63e-03 0.060511 0.998 9.14e-04
## 98 1.18e-02 7.63e-03 -5.08e-04 -1.19e-02 0.016902 1.017 7.16e-05
## 103 1.66e-02 -6.90e-03 1.94e-02 -1.67e-02 0.027980 1.020 1.96e-04
## 602 9.94e-02 -3.19e-02 -9.14e-02 -9.89e-02 -0.168976 1.001 7.12e-03
## 326 1.42e-04 -7.45e-05 -1.62e-03 -1.33e-04 0.002774 1.012 1.93e-06
## 79 -1.08e-02 -5.64e-03 -1.82e-03 1.09e-02 -0.015358 1.016 5.91e-05
## 270 3.58e-02 3.61e-02 3.60e-02 -3.60e-02 0.092173 1.005 2.12e-03
## 382 1.02e-03 -1.97e-03 1.41e-02 -1.06e-03 0.027626 1.009 1.91e-04
## 184 -2.12e-02 -3.30e-02 2.41e-02 2.11e-02 -0.050774 1.011 6.45e-04
## 574 1.67e-01 -5.34e-02 -7.42e-02 -1.66e-01 -0.234054 0.961 1.35e-02
## 4 -2.03e-01 -1.64e-01 1.20e-01 2.03e-01 -0.306544 0.940 2.31e-02
## 661 -3.99e-02 -2.02e-02 1.25e-02 3.99e-02 0.054453 1.012 7.42e-04
## 552 -1.07e-02 2.93e-03 3.15e-02 1.06e-02 0.040490 1.022 4.11e-04
## 212 2.08e-02 -1.78e-03 -2.65e-02 -2.06e-02 0.044862 1.011 5.04e-04
## 195 -1.09e-02 -6.98e-03 1.35e-03 1.09e-02 -0.019843 1.011 9.86e-05
## 511 5.30e-03 3.63e-03 -1.50e-02 -5.25e-03 -0.018007 1.019 8.12e-05
## 479 5.88e-03 -1.56e-03 1.56e-03 -5.89e-03 -0.010752 1.011 2.90e-05
## 605 -2.11e-02 -1.52e-02 -2.48e-02 2.13e-02 0.046828 1.024 5.49e-04
## 634 9.38e-03 -6.88e-03 5.04e-03 -9.39e-03 -0.013441 1.016 4.53e-05
## 578 1.36e-01 -1.16e-01 1.02e-01 -1.36e-01 -0.208755 0.981 1.08e-02
## 510 -1.87e-02 -2.31e-02 6.69e-03 1.88e-02 0.042773 1.009 4.58e-04
## 424 2.36e-03 -2.67e-02 9.17e-02 -2.68e-03 0.107392 1.004 2.88e-03
## 379 7.92e-04 4.69e-03 5.72e-03 -8.19e-04 0.024403 1.009 1.49e-04
## 108 2.07e-02 5.24e-04 1.42e-02 -2.08e-02 0.029994 1.017 2.25e-04
## 131 5.83e-02 -2.88e-02 7.00e-02 -5.85e-02 0.099244 1.015 2.46e-03
## 343 -2.40e-04 -8.74e-03 -5.13e-03 2.82e-04 -0.020229 1.011 1.02e-04
## 41 -5.04e-03 4.19e-03 -6.04e-04 5.03e-03 -0.007313 1.018 1.34e-05
## 627 5.19e-02 -3.15e-02 -1.64e-02 -5.17e-02 -0.076767 1.012 1.47e-03
## 298 -4.60e-03 7.38e-02 -6.29e-02 4.63e-03 -0.090813 1.013 2.06e-03
## 258 2.59e-02 1.52e-02 3.83e-02 -2.61e-02 0.068645 1.010 1.18e-03
## 629 -2.74e-03 -1.76e-03 1.02e-03 2.74e-03 0.003914 1.016 3.84e-06
## 696 -1.22e-01 -6.89e-02 -4.25e-02 1.23e-01 0.188549 0.983 8.83e-03
## 182 -7.92e-03 9.88e-03 -3.00e-03 7.90e-03 -0.015850 1.013 6.29e-05
## 305 1.82e-03 -2.02e-02 -9.02e-03 -1.71e-03 0.030438 1.021 2.32e-04
## 358 9.19e-04 -1.67e-02 2.03e-02 -9.56e-04 0.023963 1.023 1.44e-04
## 307 -8.39e-04 -4.29e-03 1.87e-02 7.54e-04 -0.023477 1.014 1.38e-04
## 668 -3.96e-02 3.72e-02 -3.10e-02 3.97e-02 0.062622 1.015 9.82e-04
## 221 3.05e-02 -4.62e-02 6.67e-03 -3.03e-02 0.067128 1.009 1.13e-03
## 561 -2.35e-02 1.03e-02 5.27e-02 2.32e-02 0.075148 1.014 1.41e-03
## 313 6.34e-04 -8.56e-03 2.07e-03 -6.13e-04 0.009861 1.018 2.44e-05
## 136 7.19e-02 1.66e-02 4.34e-02 -7.22e-02 0.106315 1.007 2.82e-03
## 145 -9.26e-02 1.03e-01 -5.60e-02 9.24e-02 -0.178989 0.960 7.92e-03
## 123 1.96e-02 6.24e-03 1.75e-02 -1.96e-02 0.033572 1.020 2.82e-04
## 234 1.71e-02 4.00e-02 -3.63e-02 -1.71e-02 0.054690 1.016 7.49e-04
## 608 4.69e-02 -1.11e-03 -1.18e-02 -4.69e-02 -0.059366 1.010 8.82e-04
## 495 -1.46e-02 1.29e-02 -3.28e-02 1.48e-02 0.042224 1.014 4.46e-04
## 534 -1.26e-02 9.70e-03 1.45e-02 1.25e-02 0.031217 1.013 2.44e-04
```

```

## 297 -4.66e-03 7.93e-02 -1.52e-01 5.08e-03 -0.168017 1.001 7.04e-03
## 208 3.53e-02 -4.56e-02 -3.40e-02 -3.50e-02 0.091461 1.011 2.09e-03
## 677 -4.44e-02 2.89e-02 -7.97e-03 4.44e-02 0.060848 1.012 9.27e-04
## 569 1.51e-01 2.90e-01 -2.89e-02 -1.52e-01 -0.369147 0.971 3.37e-02
## 522 -2.88e-02 2.77e-02 -5.53e-02 2.90e-02 0.075776 1.007 1.44e-03
## 248 1.52e-02 1.45e-03 2.99e-02 -1.53e-02 0.042650 1.015 4.55e-04
## 365 6.85e-04 7.15e-03 -5.07e-03 -6.71e-04 0.020093 1.009 1.01e-04
## 643 -6.81e-02 -6.47e-02 -4.97e-02 6.86e-02 0.139504 1.011 4.86e-03
## 595 5.42e-03 9.22e-03 -2.53e-03 -5.44e-03 -0.011816 1.024 3.50e-05
## 434 5.18e-02 -4.08e-02 6.01e-02 -5.20e-02 -0.111539 0.989 3.10e-03
## 218 2.71e-02 -3.74e-02 4.30e-03 -2.70e-02 0.057345 1.010 8.23e-04
## 508 -1.34e-02 -1.89e-02 1.55e-02 1.34e-02 0.032825 1.011 2.70e-04
## 276 -9.58e-03 5.62e-02 -4.08e-02 9.49e-03 -0.157985 0.928 6.12e-03
## 169 -1.80e-03 2.80e-03 1.50e-03 1.78e-03 -0.004869 1.019 5.94e-06
## 71 -2.56e-02 5.54e-03 -2.80e-02 2.57e-02 -0.042582 1.019 4.54e-04
## 573 1.32e-01 2.90e-03 7.77e-03 -1.32e-01 -0.164309 0.977 6.70e-03
## 697 -7.63e-02 6.52e-02 -3.25e-02 7.63e-02 0.112227 1.006 3.15e-03
## 485 -2.36e-03 -5.74e-03 4.68e-03 2.36e-03 0.007805 1.016 1.53e-05
## 460 1.46e-02 -8.97e-03 1.59e-02 -1.46e-02 -0.030752 1.010 2.37e-04
## 60 1.86e-02 1.54e-02 -2.85e-02 -1.85e-02 0.036637 1.025 3.36e-04
## 449 4.89e-02 -4.81e-03 -7.22e-02 -4.86e-02 -0.118741 0.993 3.51e-03
## 548 -2.23e-02 -1.62e-03 4.19e-02 2.21e-02 0.059945 1.011 8.99e-04
## 19 -6.30e-02 -1.35e-02 4.98e-02 6.28e-02 -0.091103 1.010 2.08e-03
## 319 1.25e-03 -1.17e-02 -5.85e-03 -1.18e-03 0.019726 1.015 9.75e-05
## 116 1.15e-01 -2.40e-01 1.57e-01 -1.15e-01 0.278872 1.019 1.94e-02
## 660 -3.66e-02 -2.34e-02 1.97e-02 3.66e-02 0.053094 1.013 7.06e-04
## 102 8.97e-02 -3.03e-02 -4.86e-02 -8.94e-02 0.128943 1.004 4.15e-03
## 214 -3.59e-03 -5.32e-03 2.84e-03 3.59e-03 -0.008254 1.014 1.71e-05
## 390 1.04e-04 2.61e-02 -8.06e-03 -1.32e-04 0.036346 1.010 3.31e-04
## 597 4.82e-02 -1.33e-02 1.68e-02 -4.82e-02 -0.061937 1.010 9.60e-04
## 625 4.64e-02 -1.68e-02 -1.98e-02 -4.63e-02 -0.065530 1.012 1.07e-03
## 160 -3.37e-02 8.42e-02 -3.98e-02 3.36e-02 -0.097908 1.015 2.40e-03
## 77 3.58e-02 -1.07e-02 -3.97e-03 -3.57e-02 0.044850 1.013 5.04e-04
## 529 -1.91e-02 2.88e-02 -8.76e-03 1.91e-02 0.043465 1.011 4.73e-04
## 126 5.82e-02 5.21e-02 -2.72e-02 -5.82e-02 0.089829 1.011 2.02e-03
## 262 2.54e-02 1.72e-02 4.51e-02 -2.56e-02 0.075109 1.012 1.41e-03
## 442 2.05e-02 3.86e-02 2.73e-03 -2.07e-02 -0.060070 1.010 9.03e-04
## 181 -3.72e-02 -4.55e-04 -6.26e-02 3.75e-02 -0.093894 1.005 2.20e-03
## 163 -3.60e-02 -7.59e-02 1.06e-01 3.57e-02 -0.127472 1.012 4.06e-03
## 474 3.32e-03 3.76e-03 -1.05e-03 -3.33e-03 -0.007392 1.012 1.37e-05
## 228 4.78e-02 -1.13e-02 -9.69e-02 -4.72e-02 0.135210 1.005 4.56e-03
## 628 -5.48e-03 -2.79e-03 7.96e-04 5.49e-03 0.007503 1.015 1.41e-05
## 265 3.93e-02 5.23e-02 -3.59e-03 -3.94e-02 0.089064 1.001 1.98e-03
## 427 3.24e-05 1.75e-02 6.79e-02 -3.81e-04 0.095713 1.010 2.29e-03
## 632 3.05e-02 -1.85e-02 4.61e-05 -3.04e-02 -0.041874 1.014 4.39e-04
## 249 3.01e-02 1.70e-02 6.53e-03 -3.02e-02 0.056208 1.005 7.90e-04
## 655 -5.95e-02 -1.75e-02 -3.73e-02 5.98e-02 0.092069 1.009 2.12e-03
## 40 5.28e-03 -5.35e-03 2.80e-04 -5.26e-03 0.008374 1.021 1.76e-05
## 541 -3.23e-02 6.20e-02 -5.16e-02 3.24e-02 0.087308 1.007 1.91e-03
## 497 3.80e-03 -4.52e-03 1.22e-03 -3.79e-03 -0.007967 1.013 1.59e-05
## 701 -7.06e-02 3.43e-02 3.74e-02 7.04e-02 0.107580 1.008 2.89e-03
## 450 3.14e-02 3.38e-05 4.84e-03 -3.14e-02 -0.057383 1.002 8.23e-04
## 600 4.23e-02 4.61e-03 9.45e-04 -4.24e-02 -0.053049 1.010 7.04e-04
## 363 3.56e-03 -2.66e-02 -1.07e-02 -3.40e-03 0.052903 1.006 7.00e-04

```

```

## 478 8.38e-03 -1.08e-02 1.13e-02 -8.41e-03 -0.019653 1.013 9.67e-05
## 403 1.48e-04 4.82e-02 -2.49e-02 -1.56e-04 0.063961 1.006 1.02e-03
## 375 4.90e-04 1.12e-02 -2.41e-03 -5.00e-04 0.023010 1.009 1.33e-04
## 335 -3.22e-04 -7.18e-03 -1.86e-03 3.44e-04 -0.016811 1.010 7.08e-05
## 142 6.09e-02 9.44e-03 7.79e-02 -6.12e-02 0.118416 1.017 3.51e-03
## 444 3.56e-02 -4.02e-02 5.82e-02 -3.58e-02 -0.087475 1.003 1.91e-03
## 599 3.67e-02 -5.46e-03 1.70e-02 -3.68e-02 -0.048674 1.012 5.93e-04
## 640 -1.48e-02 -1.97e-02 1.75e-02 1.48e-02 0.029313 1.022 2.15e-04
## 457 2.28e-03 6.79e-04 4.21e-03 -2.30e-03 -0.006632 1.015 1.10e-05
## 188 9.85e-03 -4.48e-03 -1.35e-02 -9.76e-03 0.023390 1.015 1.37e-04
## 432 5.73e-02 1.38e-01 -1.34e-01 -5.72e-02 -0.196530 0.982 9.59e-03
## 488 9.30e-05 -1.12e-04 1.23e-04 -9.33e-05 -0.000214 1.013 1.15e-08
## 538 -1.96e-02 1.02e-02 1.86e-02 1.95e-02 0.043532 1.010 4.74e-04
## 657 1.10e-03 -2.99e-05 -8.15e-04 -1.10e-03 -0.001627 1.017 6.63e-07
## 215 -1.37e-03 -2.21e-04 -5.21e-04 1.38e-03 -0.002409 1.012 1.45e-06
## 540 -2.15e-02 9.42e-03 2.12e-02 2.14e-02 0.047497 1.009 5.65e-04
## 590 4.91e-02 -1.36e-02 3.34e-02 -4.92e-02 -0.069329 1.011 1.20e-03
## 296 -2.13e-03 -1.26e-02 -1.54e-02 2.20e-03 -0.065570 0.996 1.07e-03
## 328 6.29e-05 1.01e-03 -1.95e-03 -5.58e-05 0.002468 1.014 1.53e-06
## 147 -5.73e-02 1.83e-01 -1.14e-01 5.72e-02 -0.204776 1.011 1.05e-02
## 84 1.02e-03 6.56e-04 -2.06e-04 -1.02e-03 0.001434 1.017 5.15e-07
## 83 2.59e-02 -6.69e-03 4.55e-03 -2.58e-02 0.031718 1.014 2.52e-04
## 250 1.72e-02 1.01e-02 2.55e-02 -1.73e-02 0.045596 1.013 5.21e-04
## 621 1.39e-02 5.80e-03 -3.83e-03 -1.39e-02 -0.018538 1.014 8.61e-05
## 281 -5.29e-03 2.70e-02 -7.03e-02 5.47e-03 -0.124815 0.969 3.86e-03
## 431 6.61e-02 -2.91e-02 2.23e-02 -6.62e-02 -0.122121 0.973 3.70e-03
## 30 -8.43e-02 1.40e-03 -4.58e-02 8.45e-02 -0.114353 1.003 3.26e-03
## 10 -1.35e-01 2.97e-02 -9.54e-04 1.35e-01 -0.165117 0.982 6.77e-03
## 587 7.38e-02 -4.21e-02 4.68e-02 -7.39e-02 -0.104278 1.005 2.72e-03
## 441 3.86e-02 -9.06e-02 1.19e-01 -3.89e-02 -0.143001 1.010 5.11e-03
## 663 -3.84e-02 2.19e-02 -2.44e-02 3.85e-02 0.054315 1.013 7.38e-04
## 345 1.29e-04 3.66e-03 -3.22e-03 -1.22e-04 0.006444 1.012 1.04e-05
## 12 -1.08e-01 2.39e-02 4.81e-02 1.08e-01 -0.144999 0.996 5.24e-03
## 293 9.57e-05 -1.23e-03 -1.87e-04 -9.04e-05 0.001560 1.024 6.10e-07
## 303 -1.72e-03 -1.18e-02 -2.69e-02 1.85e-03 -0.067026 0.999 1.12e-03
## 338 6.08e-04 -3.73e-03 6.50e-04 -5.93e-04 0.009243 1.010 2.14e-05
## 350 -4.12e-04 1.75e-03 -1.65e-02 4.76e-04 -0.021537 1.014 1.16e-04
## 581 8.75e-02 -5.36e-03 5.22e-02 -8.78e-02 -0.122517 0.999 3.74e-03
## 107 5.14e-02 -1.93e-02 1.94e-02 -5.14e-02 0.065580 1.011 1.08e-03
## 543 -3.32e-02 6.12e-02 -5.21e-02 3.33e-02 0.088160 1.006 1.94e-03
## 518 -1.22e-02 1.12e-03 5.94e-03 1.21e-02 0.022919 1.010 1.32e-04
## 691 -4.79e-02 1.73e-02 2.04e-02 4.78e-02 0.067597 1.012 1.14e-03
## 43 -7.11e-03 1.02e-03 3.41e-03 7.09e-03 -0.009512 1.016 2.27e-05
## 189 -1.84e-02 -2.09e-02 1.18e-02 1.84e-02 -0.038101 1.010 3.63e-04
## 171 -3.68e-02 -3.90e-02 1.10e-02 3.68e-02 -0.074868 1.002 1.40e-03
## 39 -2.44e-02 -3.31e-03 1.47e-02 2.43e-02 -0.033023 1.015 2.73e-04
## 216 1.53e-02 4.00e-02 -5.82e-02 -1.51e-02 0.066261 1.027 1.10e-03
## 291 -3.77e-03 3.10e-02 -1.89e-02 3.73e-03 -0.059094 1.001 8.73e-04
## 58 -6.78e-03 1.22e-03 6.62e-05 6.78e-03 -0.008240 1.015 1.70e-05
## 395 7.44e-04 -3.16e-03 2.98e-02 -8.60e-04 0.038950 1.012 3.80e-04
## 693 -6.59e-02 2.66e-02 5.77e-03 6.58e-02 0.086188 1.006 1.86e-03
## 456 4.43e-02 -3.40e-02 -6.47e-02 -4.39e-02 -0.119924 1.000 3.59e-03
## 22 -1.07e-01 -2.91e-02 -4.60e-02 1.08e-01 -0.150225 0.994 5.62e-03
## 170 -4.30e-03 7.29e-03 2.17e-03 4.27e-03 -0.011303 1.018 3.20e-05

```

```

## 63 -9.83e-03 -3.82e-03 9.36e-04 9.83e-03 -0.012708 1.015 4.05e-05
## 547 -3.28e-02 -2.79e-03 1.86e-02 3.27e-02 0.062242 1.002 9.68e-04
## 417 1.13e-03 -5.49e-03 6.16e-02 -1.38e-03 0.076878 1.009 1.48e-03
## 70 1.34e-02 6.77e-03 -8.21e-03 -1.33e-02 0.018689 1.016 8.75e-05
## 59 -4.55e-02 -1.42e-02 -1.87e-02 4.56e-02 -0.064164 1.013 1.03e-03
## 484 1.77e-02 -1.94e-02 -6.36e-03 -1.76e-02 -0.039247 1.011 3.86e-04
## 203 -7.00e-03 6.36e-03 -9.81e-03 7.02e-03 -0.015182 1.014 5.77e-05
## 227 1.50e-02 -5.72e-03 8.95e-03 -1.50e-02 0.026149 1.010 1.71e-04
## 243 5.51e-02 1.59e-02 -1.11e-01 -5.46e-02 0.146358 0.997 5.34e-03
## 413 4.46e-03 1.84e-03 -4.21e-02 -4.22e-03 0.086170 0.990 1.85e-03
## 476 7.92e-03 -3.49e-03 5.39e-03 -7.94e-03 -0.015296 1.011 5.86e-05
## 650 -2.89e-02 -9.51e-03 2.02e-03 2.89e-02 0.037594 1.013 3.54e-04
## 405 1.30e-03 2.42e-02 -4.59e-03 -1.32e-03 0.054040 1.002 7.30e-04
## 397 3.31e-05 5.61e-03 1.59e-02 -1.18e-04 0.024273 1.016 1.48e-04
## 501 -2.07e-02 9.16e-03 -4.34e-02 2.09e-02 0.058752 1.011 8.64e-04
## 429 4.50e-02 1.69e-01 6.99e-02 -4.59e-02 -0.250530 0.999 1.56e-02
## 205 2.82e-02 -5.73e-02 5.09e-03 -2.80e-02 0.073945 1.014 1.37e-03
## 475 4.75e-03 2.72e-02 -2.62e-02 -4.72e-03 -0.033297 1.040 2.78e-04
## 104 -3.46e-03 -1.10e-03 -3.09e-03 3.48e-03 -0.005944 1.021 8.85e-06
## 210 3.96e-03 4.43e-03 -4.95e-03 -3.95e-03 0.008755 1.014 1.92e-05
## 471 -2.55e-03 -7.51e-03 2.72e-03 2.56e-03 0.009167 1.017 2.11e-05
## 66 -7.18e-03 3.55e-03 -6.38e-03 7.20e-03 -0.010762 1.018 2.90e-05
## 88 2.63e-02 1.55e-02 -1.71e-02 -2.62e-02 0.037699 1.016 3.56e-04
## 667 -2.90e-02 1.53e-02 -3.69e-03 2.90e-02 0.038380 1.014 3.69e-04
## 309 -4.02e-04 -6.90e-03 1.58e-02 3.43e-04 -0.018077 1.017 8.19e-05
## 596 3.83e-02 4.24e-03 7.25e-03 -3.84e-02 -0.049095 1.011 6.03e-04
## 294 -7.67e-04 -5.57e-02 1.59e-02 8.25e-04 -0.085961 0.995 1.84e-03
## 421 1.59e-04 9.43e-02 -7.82e-02 -4.34e-05 0.123710 0.996 3.82e-03
## 703 -7.57e-02 3.67e-02 4.01e-02 7.54e-02 0.115280 1.006 3.32e-03
## 430 4.70e-02 1.05e-01 3.69e-02 -4.75e-02 -0.168794 0.991 7.09e-03
## 512 -1.36e-02 1.75e-02 -1.84e-02 1.37e-02 0.031899 1.012 2.55e-04
## 361 1.84e-02 -2.89e-01 3.71e-02 -1.76e-02 0.314731 1.011 2.46e-02
## 630 -7.30e-03 2.33e-03 -5.10e-03 7.32e-03 0.010357 1.016 2.69e-05
## 480 -2.91e-02 -1.51e-01 -1.90e-02 2.97e-02 0.189047 1.019 8.92e-03
## 15 -7.69e-02 7.50e-02 8.38e-03 7.66e-02 -0.123891 1.011 3.84e-03
## 486 -1.76e-02 -4.12e-02 -6.21e-03 1.78e-02 0.060592 1.013 9.19e-04
## 254 3.38e-02 3.58e-02 -1.01e-02 -3.38e-02 0.068719 1.004 1.18e-03
## 213 6.86e-03 -6.68e-03 5.74e-03 -6.86e-03 0.013216 1.013 4.38e-05
## 458 1.56e-02 -2.29e-02 3.28e-02 -1.57e-02 -0.043871 1.014 4.82e-04
## 290 -3.54e-03 2.93e-02 9.51e-04 3.41e-03 -0.051303 1.005 6.58e-04
## 491 -1.45e-02 1.53e-02 -3.86e-02 1.46e-02 0.046692 1.016 5.46e-04
## 576 2.90e-02 8.89e-02 -7.58e-03 -2.92e-02 -0.103450 1.044 2.68e-03
## 178 -2.13e-02 1.64e-03 -3.72e-03 2.13e-02 -0.035306 1.008 3.12e-04
## 428 8.65e-02 -2.47e-01 3.98e-01 -8.77e-02 -0.433153 0.974 4.63e-02
## 562 -3.69e-02 5.53e-02 -5.08e-03 3.68e-02 0.085560 1.003 1.83e-03
## 115 5.93e-02 2.77e-02 -2.62e-02 -5.92e-02 0.079524 1.009 1.58e-03
## 165 -4.50e-02 -2.54e-02 -9.74e-03 4.51e-02 -0.083849 0.997 1.75e-03
## 377 9.95e-04 2.40e-02 -2.86e-02 -9.13e-04 0.045413 1.008 5.16e-04
## 194 -4.49e-03 3.54e-04 5.47e-04 4.48e-03 -0.007404 1.011 1.37e-05
## 230 6.69e-03 2.72e-03 3.95e-03 -6.71e-03 0.012993 1.012 4.23e-05
## 603 -2.45e-02 -3.05e-02 -1.96e-02 2.47e-02 0.057376 1.025 8.24e-04
## 389 6.50e-04 3.26e-02 -2.57e-02 -6.07e-04 0.050021 1.007 6.26e-04
## 694 -8.40e-02 -1.62e-02 2.91e-02 8.40e-02 0.108483 0.999 2.94e-03
## 87 8.88e-02 -8.33e-02 -2.40e-02 -8.84e-02 0.146732 1.009 5.38e-03

```

```

## 648 -1.45e-02  1.01e-02 -9.91e-03  1.45e-02  0.021168 1.016 1.12e-04
## 378  7.56e-04  1.46e-02 -9.02e-03 -7.42e-04  0.029975 1.008 2.25e-04
## 436  4.22e-02 -5.16e-02  9.97e-02 -4.26e-02 -0.125386 1.000 3.92e-03
## 519 -4.71e-02  4.68e-02 -2.13e-01  4.81e-02  0.235157 1.007 1.38e-02
## 592  5.25e-02  6.72e-02 -6.09e-02 -5.24e-02 -0.102007 1.015 2.60e-03
## 311 -1.91e-03  1.50e-02 -6.56e-02  2.14e-03 -0.082084 1.005 1.68e-03
## 155 -3.73e-02 -4.92e-02  1.06e-01  3.69e-02 -0.122653 1.011 3.76e-03
## 166 -2.88e-02  2.78e-02 -7.45e-03  2.87e-02 -0.053417 1.007 7.14e-04
## 207 -8.27e-03 -4.67e-03 -1.79e-03  8.29e-03 -0.015419 1.012 5.96e-05
## 674 -5.54e-02  3.61e-02 -2.79e-02  5.54e-02  0.077357 1.010 1.50e-03
## 468  2.00e-02 -3.04e-02  2.22e-02 -2.00e-02 -0.046955 1.010 5.52e-04
## 105  1.52e-01 -1.14e-01 -1.85e-01 -1.51e-01  0.329846 0.995 2.70e-02
## 75   2.44e-03  2.48e-03 -2.04e-03 -2.43e-03  0.004081 1.020 4.17e-06
## 280 -9.29e-03  1.16e-01 -4.03e-02  9.05e-03 -0.141637 0.989 4.99e-03
## 636 -5.78e-03 -1.64e-03  1.26e-03  5.78e-03  0.007446 1.014 1.39e-05
## 440  3.17e-02  5.48e-02 -2.96e-02 -3.18e-02 -0.082729 1.003 1.71e-03
## 656 -5.15e-02 -2.42e-02 -1.10e-02  5.16e-02  0.073661 1.010 1.36e-03
## 251  3.63e-02  2.91e-02 -1.81e-02 -3.63e-02  0.068602 1.002 1.18e-03
## 231  1.43e-02  1.63e-02 -9.22e-03 -1.43e-02  0.029728 1.011 2.21e-04
## 52   -5.49e-02 -1.49e-02 -2.35e-02  5.51e-02 -0.076863 1.011 1.48e-03
## 520  6.68e-03 -1.26e-03 -1.79e-02 -6.60e-03 -0.023375 1.020 1.37e-04
## 704 -7.57e-02  3.67e-02  4.01e-02  7.54e-02  0.115280 1.006 3.32e-03
## 463  2.50e-02 -2.36e-02  5.42e-03 -2.50e-02 -0.049635 1.007 6.16e-04
## 100  5.51e-02  8.13e-02 -1.01e-01 -5.48e-02  0.129762 1.025 4.21e-03
## 407  8.61e-03 -9.25e-02  1.21e-02 -8.31e-03  0.125886 0.988 3.94e-03
## 591  4.75e-02 -1.11e-02  3.16e-02 -4.76e-02 -0.066855 1.011 1.12e-03
## 141  9.02e-02  2.44e-02  3.86e-02 -9.04e-02  0.126223 1.001 3.98e-03
## 412 -5.88e-05  3.01e-02  1.51e-02 -8.58e-05  0.055406 1.008 7.68e-04
## 672 -3.72e-02  1.50e-02 -2.76e-03  3.72e-02  0.047772 1.012 5.71e-04
## 679 -6.49e-02 -5.30e-02  5.10e-02  6.48e-02  0.103021 1.008 2.65e-03
## 470 -1.21e-02 -3.69e-02 -6.06e-03  1.23e-02  0.050914 1.018 6.49e-04
## 36   -3.91e-02  8.66e-04  9.01e-03  3.91e-02 -0.048175 1.012 5.81e-04
## 114  1.26e-02  2.95e-03  1.16e-02 -1.26e-02  0.021317 1.020 1.14e-04
## 642 -1.40e-03  1.26e-03 -1.07e-03  1.40e-03  0.002181 1.018 1.19e-06
## 362  2.23e-03  7.13e-02 -1.66e-01 -1.63e-03  0.173712 1.021 7.54e-03
## 386  2.49e-05  3.02e-02 -1.55e-02 -3.11e-05  0.039328 1.011 3.87e-04
## 273  4.29e-02  1.78e-02  5.23e-02 -4.32e-02  0.100719 1.000 2.53e-03
## 196 -8.10e-03 -3.22e-03  1.83e-04  8.10e-03 -0.014061 1.011 4.95e-05
## 86   -1.70e-02 -6.77e-03 -9.13e-03  1.70e-02 -0.025851 1.017 1.67e-04
## 138  7.12e-02  4.03e-02  2.21e-02 -7.14e-02  0.106866 1.008 2.85e-03
## 344 -1.34e-04 -8.04e-03 -3.33e-04  1.54e-04 -0.014100 1.011 4.98e-05
## 211 -1.01e-02 -8.32e-03 -4.34e-03  1.02e-02 -0.021254 1.012 1.13e-04
## 517 -1.66e-02  4.41e-03 -4.40e-03  1.66e-02  0.030339 1.009 2.30e-04
## 641  1.83e-02  1.14e-02 -2.49e-02 -1.82e-02 -0.033739 1.021 2.85e-04
## 686 -1.04e-01 -6.85e-02 -3.25e-02  1.05e-01  0.165499 0.992 6.82e-03
## 586  7.51e-02 -2.40e-02  2.75e-02 -7.52e-02 -0.097228 1.003 2.36e-03
## 670 -6.05e-03  2.19e-03  4.50e-03  6.03e-03  0.009657 1.019 2.34e-05
## 692 -3.65e-02  1.62e-02  2.58e-02  3.64e-02  0.058783 1.016 8.65e-04
## 443  3.57e-02  2.29e-02 -1.66e-02 -3.58e-02 -0.070735 0.999 1.25e-03
## 339  5.35e-03 -1.03e-01  7.29e-02 -5.34e-03  0.112016 1.038 3.14e-03
## 122  2.98e-02 -2.82e-03  3.12e-02 -2.99e-02  0.049418 1.019 6.12e-04
## 202 -1.02e-02 -5.31e-05 -7.63e-03  1.02e-02 -0.019063 1.012 9.10e-05
## 530 -8.32e-03  2.26e-03  1.68e-02  8.24e-03  0.024391 1.016 1.49e-04
## 544 -2.07e-02  1.76e-02  1.64e-02  2.06e-02  0.047447 1.010 5.63e-04

```

```

## 638 -5.23e-03 -5.22e-03 5.41e-03 5.22e-03 0.009183 1.019 2.11e-05
## 467 6.61e-03 -1.24e-02 1.93e-02 -6.67e-03 -0.023007 1.020 1.33e-04
## 342 -2.14e-05 -1.46e-02 4.60e-03 3.71e-05 -0.019826 1.012 9.85e-05
## 99 1.54e-02 -6.99e-03 1.82e-02 -1.54e-02 0.026025 1.021 1.70e-04
## 371 1.10e-03 3.15e-02 -4.86e-02 -9.46e-04 0.060901 1.010 9.28e-04
## 380 2.84e-04 1.01e-03 1.04e-02 -3.30e-04 0.015939 1.012 6.36e-05
## 97 1.38e-02 1.00e-02 -3.26e-03 -1.38e-02 0.019932 1.017 9.95e-05
## 49 -1.57e-02 -8.90e-04 6.55e-03 1.57e-02 -0.020088 1.015 1.01e-04
## 242 1.83e-02 -1.31e-03 1.98e-02 -1.83e-02 0.037304 1.011 3.48e-04
## 175 -2.72e-02 -2.61e-02 2.38e-02 2.72e-02 -0.055043 1.007 7.58e-04
## 566 -3.13e-02 2.90e-02 4.32e-02 3.10e-02 0.085741 1.008 1.84e-03
## 260 3.95e-02 6.55e-02 -3.42e-02 -3.95e-02 0.095875 1.002 2.30e-03
## 437 4.99e-02 -7.67e-02 8.91e-02 -5.02e-02 -0.131611 0.994 4.32e-03
## 521 -7.80e-04 4.06e-04 1.23e-03 7.73e-04 0.002086 1.015 1.09e-06
## 174 -4.11e-02 9.35e-03 -5.98e-02 4.14e-02 -0.092963 1.002 2.16e-03
## 671 -1.98e-02 1.13e-02 3.49e-03 1.98e-02 0.027829 1.016 1.94e-04
## 42 -3.49e-02 4.23e-02 -4.08e-02 3.50e-02 -0.063875 1.022 1.02e-03
## 183 -2.10e-02 -4.92e-02 4.46e-02 2.10e-02 -0.067196 1.015 1.13e-03
## 347 8.24e-03 -3.13e-02 -1.63e-01 -7.32e-03 0.208181 1.010 1.08e-02
## 374 2.99e-03 -1.56e-02 -6.98e-03 -2.88e-03 0.045578 1.004 5.20e-04
## 74 6.70e-02 -4.80e-02 -2.48e-02 -6.67e-02 0.103777 1.012 2.69e-03
## 549 -3.17e-02 -2.26e-02 4.86e-02 3.16e-02 0.075654 1.004 1.43e-03
## 425 6.80e-03 -9.13e-03 -7.23e-02 -6.36e-03 0.128097 0.975 4.07e-03
## 483 2.00e-02 -2.68e-02 -5.02e-03 -1.99e-02 -0.046629 1.011 5.44e-04
## 118 5.37e-02 2.98e-02 -1.73e-02 -5.37e-02 0.072960 1.010 1.33e-03
## 271 4.74e-02 4.26e-02 3.90e-03 -4.76e-02 0.095510 0.995 2.28e-03
## 555 -2.85e-02 4.03e-02 6.12e-03 2.84e-02 0.067509 1.008 1.14e-03
## 535 -1.19e-02 1.10e-02 1.27e-02 1.18e-02 0.029823 1.014 2.23e-04
## 357 1.67e-03 -2.47e-02 2.40e-02 -1.69e-03 0.033560 1.015 2.82e-04
## 252 2.70e-02 4.27e-02 -1.39e-02 -2.70e-02 0.064194 1.008 1.03e-03
## 448 3.87e-02 -6.52e-02 5.83e-02 -3.88e-02 -0.098966 1.002 2.45e-03
## 411 -4.14e-05 5.05e-02 -1.62e-02 -1.35e-05 0.067032 1.005 1.12e-03
## 637 2.90e-02 -1.05e-02 -1.24e-02 -2.89e-02 -0.040876 1.015 4.18e-04
## 533 -2.30e-02 -3.16e-02 5.05e-02 2.29e-02 0.067318 1.010 1.13e-03
## 61 6.03e-02 -6.76e-02 -2.68e-03 -6.01e-02 0.102350 1.017 2.62e-03
## 54 -9.70e-03 -3.29e-03 6.74e-03 9.68e-03 -0.013576 1.017 4.62e-05
## 308 -1.76e-03 5.99e-03 -3.62e-02 1.88e-03 -0.056447 1.005 7.97e-04
## 582 1.36e-01 -1.11e-01 1.21e-02 -1.36e-01 -0.199895 0.981 9.92e-03
## 240 4.51e-02 -5.30e-02 3.06e-03 -4.50e-02 0.090406 1.001 2.04e-03
## 179 -2.76e-02 1.47e-02 -3.47e-02 2.77e-02 -0.057105 1.008 8.16e-04
## 370 6.47e-04 2.18e-02 -2.37e-02 -5.87e-04 0.037215 1.010 3.47e-04
## 272 5.70e-02 1.43e-01 -1.43e-01 -5.68e-02 0.197884 0.994 9.75e-03
## 76 2.78e-02 -8.29e-03 1.12e-03 -2.78e-02 0.034242 1.014 2.94e-04
## 493 8.22e-03 -1.04e-02 2.93e-03 -8.21e-03 -0.017577 1.012 7.74e-05
## 224 3.09e-03 3.31e-03 4.19e-05 -3.10e-03 0.006512 1.013 1.06e-05
## 624 3.63e-02 6.09e-04 -2.16e-02 -3.62e-02 -0.050338 1.013 6.34e-04
## 164 -3.54e-02 4.20e-02 -3.26e-02 3.54e-02 -0.071753 1.006 1.29e-03
## 13 -1.24e-01 -2.21e-03 3.06e-02 1.24e-01 -0.152595 0.987 5.79e-03
## 125 7.19e-02 1.02e-02 5.97e-04 -7.20e-02 0.088389 1.005 1.95e-03
## 14 -1.49e-01 -2.77e-02 -4.51e-02 1.49e-01 -0.194992 0.974 9.43e-03
## 675 -6.67e-02 1.28e-02 -2.09e-02 6.68e-02 0.085012 1.005 1.81e-03
## 563 -3.90e-02 6.78e-02 -2.18e-02 3.89e-02 0.094486 1.002 2.23e-03
## 64 -2.51e-02 6.44e-03 -2.39e-02 2.52e-02 -0.038943 1.018 3.80e-04
## 33 -3.35e-02 -3.15e-03 2.47e-02 3.34e-02 -0.047806 1.015 5.72e-04

```



```

## 611 2.62e-02 1.72e-03 1.06e-03 -2.62e-02 -0.032724 1.013 2.68e-04
## 334 -1.22e-04 -2.43e-03 2.35e-03 1.16e-04 -0.004852 1.011 5.90e-06
## 95 2.26e-04 -5.80e-05 2.51e-04 -2.27e-04 0.000377 1.020 3.56e-08
## 639 -1.18e-02 4.78e-03 -6.70e-03 1.19e-02 0.016139 1.015 6.52e-05
## 376 4.22e-04 1.19e-02 -2.79e-03 -4.34e-04 0.022716 1.010 1.29e-04
## 269 3.41e-02 3.44e-02 3.42e-02 -3.43e-02 0.087743 1.006 1.92e-03
## 333 1.62e-04 1.35e-03 -2.57e-03 -1.52e-04 0.004395 1.011 4.84e-06
## 219 1.59e-02 2.67e-02 -3.84e-02 -1.57e-02 0.048434 1.017 5.87e-04
## 658 -7.64e-02 -8.65e-02 -2.29e-02 7.68e-02 0.148014 1.007 5.47e-03
## 588 7.25e-02 -7.84e-03 -3.74e-03 -7.25e-02 -0.089903 1.003 2.02e-03
## 53 1.36e-02 2.87e-03 -1.49e-02 -1.36e-02 0.022373 1.020 1.25e-04
## 367 2.68e-03 -7.94e-03 -1.78e-02 -2.54e-03 0.044945 1.005 5.05e-04
## 601 6.34e-02 -5.68e-02 3.83e-02 -6.35e-02 -0.096117 1.010 2.31e-03
## 499 -8.91e-03 1.15e-02 -1.51e-02 8.95e-03 0.022465 1.014 1.26e-04
## 594 1.83e-02 -1.67e-02 3.53e-02 -1.84e-02 -0.041938 1.028 4.41e-04
## 659 -3.40e-02 -3.71e-03 -7.60e-04 3.41e-02 0.042650 1.012 4.55e-04
## 177 3.77e-02 -1.17e-01 -2.07e-02 -3.72e-02 0.149656 1.029 5.60e-03
## 695 -5.37e-02 2.39e-02 2.94e-02 5.35e-02 0.081258 1.012 1.65e-03
## 416 2.15e-03 2.78e-02 -1.87e-02 -2.10e-03 0.069139 0.995 1.19e-03
## 631 1.83e-03 -8.94e-04 1.10e-03 -1.84e-03 -0.002543 1.016 1.62e-06
## 274 -8.49e-03 -1.76e-01 4.47e-01 6.81e-03 -0.479012 0.911 5.58e-02
## 256 2.92e-02 3.40e-02 8.63e-03 -2.93e-02 0.066539 1.007 1.11e-03
## 415 4.36e-03 -4.27e-02 5.40e-02 -4.44e-03 0.085885 0.996 1.84e-03
## 168 -2.72e-02 -2.77e-02 4.91e-02 2.71e-02 -0.067490 1.010 1.14e-03
## 466 8.14e-03 7.64e-03 -1.91e-03 -8.17e-03 -0.017284 1.011 7.48e-05
## 459 2.93e-02 4.90e-03 -3.73e-02 -2.91e-02 -0.065375 1.005 1.07e-03
## 494 3.46e-03 5.42e-03 -7.91e-03 -3.44e-03 -0.010495 1.016 2.76e-05
## 191 2.70e-04 1.43e-04 -4.23e-04 -2.68e-04 0.000614 1.014 9.46e-08
## 331 -5.98e-05 -1.94e-02 1.00e-02 6.27e-05 -0.025762 1.012 1.66e-04
## 259 3.46e-02 3.14e-02 1.37e-02 -3.47e-02 0.074097 1.004 1.37e-03
## 669 -3.96e-03 1.59e-03 2.87e-03 3.94e-03 0.006338 1.019 1.01e-05
## 31 -6.29e-02 3.78e-03 -5.85e-03 6.29e-02 -0.076213 1.007 1.45e-03
## 418 6.22e-04 1.71e-02 3.76e-02 -8.26e-04 0.068178 1.006 1.16e-03
## 545 -1.51e-02 1.40e-02 2.08e-02 1.49e-02 0.041247 1.014 4.26e-04
## 18 -5.67e-02 -9.79e-03 5.24e-02 5.65e-02 -0.086871 1.013 1.89e-03
## 154 -5.40e-02 -3.84e-02 4.13e-02 5.39e-02 -0.102589 0.991 2.62e-03
## 67 2.74e-02 -7.10e-03 -3.50e-03 -2.73e-02 0.034124 1.014 2.92e-04
## 384 4.08e-04 8.84e-03 7.54e-03 -4.58e-04 0.024935 1.010 1.56e-04
## 277 -1.52e-02 2.17e-01 -1.06e-01 1.50e-02 -0.248802 0.960 1.53e-02
## 354 5.14e-04 -2.43e-03 4.20e-03 -5.20e-04 0.010151 1.010 2.58e-05
## 34 -8.48e-02 1.31e-03 -5.94e-02 8.51e-02 -0.122467 1.004 3.74e-03
## 143 -1.12e-01 -8.69e-02 1.56e-01 1.11e-01 -0.243988 0.929 1.46e-02
## 50 -3.31e-02 6.61e-04 -2.52e-03 3.31e-02 -0.040166 1.013 4.04e-04
## 482 1.08e-02 1.68e-02 -2.84e-02 -1.07e-02 -0.035214 1.016 3.11e-04
## 406 1.01e-03 8.17e-03 2.72e-02 -1.14e-03 0.051750 1.006 6.70e-04
## 481 -2.25e-03 -1.26e-03 -6.29e-04 2.26e-03 0.004603 1.012 5.31e-06
## 610 2.93e-02 3.06e-02 -3.10e-02 -2.93e-02 -0.052365 1.018 6.87e-04
## 152 -1.76e-02 6.06e-02 -1.01e-02 1.74e-02 -0.067481 1.032 1.14e-03
## 94 1.75e-02 1.11e-03 6.19e-03 -1.75e-02 0.022637 1.015 1.28e-04
## 127 1.07e-01 -1.13e-01 7.04e-02 -1.07e-01 0.169494 1.001 7.16e-03
## 332 1.22e-04 2.56e-03 -3.84e-03 -1.09e-04 0.005292 1.013 7.02e-06
## 323 -3.78e-04 -5.80e-03 9.92e-03 3.43e-04 -0.013806 1.012 4.77e-05
## 368 1.48e-03 9.87e-03 -2.15e-02 -1.39e-03 0.037544 1.007 3.53e-04
## 353 -1.80e-04 -3.76e-03 -6.10e-03 2.15e-04 -0.013364 1.012 4.47e-05

```

```

## 35 -3.02e-02 2.85e-02 -1.40e-02 3.01e-02 -0.045248 1.018 5.13e-04
## 688 -6.37e-02 1.24e-02 1.14e-02 6.37e-02 0.080947 1.006 1.64e-03
## 402 1.78e-03 -3.21e-02 7.10e-02 -2.00e-03 0.077030 1.019 1.49e-03
## 699 -6.88e-02 4.18e-02 1.09e-02 6.86e-02 0.097515 1.007 2.38e-03
## 68 7.88e-03 3.36e-03 -3.34e-03 -7.88e-03 0.010447 1.016 2.73e-05
## 360 -8.77e-06 -8.14e-03 -4.64e-03 5.00e-05 -0.015747 1.013 6.21e-05
## 653 -5.14e-03 3.97e-03 -2.01e-03 5.14e-03 0.007340 1.017 1.35e-05
## 575 1.10e-01 4.63e-02 6.73e-03 -1.10e-01 -0.149531 0.988 5.56e-03
## 11 -1.59e-01 2.82e-03 -6.13e-02 1.59e-01 -0.204214 0.969 1.03e-02
## 149 -7.19e-02 -5.40e-04 -7.59e-02 7.22e-02 -0.147268 0.976 5.38e-03
## 446 -4.28e-03 -2.22e-02 -2.79e-03 4.37e-03 0.027759 1.031 1.93e-04
## 527 -2.44e-02 2.93e-02 -2.40e-02 2.44e-02 0.053133 1.008 7.06e-04
## 199 2.19e-02 -5.46e-02 2.00e-02 -2.18e-02 0.063499 1.018 1.01e-03
## 498 -3.27e-03 -3.29e-03 4.33e-03 3.26e-03 0.007641 1.013 1.46e-05
## 310 -1.02e-03 -1.48e-03 1.05e-02 9.66e-04 -0.020668 1.010 1.07e-04
## 565 -6.06e-02 -1.80e-01 4.15e-02 6.11e-02 0.222694 0.974 1.23e-02
## 644 1.86e-02 3.44e-03 -1.85e-02 -1.85e-02 -0.029736 1.018 2.21e-04
## 646 -2.06e-02 -1.50e-02 1.19e-02 2.06e-02 0.030799 1.015 2.38e-04
## 295 -3.66e-03 3.37e-02 -3.13e-02 3.66e-03 -0.062859 1.002 9.87e-04
## 572 1.31e-01 1.37e-01 -1.16e-01 -1.31e-01 -0.226071 0.980 1.27e-02
## 346 -7.27e-05 -1.23e-02 -3.49e-02 2.59e-04 -0.053331 1.013 7.12e-04
## 235 9.65e-03 6.31e-03 4.77e-03 -9.68e-03 0.019565 1.012 9.59e-05
## 618 3.82e-03 -3.14e-03 5.32e-03 -3.84e-03 -0.007143 1.022 1.28e-05
## 505 3.86e-03 1.64e-03 -7.94e-03 -3.83e-03 -0.010668 1.015 2.85e-05
## 157 -6.23e-02 -4.60e-02 -2.88e-02 6.26e-02 -0.128565 0.984 4.11e-03
## 120 5.39e-02 -3.14e-03 2.17e-02 -5.40e-02 0.069370 1.010 1.20e-03
## 372 2.54e-03 -2.67e-02 2.20e-02 -2.54e-03 0.042768 1.008 4.58e-04
## 318 -1.20e-03 6.62e-03 -9.01e-04 1.17e-03 -0.018525 1.009 8.59e-05
## 550 -5.13e-02 2.27e-02 -1.08e-01 5.18e-02 0.145628 0.990 5.28e-03
## 500 9.67e-03 -1.37e-02 -2.08e-03 -9.63e-03 -0.022922 1.013 1.32e-04
## 198 8.74e-03 -7.18e-03 -7.69e-04 -8.71e-03 0.016102 1.012 6.49e-05
## 613 1.68e-02 7.05e-03 -1.81e-03 -1.69e-02 -0.022434 1.014 1.26e-04
## 391 9.63e-03 -1.45e-01 6.93e-02 -9.44e-03 0.160826 1.000 6.45e-03
## 337 4.58e-03 -8.11e-02 4.97e-02 -4.54e-03 0.087224 1.027 1.90e-03
## 106 1.81e-02 4.92e-03 7.77e-03 -1.82e-02 0.025398 1.016 1.62e-04
## 285 -2.47e-03 3.31e-02 5.33e-03 2.33e-03 -0.041468 1.028 4.31e-04
## 23 -7.12e-02 1.00e-02 1.89e-03 7.11e-02 -0.086212 1.006 1.86e-03
## 654 -2.12e-02 2.50e-02 -2.55e-02 2.12e-02 0.039145 1.022 3.84e-04
## 1 -2.04e-01 6.89e-02 1.11e-01 2.03e-01 -0.293106 0.947 2.11e-02
## 584 4.73e-02 2.03e-02 2.72e-02 -4.76e-02 -0.075108 1.012 1.41e-03
## 241 3.75e-02 -1.16e-02 -1.18e-02 -3.74e-02 0.064328 1.002 1.03e-03
## 51 4.63e-03 -1.56e-03 -1.82e-03 -4.62e-03 0.006308 1.017 9.97e-06
## 255 2.42e-02 2.42e-02 1.65e-02 -2.44e-02 0.057144 1.009 8.17e-04
## 300 -3.02e-04 4.38e-03 -8.18e-04 2.91e-04 -0.004876 1.023 5.96e-06
## 45 -6.13e-02 9.50e-04 -4.29e-02 6.15e-02 -0.088527 1.010 1.96e-03
## 121 4.44e-02 1.19e-02 1.20e-02 -4.45e-02 0.059104 1.012 8.74e-04
## 506 -4.04e-03 -4.76e-03 8.47e-03 4.02e-03 0.011379 1.015 3.24e-05
## 201 2.78e-04 2.19e-04 -3.06e-04 -2.77e-04 0.000567 1.013 8.06e-08
## 393 1.18e-03 -2.49e-03 2.51e-02 -1.27e-03 0.040173 1.008 4.04e-04
## 589 -1.98e-02 -3.77e-02 -1.11e-02 2.00e-02 0.055233 1.032 7.64e-04
## 223 1.96e-02 1.06e-02 -1.93e-02 -1.95e-02 0.037939 1.010 3.60e-04
## 146 -5.49e-02 -4.96e-02 1.59e-01 5.43e-02 -0.183685 1.002 8.41e-03
## 25 -7.66e-02 3.48e-02 -4.32e-02 7.67e-02 -0.102818 1.006 2.64e-03
## 312 -7.09e-05 -3.36e-04 1.72e-03 6.31e-05 -0.002069 1.016 1.07e-06

```

```

## 150 -5.01e-02  1.92e-02  2.85e-02  4.99e-02 -0.091715 0.996 2.10e-03
## 423  2.20e-04  1.67e-02  5.53e-02 -5.07e-04  0.082288 1.009 1.69e-03
## 620 -2.96e-02 -2.37e-02 -1.79e-02  2.97e-02  0.054766 1.018 7.51e-04
## 2   -2.04e-01 -1.19e-01  1.96e-01  2.04e-01 -0.319978 0.943 2.52e-02
## 161 -1.02e-02  2.10e-02  8.57e-03  1.01e-02 -0.032126 1.023 2.59e-04
## 513 -4.12e-02  1.83e-02 -1.64e-01  4.20e-02  0.190678 1.008 9.07e-03
## 689 -6.71e-02  5.74e-02 -3.94e-02  6.72e-02  0.100276 1.008 2.51e-03
## 186 -2.88e-02 -3.36e-02 -8.51e-03  2.89e-02 -0.065686 1.007 1.08e-03
## 135  9.13e-02  7.32e-02 -6.80e-02 -9.12e-02  0.140997 1.002 4.96e-03
## 472  1.15e-02 -2.68e-02  3.15e-02 -1.16e-02 -0.039938 1.020 3.99e-04
## 585  8.15e-02 -5.33e-03 -5.69e-03 -8.15e-02 -0.101046 1.000 2.55e-03
## 560 -3.29e-02  4.40e-02  8.25e-03  3.28e-02  0.076711 1.005 1.47e-03
## 394  4.34e-06  9.09e-04  5.88e-03 -3.30e-05  0.007687 1.020 1.48e-05
## 263  5.74e-02  6.84e-02 -9.10e-02 -5.71e-02  0.137420 0.991 4.70e-03
## 462  8.89e-03 -2.34e-03  1.17e-02 -8.95e-03 -0.020297 1.012 1.03e-04
## 206 -1.89e-02 -1.26e-02 -2.14e-02  1.91e-02 -0.045972 1.012 5.29e-04
## 192 -1.52e-02 -2.44e-03 -5.77e-03  1.52e-02 -0.026645 1.010 1.78e-04
## 268  4.67e-02  8.94e-02 -6.05e-02 -4.66e-02  0.124274 0.998 3.85e-03
## 622  2.18e-03 -2.06e-03  3.13e-03 -2.19e-03 -0.004178 1.023 4.37e-06
## 593  7.72e-02 -6.59e-02  3.29e-02 -7.72e-02 -0.113497 1.005 3.22e-03
## 237  3.26e-02 -2.93e-02  1.68e-02 -3.26e-02  0.059810 1.006 8.95e-04
## 65   2.94e-02 -5.34e-03 -9.20e-03 -2.94e-02  0.037616 1.014 3.54e-04
## 626  3.35e-02  3.44e-03 -2.13e-02 -3.34e-02 -0.046773 1.013 5.48e-04
## 635 -4.02e-02 -8.40e-02  3.97e-02  4.03e-02  0.100015 1.025 2.50e-03
## 445  3.37e-02  2.16e-02 -1.57e-02 -3.38e-02 -0.066737 1.000 1.11e-03
## 330 -2.68e-04 -4.47e-03  4.58e-03  2.55e-04 -0.009618 1.011 2.32e-05
## 676 -9.27e-02 -1.34e-01  4.99e-02  9.29e-02  0.181601 1.001 8.22e-03
## 246  2.47e-02  2.01e-02  2.87e-03 -2.47e-02  0.048640 1.008 5.92e-04
## 351  1.25e-03 -2.93e-03 -5.34e-03 -1.20e-03  0.021000 1.009 1.10e-04
## 315 -1.09e-03 -1.18e-02 -7.40e-03  1.14e-03 -0.040249 1.006 4.05e-04
## 666 -8.61e-03  4.88e-03  2.89e-03  8.59e-03  0.012632 1.017 4.00e-05
## 156 -5.16e-02  5.39e-02 -4.47e-02  5.16e-02 -0.101081 0.996 2.55e-03
## 410  5.68e-05  1.56e-02  2.77e-02 -2.20e-04  0.049196 1.012 6.06e-04
## 487 -4.42e-03  7.73e-04 -4.09e-03  4.44e-03  0.009138 1.012 2.09e-05
## 304 -8.64e-04  9.30e-03  1.58e-03  8.22e-04 -0.013109 1.015 4.30e-05
## 524  5.32e-04 -4.93e-04 -7.34e-04 -5.27e-04 -0.001457 1.016 5.32e-07
## 113  3.94e-02  1.71e-02  1.74e-03 -3.94e-02  0.052567 1.013 6.92e-04
## 515 -1.47e-02 -1.29e-03  3.34e-03  1.47e-02  0.026828 1.009 1.80e-04
## 682 -2.54e-02  1.02e-02  1.84e-02  2.53e-02  0.040647 1.018 4.14e-04
## 349  1.08e-03  2.78e-03 -1.21e-02 -1.02e-03  0.023005 1.010 1.33e-04
## 144 -7.42e-02  1.22e-02  1.53e-01  7.33e-02 -0.210240 0.985 1.10e-02
## 583  6.60e-02  1.93e-02  3.01e-02 -6.63e-02 -0.095761 1.006 2.29e-03
## 162 -7.60e-03  1.71e-02  5.67e-03  7.51e-03 -0.024727 1.025 1.53e-04
## 288 -1.06e-03 -4.09e-02 -7.57e-02  1.49e-03 -0.142875 0.981 5.07e-03
## 366  3.85e-03 -2.88e-02 -1.16e-02 -3.68e-03  0.057282 1.005 8.21e-04
## 396 -5.36e-05  2.29e-02  3.68e-03 -2.14e-05  0.035908 1.011 3.23e-04
## 532 -2.01e-02  2.05e-02  1.49e-03  2.00e-02  0.041691 1.009 4.35e-04
## 606  8.15e-02 -5.82e-03 -8.45e-02 -8.11e-02 -0.137599 1.006 4.73e-03
## 28   -8.05e-02 -3.80e-02  1.05e-02  8.05e-02 -0.106603 1.003 2.84e-03
## 433  6.48e-02  1.11e-02 -6.11e-02 -6.46e-02 -0.132569 0.974 4.36e-03
## 327  5.57e-04  6.69e-04 -8.70e-03 -5.12e-04  0.012440 1.013 3.88e-05
## 364  2.07e-03 -8.02e-03 -6.67e-03 -1.99e-03  0.032806 1.007 2.69e-04
## 546 -2.91e-02 -5.69e-02  8.22e-02  2.89e-02  0.102012 1.010 2.60e-03
## 261  3.57e-02  5.37e-02 -5.80e-03 -3.58e-02  0.085067 1.004 1.81e-03

```

```

## 128  6.79e-02  7.20e-02 -5.82e-02 -6.78e-02  0.115692 1.011 3.35e-03
## 598  6.74e-02  1.28e-02 -4.54e-02 -6.73e-02 -0.095067 1.006 2.26e-03
## 702 -8.75e-02  6.75e-02 -6.27e-03  8.74e-02  0.126583 1.002 4.00e-03
## 690 -6.01e-02  2.17e-02  6.35e-03  6.00e-02  0.077960 1.008 1.52e-03
## 289 -2.05e-03 -2.42e-02  5.46e-02  1.84e-03 -0.069871 1.006 1.22e-03
## 111 -4.44e-04 -6.88e-05 -5.68e-04  4.47e-04 -0.000863 1.024 1.87e-07
## 684 -3.58e-02  1.15e-02  2.16e-02  3.57e-02  0.053310 1.015 7.11e-04
## 465  4.67e-03 -2.48e-03  8.25e-03 -4.70e-03 -0.011923 1.014 3.56e-05
## 96   2.05e-02  9.67e-03 -2.67e-03 -2.05e-02  0.027111 1.015 1.84e-04
## 665 -4.30e-02  2.77e-03 -4.09e-03  4.31e-02  0.053396 1.010 7.14e-04
##      hat inf
## 284 0.01919  *
## 101 0.00689
## 623 0.00657
## 645 0.00923
## 400 0.00237
## 98  0.00842
## 103 0.01249
## 602 0.01182
## 326 0.00359
## 79  0.00832
## 270 0.00681
## 382 0.00286
## 184 0.00606
## 574 0.00791  *
## 4   0.00944  *
## 661 0.00684
## 552 0.01464
## 212 0.00583
## 195 0.00369
## 511 0.01063
## 479 0.00300
## 605 0.01665
## 634 0.00828
## 578 0.00957
## 510 0.00415
## 424 0.00794
## 379 0.00242
## 108 0.00896
## 131 0.01281
## 343 0.00349
## 41  0.01006
## 627 0.00902
## 298 0.01063
## 258 0.00740
## 629 0.00739
## 696 0.00847
## 182 0.00531
## 305 0.01326
## 358 0.01443
## 307 0.00608
## 668 0.01018
## 221 0.00666
## 561 0.01039

```

```

## 313 0.00940
## 136 0.00918
## 145 0.00484      *
## 123 0.01215
## 234 0.01033
## 608 0.00618
## 495 0.00739
## 534 0.00616
## 297 0.01189
## 208 0.00945
## 677 0.00761
## 569 0.01907      *
## 522 0.00628
## 248 0.00857
## 365 0.00236
## 643 0.01414
## 595 0.01561
## 434 0.00425
## 218 0.00609
## 508 0.00482
## 276 0.00237      *
## 169 0.01060
## 71  0.01193
## 573 0.00588
## 697 0.00887
## 485 0.00817
## 460 0.00402
## 60  0.01666      *
## 449 0.00557
## 548 0.00686
## 19  0.00930
## 319 0.00707
## 116 0.03061      *
## 660 0.00766
## 102 0.00963
## 214 0.00554
## 390 0.00425
## 597 0.00641
## 625 0.00803
## 160 0.01246
## 77  0.00716
## 529 0.00527
## 126 0.00976
## 262 0.00904
## 442 0.00627
## 181 0.00704
## 163 0.01338
## 474 0.00397
## 228 0.01051
## 628 0.00682
## 265 0.00532
## 427 0.00956
## 632 0.00768
## 249 0.00384

```

```
## 655 0.00865
## 40 0.01231
## 541 0.00742
## 497 0.00435
## 701 0.00951
## 450 0.00294
## 600 0.00592
## 363 0.00378
## 478 0.00527
## 403 0.00477
## 375 0.00271
## 335 0.00285
## 142 0.01563
## 444 0.00562
## 599 0.00668
## 640 0.01365
## 457 0.00677
## 188 0.00737
## 432 0.00894
## 488 0.00506
## 538 0.00479
## 657 0.00855
## 215 0.00352
## 540 0.00471
## 590 0.00763
## 296 0.00242
## 328 0.00552
## 147 0.01968
## 84 0.00817
## 83 0.00676
## 250 0.00740
## 621 0.00654
## 281 0.00298 *
## 431 0.00312 *
## 30 0.00795
## 10 0.00670
## 587 0.00788
## 441 0.01373
## 663 0.00788
## 345 0.00342
## 12 0.00828
## 293 0.01544
## 303 0.00293
## 338 0.00247
## 350 0.00595
## 581 0.00735
## 107 0.00734
## 543 0.00711
## 518 0.00323
## 691 0.00803
## 43 0.00815
## 189 0.00463
## 171 0.00444
## 39 0.00814
```

```

## 216 0.01966 *
## 291 0.00285
## 58 0.00662
## 395 0.00595
## 693 0.00683
## 456 0.00745
## 22 0.00826
## 170 0.00997
## 63 0.00711
## 547 0.00323
## 417 0.00749
## 70 0.00837
## 59 0.00836
## 484 0.00496
## 203 0.00576
## 227 0.00366
## 243 0.00874
## 413 0.00282
## 476 0.00336
## 650 0.00628
## 405 0.00258
## 397 0.00787
## 501 0.00687
## 429 0.01833
## 205 0.01004
## 475 0.03079 *
## 104 0.01215
## 210 0.00540
## 471 0.00893
## 66 0.01005
## 88 0.00876
## 667 0.00702
## 309 0.00866
## 596 0.00615
## 294 0.00357
## 421 0.00673
## 703 0.00951
## 430 0.00893
## 512 0.00527
## 361 0.02908 *
## 630 0.00773
## 480 0.02276
## 15 0.01273
## 486 0.00823
## 254 0.00444
## 213 0.00468
## 458 0.00747
## 290 0.00344
## 491 0.00922
## 576 0.03666 *
## 178 0.00324
## 428 0.02494 *
## 562 0.00554
## 115 0.00768

```

```

## 165 0.00384
## 377 0.00392
## 194 0.00325
## 230 0.00417
## 603 0.01794      *
## 389 0.00402
## 694 0.00632
## 87  0.01342
## 648 0.00852
## 378 0.00270
## 436 0.00807
## 519 0.02046
## 592 0.01324
## 311 0.00612
## 155 0.01244
## 166 0.00445
## 207 0.00384
## 674 0.00781
## 468 0.00548
## 105 0.02347      *
## 75  0.01152
## 280 0.00634
## 636 0.00620
## 440 0.00526
## 656 0.00739
## 251 0.00395
## 231 0.00463
## 52  0.00826
## 520 0.01229
## 704 0.00951
## 463 0.00382
## 100 0.02260      *
## 407 0.00504
## 591 0.00755
## 141 0.00826
## 412 0.00513
## 672 0.00654
## 679 0.00913
## 470 0.01148
## 36  0.00675
## 114 0.01196
## 642 0.00987
## 362 0.02269
## 386 0.00505
## 273 0.00595
## 196 0.00342
## 86  0.00961
## 138 0.00926
## 344 0.00345
## 211 0.00471
## 517 0.00300
## 641 0.01286
## 686 0.00886
## 586 0.00650

```



```

## 670 0.01038
## 692 0.01065
## 443 0.00330
## 339 0.03146      *
## 122 0.01177
## 202 0.00399
## 530 0.00847
## 544 0.00525
## 638 0.01107
## 467 0.01161
## 342 0.00451
## 99  0.01264
## 371 0.00628
## 380 0.00465
## 97  0.00864
## 49  0.00729
## 242 0.00476
## 175 0.00452
## 566 0.00774
## 260 0.00609
## 437 0.00671
## 521 0.00712
## 174 0.00582
## 671 0.00802
## 42  0.01597
## 183 0.01033
## 347 0.01931
## 374 0.00262
## 74  0.01157
## 549 0.00497
## 425 0.00360      *
## 483 0.00559
## 118 0.00777
## 271 0.00435
## 555 0.00582
## 535 0.00644
## 357 0.00785
## 252 0.00581
## 448 0.00651
## 411 0.00478
## 637 0.00803
## 533 0.00714
## 61  0.01430
## 54  0.00856
## 308 0.00365
## 582 0.00890
## 240 0.00534
## 179 0.00509
## 370 0.00430
## 272 0.01217
## 76  0.00688
## 493 0.00456
## 224 0.00470
## 624 0.00750

```

```

## 164 0.00530
## 13  0.00675
## 125 0.00655
## 14  0.00735  *
## 675 0.00625
## 563 0.00610
## 64  0.01050
## 33  0.00913
## 611 0.00589
## 334 0.00309
## 95  0.01202
## 639 0.00723
## 376 0.00285
## 269 0.00681
## 333 0.00312
## 219 0.01019
## 658 0.01265
## 588 0.00594
## 53  0.01213
## 367 0.00291
## 601 0.00939
## 499 0.00601
## 594 0.02037  *
## 659 0.00592
## 177 0.02699  *
## 695 0.00935
## 416 0.00246
## 631 0.00753
## 274 0.01563  *
## 256 0.00540
## 415 0.00377
## 168 0.00700
## 466 0.00366
## 459 0.00455
## 494 0.00759
## 191 0.00616
## 331 0.00477
## 259 0.00486
## 669 0.01051
## 31  0.00648
## 418 0.00495
## 545 0.00774
## 18  0.01052
## 154 0.00407
## 67  0.00706
## 384 0.00325
## 277 0.00869  *
## 354 0.00247
## 34  0.00895
## 143 0.00549  *
## 50  0.00646
## 482 0.00887
## 406 0.00370
## 481 0.00344

```

```

## 610 0.01140
## 152 0.02488      *
## 94  0.00722
## 127 0.01207
## 332 0.00468
## 323 0.00435
## 368 0.00303
## 353 0.00392
## 35  0.01074
## 688 0.00632
## 402 0.01366
## 699 0.00822
## 68  0.00753
## 360 0.00493
## 653 0.00831
## 575 0.00676
## 11  0.00720      *
## 149 0.00475
## 446 0.02276      *
## 527 0.00457
## 199 0.01248
## 498 0.00460
## 310 0.00284
## 565 0.00919      *
## 644 0.00998
## 646 0.00810
## 295 0.00326
## 572 0.01062
## 346 0.00787
## 235 0.00445
## 618 0.01376
## 505 0.00702
## 157 0.00458
## 120 0.00721
## 372 0.00381
## 318 0.00237
## 550 0.00687
## 500 0.00582
## 198 0.00437
## 613 0.00652
## 391 0.01103
## 337 0.02095      *
## 106 0.00826
## 285 0.02038      *
## 23  0.00657
## 654 0.01407
## 1   0.00963      *
## 584 0.00900
## 241 0.00362
## 51  0.00859
## 255 0.00579
## 300 0.01454
## 45  0.00895
## 121 0.00750

```

```


## 506 0.00674
## 201 0.00472
## 393 0.00362
## 589 0.02409      *
## 223 0.00436
## 146 0.01346
## 25  0.00813
## 312 0.00760
## 150 0.00420
## 423 0.00777
## 620 0.01181
## 2   0.01056      *
## 161 0.01513
## 513 0.01701
## 689 0.00909
## 186 0.00540
## 135 0.00996
## 472 0.01222
## 585 0.00592
## 560 0.00559
## 394 0.01145
## 263 0.00637
## 462 0.00449
## 206 0.00624
## 192 0.00352
## 268 0.00725
## 622 0.01465
## 593 0.00887
## 237 0.00426
## 65  0.00743
## 626 0.00754
## 635 0.01999      *
## 445 0.00330
## 330 0.00295
## 676 0.01295
## 246 0.00420
## 351 0.00236
## 315 0.00255
## 666 0.00882
## 156 0.00487
## 410 0.00658
## 487 0.00371
## 304 0.00722
## 524 0.00774
## 113 0.00749
## 515 0.00296
## 682 0.01051
## 349 0.00286
## 144 0.01047
## 583 0.00765
## 162 0.01649      *
## 288 0.00505
## 366 0.00378
## 396 0.00480

```


```
## 532 0.00426
## 606 0.01142
## 28 0.00741
## 433 0.00377 *
## 327 0.00462
## 364 0.00246
## 546 0.00994
## 261 0.00580
## 128 0.01188
## 598 0.00764
## 702 0.00863
## 690 0.00670
## 289 0.00523
## 111 0.01563
## 684 0.00896
## 465 0.00569
## 96 0.00741
## 665 0.00589
```

```
ols_plot_cooks_d_chart(f.q1)
```

Cook's D Chart



```
ols_plot_resid_stud(f.q1)
```



```
#large data set, 2p/n is small
#outliers in Xs
hii <- hatvalues(f.q1)
hii
```

```
##      284      101      623      645      400      98
## 0.019191804 0.006890599 0.006572749 0.009234775 0.002367064 0.008420847
##      103      602      326      79      270      382
## 0.012489524 0.011820605 0.003586949 0.008321407 0.006812617 0.002855285
##      184      574      4      661      552      212
## 0.006061339 0.007912326 0.009442609 0.006837389 0.014640649 0.005828954
##      195      511      479      605      634      578
## 0.003693511 0.010628387 0.003004981 0.016646112 0.008279874 0.009569211
##      510      424      379      108      131      343
## 0.004147021 0.007943388 0.002415701 0.008956361 0.012812038 0.003492896
##      41      627      298      258      629      696
## 0.010057762 0.009019624 0.010631535 0.007400848 0.007391902 0.008468048
##      182      305      358      307      668      221
## 0.005305651 0.013263576 0.014433701 0.006077732 0.010179729 0.006659067
##      561      313      136      145      123      234
## 0.010391116 0.009400968 0.009178473 0.004837217 0.012150343 0.010332647
##      608      495      534      297      208      677
## 0.006179672 0.007394039 0.006155298 0.011890469 0.009451734 0.007614523
##      569      522      248      365      643      595
## 0.019072674 0.006282670 0.008572390 0.002363011 0.014144371 0.015613786
##      434      218      508      276      169      71
## 0.004248418 0.006088009 0.004815938 0.002367064 0.010600412 0.011932462
##      573      697      485      460      60      449
```

##	0.005877875	0.008866249	0.008171500	0.004022538	0.016663812	0.005570603
##	548	19	319	116	660	102
##	0.006856429	0.009299134	0.007073680	0.030606327	0.007664363	0.009626101
##	214	390	597	625	160	77
##	0.005544665	0.004251219	0.006405736	0.008027788	0.012460980	0.007156092
##	529	126	262	442	181	163
##	0.005266220	0.009762817	0.009039047	0.006269954	0.007036751	0.013382374
##	474	228	628	265	427	632
##	0.003968833	0.010507139	0.006819016	0.005317536	0.009562975	0.007684957
##	249	655	40	541	497	701
##	0.003838798	0.008649099	0.012307706	0.007424611	0.004353815	0.009508701
##	450	600	363	478	403	375
##	0.002941407	0.005920819	0.003775997	0.005267851	0.004766797	0.002711720
##	335	142	444	599	640	457
##	0.002845888	0.015628288	0.005618298	0.006679790	0.013651936	0.006774934
##	188	432	488	538	657	215
##	0.007372869	0.008940605	0.005062342	0.004792090	0.008547425	0.003515724
##	540	590	296	328	147	84
##	0.004712292	0.007630821	0.002415701	0.005522186	0.019676316	0.008174833
##	83	250	621	281	431	30
##	0.006763665	0.007400848	0.006538920	0.002980460	0.003118571	0.007949254
##	10	587	441	663	345	12
##	0.006696193	0.007881002	0.013731630	0.007881002	0.003419861	0.008281860
##	293	303	338	350	581	107
##	0.015444697	0.002931488	0.002465938	0.005954660	0.007352696	0.007341044
##	543	518	691	43	189	171
##	0.007105171	0.003231299	0.008027788	0.008150523	0.004634384	0.004441775
##	39	216	291	58	395	693
##	0.008139444	0.019659340	0.002850555	0.006624633	0.005954660	0.006826925
##	456	22	170	63	547	417
##	0.007448985	0.008257341	0.009967788	0.007106384	0.003230000	0.007489261
##	70	59	484	203	227	243
##	0.008374086	0.008358319	0.004964740	0.005760022	0.003661559	0.008743279
##	413	476	650	405	397	501
##	0.002823450	0.003358438	0.006277404	0.002583369	0.007871692	0.006871094
##	429	205	475	104	210	471
##	0.018331448	0.010041461	0.030793493	0.012150343	0.005400806	0.008934849
##	66	88	667	309	596	294
##	0.010045108	0.008756258	0.007015485	0.008664484	0.006154074	0.003567097
##	421	703	430	512	361	630
##	0.006729883	0.009508701	0.008927246	0.005267851	0.029080248	0.007729170
##	480	15	486	254	213	458
##	0.022760490	0.012728336	0.008232181	0.004441775	0.004682709	0.007468078
##	290	491	576	178	428	562
##	0.003435894	0.009216497	0.036655462	0.003243842	0.024936194	0.005542322
##	115	165	377	194	230	603
##	0.007682779	0.003838798	0.003921659	0.003250227	0.004173558	0.017942840
##	389	694	87	648	378	436
##	0.004016074	0.006318535	0.013417705	0.008519072	0.002704111	0.008068739
##	519	592	311	155	166	207
##	0.020455139	0.013240467	0.006118867	0.012437677	0.004450002	0.003838798
##	674	468	105	75	280	636
##	0.007810949	0.005479971	0.023472501	0.011521599	0.006343518	0.006198027
##	440	656	251	231	52	520

##	0.005257599	0.007390642	0.003951966	0.004634384	0.008257341	0.012289023
##	704	463	100	407	591	141
##	0.009508701	0.003819045	0.022596838	0.005035416	0.007546713	0.008257341
##	412	672	679	470	36	114
##	0.005127991	0.006544620	0.009127592	0.011482008	0.006751997	0.011960168
##	642	362	386	273	196	86
##	0.009867350	0.022694809	0.005051393	0.005952943	0.003415449	0.009612508
##	138	344	211	517	641	686
##	0.009263254	0.003446381	0.004712303	0.003004981	0.012856453	0.008855246
##	586	670	692	443	339	122
##	0.006504906	0.010378808	0.010654096	0.003302045	0.031455722	0.011769122
##	202	530	544	638	467	342
##	0.003990848	0.008469100	0.005253693	0.011070721	0.011611214	0.004507743
##	99	371	380	97	49	242
##	0.012643660	0.006283733	0.004654172	0.008644914	0.007290399	0.004756602
##	175	566	260	437	521	174
##	0.004521064	0.007738392	0.006085253	0.006714998	0.007121684	0.005824940
##	671	42	183	347	374	74
##	0.008024132	0.015965728	0.010332647	0.019309972	0.002620288	0.011568613
##	549	425	483	118	271	555
##	0.004970890	0.003602652	0.005587418	0.007771844	0.004353601	0.005823460
##	535	357	252	448	411	637
##	0.006443885	0.007850093	0.005809656	0.006509015	0.004778508	0.008027788
##	533	61	54	308	582	240
##	0.007135556	0.014301216	0.008558772	0.003651413	0.008899024	0.005338232
##	179	370	272	76	493	224
##	0.005090302	0.004304073	0.012170548	0.006882035	0.004560554	0.004696451
##	624	164	13	125	14	675
##	0.007501325	0.005300622	0.006751235	0.006550623	0.007345970	0.006250122
##	563	64	33	611	334	95
##	0.006100058	0.010501807	0.009134215	0.005892226	0.003093592	0.012015392
##	639	376	269	333	219	658
##	0.007229621	0.002854313	0.006812617	0.003116210	0.010193501	0.012653951
##	588	53	367	601	499	594
##	0.005944383	0.012134455	0.002913104	0.009388619	0.006014254	0.020367394
##	659	177	695	416	631	274
##	0.005920819	0.026991422	0.009350106	0.002462470	0.007526828	0.015631662
##	256	415	168	466	459	494
##	0.005399643	0.003770982	0.006998178	0.003655182	0.004552469	0.007587520
##	191	331	259	669	31	418
##	0.006155289	0.004766797	0.004862776	0.010509331	0.006479127	0.004948097
##	545	18	154	67	384	277
##	0.007738392	0.010520331	0.004074567	0.007055640	0.003248795	0.008685935
##	354	34	143	50	482	406
##	0.002467954	0.008954662	0.005489498	0.006464943	0.008870543	0.003702593
##	481	610	152	94	127	332
##	0.003443154	0.011396742	0.024875318	0.007215163	0.012074994	0.004678775
##	323	368	353	35	688	402
##	0.004354147	0.003031813	0.003920442	0.010735963	0.006324926	0.013661610
##	699	68	360	653	575	11
##	0.008224631	0.007526886	0.004927203	0.008311056	0.006755853	0.007199165
##	149	446	527	199	498	310
##	0.004750830	0.022760490	0.004570847	0.012481720	0.004597513	0.002836640
##	565	644	646	295	572	346


```
## 0.009188660 0.009977974 0.008104425 0.003261347 0.010617334 0.007871692
##      235      618      505      157      120      372
## 0.004454081 0.013756707 0.007018165 0.004576071 0.007212528 0.003814993
##      318      550      500      198      613      391
## 0.002366017 0.006871094 0.005823460 0.004373431 0.006519727 0.011034865
##      337      106      285      23      654      1
## 0.020949821 0.008257341 0.020379221 0.006567316 0.014070752 0.009626101
##      584      241      51      255      300      45
## 0.008996144 0.003620846 0.008585677 0.005792394 0.014544477 0.008954662
##      121      506      201      393      589      223
## 0.007504381 0.006740558 0.004721669 0.003624340 0.024091138 0.004361850
##      146      25      312      150      423      620
## 0.013464596 0.008129435 0.007603676 0.004204297 0.007769363 0.011808899
##      2      161      513      689      186      135
## 0.010562921 0.015131547 0.017006590 0.009090071 0.005399643 0.009960911
##      472      585      560      394      263      462
## 0.012224602 0.005915600 0.005587418 0.011448330 0.006371973 0.004492999
##      206      192      268      622      593      237
## 0.006235926 0.003515724 0.007254806 0.014646200 0.008866249 0.004260797
##      65      626      635      445      330      676
## 0.007425606 0.007540988 0.019986508 0.003302045 0.002951820 0.012945005
##      246      351      315      666      156      410
## 0.004203538 0.002361378 0.002545052 0.008818715 0.004874438 0.006579552
##      487      304      524      113      515      682
## 0.003707062 0.007222169 0.007738392 0.007492818 0.002961690 0.010509331
##      349      144      583      162      288      366
## 0.002864071 0.010468373 0.007648247 0.016485613 0.005049606 0.003775997
##      396      532      606      28      433      327
## 0.004795855 0.004256702 0.011419524 0.007405568 0.003773931 0.004615214
##      364      546      261      128      598      702
## 0.002462350 0.009943726 0.005802799 0.011876461 0.007637617 0.008627728
##      690      289      111      684      465      96
## 0.006698042 0.005226861 0.015628288 0.008959767 0.005686468 0.007405568
##      665
## 0.005891896
```

```
sum(hii>(0.5))
```

```
## [1] 0
```

```
sum(hii>(0.2))
```

```
## [1] 0
```

#Part b: #R Square is increased in the hold out sample (23% vs. 19%). X1 and X2 are significant, X3 is not significant in both models. The coefficients have the same signs, the significant variables' coefficients are close to each other. The model is stable. # (Intercept) X1 X2 X3 #[1,] -14.691 0.009 0.037 0.008 #[2,] -38.209 0.012 0.036 0.020

```
pred<-predict(f.q1,holdout.sample)
sse<-sum((holdout.sample$Y-pred)^2)
sst=var(holdout.sample$Y)*(dim(holdout.sample)[1]-1)
R2.hold=1 - sse/sst
R2.hold
```

```
## [1] 0.2308834
```

```

R2.dev=0.1903
cbind(R2.dev,R2.hold)

##      R2.dev   R2.hold
## [1,] 0.1903 0.2308834

f.q12<-lm(Y~X1+X2+X3,data=holdout.sample)
summary(f.q12)

##
## Call:
## lm(formula = Y ~ X1 + X2 + X3, data = holdout.sample)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1.60455 -0.30209  0.09393  0.38938  1.19226
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -38.208862   57.463252  -0.665   0.50683
## X1              0.011677    0.002464   4.740 3.97e-06 ***
## X2              0.036151    0.011276   3.206 0.00156 **
## X3              0.019730    0.028773   0.686 0.49365
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.5784 on 208 degrees of freedom
## Multiple R-squared:  0.2367, Adjusted R-squared:  0.2257
## F-statistic: 21.5 on 3 and 208 DF, p-value: 3.6e-12

round(rbind(f.q1$coefficients,f.q12$coefficients),3)

##      (Intercept)      X1      X2      X3
## [1,]      -14.691  0.009  0.037  0.008
## [2,]      -38.209  0.012  0.036  0.020

```

#Part c: #Ho:Error variance is constant #Ha:Error variance is Not Constant. P value is greater than 0.01.
Accept Ho. Error variance is constant.

```

ei<-f.q1$residuals
DM<-data.frame(cbind(f.q1$fitted.values,ei))
DM.S<-DM[order(DM[,1]),]
DM1<-DM.S[1:247,]
DM2<-DM.S[248:493,]
M1<-median(DM1[,2])
M2<-median(DM2[,2])
N1<-length(DM1[,2])
N2<-length(DM2[,2])
d1<-abs(DM1[,2]-M1)
d2<-abs(DM2[,2]-M2)
s2<-sqrt((var(d1)*(N1-1)+var(d2)*(N2-1))/(N1+N2-2))
Den<- s2*sqrt(1/N1+1/N2)
Num<- mean(d1)-mean(d2)
T= Num/Den
T

## [1] 1.134514

```

```
2*(1-pt(T,N1+N2-2))
```

```
## [1] 0.2571326
```

Question 2

#We are interested in predicting the number of customers who complained about the service, use the attached data sets to answer the questions below:

#a) Build a model to predict the number of complaints, perform the statistical tests that shows that model is significant #b) Find the predicted number complaints given the independent variables below #X1 X2 X3 X4 X5 #606 41393 3 3.04 6.32

#Solutions: a-) *The model is significant. Based on the Deviance and LRT tests.*

```
Complaints <- read.csv("/cloud/project/Complaints.csv")
f.q2<-glm(Y~.,data=Complaints,family="poisson")
summary(f.q2)
```

```
##
## Call:
## glm(formula = Y ~ ., family = "poisson", data = Complaints)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -2.93195  -0.58868  -0.00009   0.59269   2.23441
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept)  2.942e+00  2.072e-01  14.198 < 2e-16 ***
## X1           6.058e-04  1.421e-04   4.262 2.02e-05 ***
## X2          -1.169e-05  2.112e-06  -5.534 3.13e-08 ***
## X3          -3.726e-03  1.782e-03  -2.091  0.0365 *
## X4           1.684e-01  2.577e-02   6.534 6.39e-11 ***
## X5          -1.288e-01  1.620e-02  -7.948 1.89e-15 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for poisson family taken to be 1)
##
##      Null deviance: 422.22  on 109  degrees of freedom
## Residual deviance: 114.99  on 104  degrees of freedom
## AIC: 571.02
##
## Number of Fisher Scoring iterations: 4
```

```
1-pchisq(422.22-114.99,5)
```

```
## [1] 0
```

```
beta <- coef(f.q2)
beta
```

```
##      (Intercept)          X1          X2          X3          X4
## 2.942438e+00  6.057667e-04 -1.168607e-05 -3.726472e-03  1.683830e-01
##              X5
```

```
## -1.287738e-01
anova(f.q2,test="Chisq")

## Analysis of Deviance Table
##
## Model: poisson, link: log
##
## Response: Y
##
## Terms added sequentially (first to last)
##
##      Df Deviance Resid. Df Resid. Dev  Pr(>Chi)
## NULL                109      422.22
## X1    1    42.662      108      379.56 6.507e-11 ***
## X2    1     0.807      107      378.75  0.3691
## X3    1     0.316      106      378.43  0.5741
## X4    1   195.949      105      182.49 < 2.2e-16 ***
## X5    1    67.500      104      114.99 < 2.2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

nothing <- glm(Y ~ 1,family="poisson",Complaints)
anova(nothing,f.q2,test="Chi")

## Analysis of Deviance Table
##
## Model 1: Y ~ 1
## Model 2: Y ~ X1 + X2 + X3 + X4 + X5
##      Resid. Df Resid. Dev Df Deviance  Pr(>Chi)
## 1            109      422.22
## 2            104      114.99  5    307.23 < 2.2e-16 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

b-) The predicted count is 12.3 or 12.

dat=data.frame(cbind(X1=606,X2=41393,X3=3,X4=3.04,X5=6.32))
predict(f.q2,dat,type="response")

##      1
## 12.33778
```

Question 3

#For the attached data sets, build a model to predict Y based on the independent variables and test if there is an autocorrelation persists in the data. If autocorrelation persists, remediate the autocorrelation.

#Solution: R square is 77%. X3,X4 and X5 are significant. There is no autocorrelation based on the DW test. However, unequal variances should be further tested and the observation 18 could be an influential point.

```
library(lmtest)
```

```
## Loading required package: zoo
```

```
##
## Attaching package: 'zoo'

## The following objects are masked from 'package:base':
##
##      as.Date, as.Date.numeric

Monthly.Sales <- read.csv("/cloud/project/Monthly Sales.csv")
f.q3<-lm(formula = Y ~ ., data = Monthly.Sales)
summary(f.q3)

##
## Call:
## lm(formula = Y ~ ., data = Monthly.Sales)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -1063.26  -329.03   -77.92   239.84  1434.78
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -1.287e+03  2.171e+03  -0.593   0.5570
## X1           9.509e+03  7.828e+03   1.215   0.2324
## X2           1.889e+01  3.119e+01   0.606   0.5484
## X3           6.129e+02  8.021e+01   7.641 4.82e-09 ***
## X4          -1.670e-01  8.161e-02  -2.046   0.0481 *
## X5           6.445e-01  2.513e-01   2.564   0.0146 *
## X6          -3.102e+01  8.881e+01  -0.349   0.7289
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 528.4 on 36 degrees of freedom
## Multiple R-squared:  0.771, Adjusted R-squared:  0.7329
## F-statistic: 20.2 on 6 and 36 DF,  p-value: 3.491e-10





dwtest(f.q3)

##
## Durbin-Watson test
##
## data:  f.q3
## DW = 1.9618, p-value = 0.2903
## alternative hypothesis: true autocorrelation is greater than 0

round(f.q3$coefficients,2)


## (Intercept)          X1          X2          X3          X4          X5
##    -1287.33     9508.67     18.89     612.91     -0.17     0.64
##          X6
##     -31.02

par(mfrow=c(2,2))
plot(f.q3)
```



```
library(olsrr)
ols_plot_cooksd_bar(f.q3)
```

Cook's D Bar Plot



Question 4

#For the following hospital data, #Y= Total cost #X1=Interventions #X2=Drugs #X3=Emergency room visits #X4=Complications #X5=Comorbidities #a-) use the best subset method to find optimal linear regression model #b) Compare your model in part a against the regression tree and Neural Network Model, and calculate the SSE for each model, which method has the lowest SSE?

#Part a: The best subset model contains, X1,X2 and X3 and are all significant. The R Square is 54%.However, there is an unequal variances proble, QQ plot indicates S shape, heavy tail, transformation of Y needed.

```
library(rpart)
```

```
##
```

```
## Attaching package: 'rpart'
```

```
## The following object is masked from 'package:faraway':
```

```
##
```

```
## solder
```

```
library(rpart.plot)
```

```
library(neuralnet)
```

```
library(olsrr)
```

```
library(leaps)
```

```
Hospital <- read.csv("/cloud/project/Hospital.csv")
```

```
f.q4.reg<-lm(Y~.,data=Hospital)
```

```
summary(f.q4.reg)
```

```
##
```

```
## Call:
```

```
## lm(formula = Y ~ ., data = Hospital)
```

```
##
```

```
## Residuals:
```

```
##      Min       1Q   Median       3Q      Max  
## -29826  -1620      51    1223   36600
```

```
##
```

```
## Coefficients:
```

```
##              Estimate Std. Error t value Pr(>|t|)  
## (Intercept) -2364.39    288.66  -8.191 1.05e-15 ***  
## X1           802.68     31.66  25.352 < 2e-16 ***  
## X2          -353.78    179.51  -1.971  0.0491 *  
## X3           389.78     75.39   5.170 2.97e-07 ***  
## X4           896.26    666.85   1.344  0.1793  
## X5           41.96     27.48   1.527  0.1272
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
##
```

```
## Residual standard error: 4517 on 782 degrees of freedom
```

```
## Multiple R-squared:  0.547, Adjusted R-squared:  0.5441
```


```
## F-statistic: 188.8 on 5 and 782 DF, p-value: < 2.2e-16
```

```
#Best Subset Regression
```


```
k4<-ols_step_best_subset(f.q4.reg,prem=0.05,details=TRUE)
```

```
plot(k4)
```


R-Square




C(p)




Adj. R-Square




AIC



SBIC



SBC



#based on AIC and SBIC, the best subset model is "X1 X2 X3 X5". However, X5 is not significant. Use X1


```
f.q4.bestsubset<-lm(Y~X1+X2+X3,data=Hospital)
```



```
summary(f.q4.bestssubset)
```

```
##
## Call:
## lm(formula = Y ~ X1 + X2 + X3, data = Hospital)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -30573  -1671    -46    1200   36295
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -2241.02     276.89  -8.094 2.21e-15 ***
## X1           816.13       31.01  26.315 < 2e-16 ***
## X2          -360.67      178.62  -2.019  0.0438 *
## X3           397.27       75.38   5.270 1.76e-07 ***
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 4524 on 784 degrees of freedom
## Multiple R-squared:  0.5445, Adjusted R-squared:  0.5428
## F-statistic: 312.5 on 3 and 784 DF,  p-value: < 2.2e-16
```

```
par(mfrow=c(2,2))
plot(f.q4.bestssubset)
```



```
#alternatively
#b <- regsubsets(Y~X1+X2+X3+X4+X5,data=Hospital)
#rs <- summary(b)
#AIC <- 788*log(rs$rss/788) + (2:6)*2
```

```
#par(mfrow=c(1,3))
#plot(AIC ~ I(1:5), ylab="AIC", xlab="Number of Predictors")
#plot(1:5,rs$adjr2,xlab="No. of Parameters",ylab="Adjusted R-square")
#which.max(rs$adjr2)
#plot(1:5,rs$cp,xlab="No. of Parameters",ylab="Cp Statistic")
#abline(0,1)
```

```
anova(f.q4.bestsubset)
```

```
## Analysis of Variance Table
```

```
##
```

```
## Response: Y
```

```
##          Df      Sum Sq   Mean Sq F value    Pr(>F)
## X1         1 1.8605e+10 1.8605e+10  909.184 < 2.2e-16 ***
## X2         1 8.5133e+06 8.5133e+06   0.416   0.5191
## X3         1 5.6836e+08 5.6836e+08  27.774 1.764e-07 ***
## Residuals 784 1.6044e+10 2.0464e+07
```

```
## ---
```

```
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```


```
an=anova(f.q4.bestsubset)
```

```
SSE.bestsubset=an$`Sum Sq`[4]
```

#Part b: Neural Network Model has the lowest SSE, perform better than other two models. However, it is less transparent than the other models.

```
r.q4.tree<-rpart(Y~.,data=Hospital)
```

```
plot(r.q4.tree)
```



```
pop<-Hospital
```

```
SSE.Tree<-sum((predict(r.q4.tree)-pop$Y)^2)
```

```
max = apply(pop, 2 , max)
```

```
min = apply(pop, 2 , min)
```

```
scaled = as.data.frame(scale(pop, center = min, scale = max - min))
```

```
NN = neuralnet(Y~X1+X2+X3+X4+X5, scaled , hidden = 6 , linear.output = T )
```

```
predict_testNN = compute(NN, scaled [,c(2:6)])
```

```
predict_testNN1 = (predict_testNN$net.result * (max(pop$Y) - min(pop$Y))) + min(pop$Y)
```

```
SSE.NN<-sum((pop$Y-predict_testNN1)^2)

round(data.frame(cbind(SSE.bestsubset,SSE.Tree,SSE.NN)),0)

## SSE.bestsubset SSE.Tree SSE.NN
## 1 16043593057 12731887579 11001170565
```

Question 5

#In a flu shot study, 159 clients were randomly selected and asked whether they actually received a flu shot. A client who received a flu shot was coded Y=1 and a client who did not receive a flu shot was coded Y=0. In addition, data were collected on their age (X1) and their health awareness. The latter data were combined into a health awareness index (X2), for which higher values indicate greater awareness. Also included in the data was client gender, where males were coded X3=1 and females were coded X3=0. #a) Fit a model to predict the probability of getting a flu shot and state the fitted response function. #b) Use the likelihood ratio test to determine whether X3 can be dropped from the regression model #c) What is the estimated probability that male clients aged 55 with a health awareness index of 60 will receive a flu shot? Obtain a 90% confidence interval for your prediction #d) Conduct Hosmer-Lemshow goodness of fit test for the appropriateness of the logistic regression function

#Part a: $b_0 = -1.17$, $b_1 = 0.07$, $b_2 = 0.09$, $b_3 = 0.43$ # $\pi = [1 + \exp(-1.17 + 0.07X_1 + 0.09X_2 + 0.43X_3)]^{-1}$. X1 and X2 are significant.

```
Flue.Shot <- read.csv("/cloud/project/Flue Shot.csv")
lmod <- glm(Y ~ X1 + X2 + X3, family = binomial, Flue.Shot)
summary(lmod)

##
## Call:
## glm(formula = Y ~ X1 + X2 + X3, family = binomial, data = Flue.Shot)
##
## Deviance Residuals:
##      Min       1Q   Median       3Q      Max
## -1.4037  -0.5637  -0.3352  -0.1542   2.9394
##
## Coefficients:
##              Estimate Std. Error z value Pr(>|z|)
## (Intercept) -1.17716    2.98242  -0.395  0.69307
## X1           0.07279    0.03038   2.396  0.01658 *
## X2          -0.09899    0.03348  -2.957  0.00311 **
## X3           0.43397    0.52179   0.832  0.40558
## ---
## Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## (Dispersion parameter for binomial family taken to be 1)
##
##      Null deviance: 134.94  on 158  degrees of freedom
## Residual deviance: 105.09  on 155  degrees of freedom
## AIC: 113.09
##
## Number of Fisher Scoring iterations: 6

beta <- coef(lmod)
cbind(beta,exp(beta))
```

```
##              beta
## (Intercept) -1.17715922 0.3081529
## X1          0.07278802 1.0755025
## X2          -0.09898649 0.9057549
## X3          0.43397485 1.5433801
```

b-) Yes. It can be dropped from the model

```
lmodc<-glm(Y ~ X1 + X2 , family = binomial, Flue.Shot)
anova(lmodc,lmod,test="Chi")
```

```
## Analysis of Deviance Table
##
## Model 1: Y ~ X1 + X2
## Model 2: Y ~ X1 + X2 + X3
##   Resid. Df Resid. Dev Df Deviance Pr(>Chi)
## 1         156      105.80
## 2         155      105.09  1   0.70221   0.402
```

#Part c-) The probability of receiving a flue shot is 0.0642. The 95% CI # ilogit(results) # LowerCL
Prediction UpperCL # 0.0246986 0.06422395 0.1568308

```
library(faraway)
dat<-data.frame(cbind(X1=55,X2=60,X3=1))
pre1=predict(lmod,dat,type="link",se.fit=T)
LowerCL = pre1$fit-qnorm(1-0.05/2)*pre1$se.fit; UpperCL = pre1$fit+qnorm(1-0.05/2)*pre1$se.fit
Prediction = pre1$fit
results = round(cbind(LowerCL,Prediction,UpperCL),3)
ilogit(results)
```

```
##   LowerCL Prediction   UpperCL
## 1 0.0246986 0.06422395 0.1568308
```

d-) H_0 : The model is good fit; H_a : Model is not a good fit. Accept Null, P value > 0.05 . The model is a good fit.

```
library(ResourceSelection)
```

```
## ResourceSelection 0.3-5    2019-07-22
```

```
hoslem.test(lmod$y,fitted(lmod),g=5)
```

```
##
## Hosmer and Lemeshow goodness of fit (GOF) test
##
## data:  lmod$y, fitted(lmod)
## X-squared = 5.3538, df = 3, p-value = 0.1477
```