Java If-Else 🔖

🍺by **aa1992**

Problem	Submissions	Leaderboard	Discussions	Editorial

In this challenge, we test your knowledge of using *if-else* conditional statements to automate decision-making processes. An if-else statement has the following logical flow:

Task

Given an integer, n, perform the following conditional actions:

- If n is odd, print `Weird`

- If n is even and in the inclusive range of 2 to 5, print `Not Weird`

- If n is even and in the inclusive range of 6 to 20, print `Weird`

- If n is even and greater than 20, print `Not Weird`

Complete the stub code provided in your editor to print whether or not n is weird.

Input Format

A single line containing a positive integer, n.

Constraints

- $1 \leq n \leq 100$

Output Format

Print `Weird` if the number is weird; otherwise, print `Not Weird`.

Sample Input 0

Sample Output 0

```
Weird
```

Sample Input 1

```
24
```

Sample Output 1

```
Not Weird
```

Explanation

Sample Case 0: $n = 3$
n is odd and odd numbers are weird, so we print `Weird`.

Sample Case 1: $n = 24$
$n > 20$ and n is even, so it isn't weird. Thus, we print `Not Weird`.

Submissions:212210

Max Score:10
Difficulty: Easy

Rate This Challenge:
☆ ☆ ☆ ☆ ☆

⬇ Download problem statement

⬇ Download sample test cases

✎
Suggest Edits

Collapse

Current Buffer (saved locally, editable) ⑂ 🕓

Java 7

```java
import java.io.*;
import java.util.*;
import java.text.*;
import java.math.*;
import java.util.regex.*;

public class Solution {

    public static void main(String[] args) {

        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        String ans="";
        if(n%2==1){
            ans = "Weird";
        }
        else{

            //Complete the code

        }
        System.out.println(ans);

    }
```

```
25        }
26
```

Line: 1 Col: 1

Test against custom input

Run Code

Submit Code

Join us on IRC at #hackerrank on freenode for hugs or bugs.