















Dashboard > Data Structures > Linked Lists > Cycle Detection

Points: 235 Rank: 34184

Cycle Detection



Problem Submissions Leaderboard Discussions Editorial

A linked list is said to contain a cycle if any node is visited more than once while traversing the list.

Complete the function provided for you in your editor. It has one parameter: a pointer to a *Node* object named *head* that points to the head of a linked list. Your function must return a boolean denoting whether or not there is a cycle in the list. If there is a cycle, return *true*; otherwise, return *false*.

Note: If the list is empty, head will be null.

Input Format

Our hidden code checker passes the appropriate argument to your function. You are not responsible for reading any input from stdin.

Constraints


• $0 \le list size \le 100$

Output Format

If the list contains a cycle, your function must return *true*. If the list *does not* contain a cycle, it must return *false*. The binary integer corresponding to the boolean value returned by your function is printed to stdout by our hidden code checker.

Sample Input

The following linked lists are passed as arguments to your function:



Sample Output

0 1

Explanation

- 1. The first list has no cycle, so we return false and the hidden code checker prints $\mathbf{0}$ to stdout.
- 2. The second list has a cycle, so we return true and the hidden code checker prints 1 to stdout.

† ¥ in

Max Score:5
Difficulty: Medium
Rate This Challenge:
なかかかかか

```
Current Buffer (saved locally, editable) & 🔈
                                                                                              Java 7
                                                                                                                                \Diamond
 1 ▼ /*
 2
   Detect a cycle in a linked list. Note that the head pointer may be 'null' if the list is empty.
 3
    A Node is defined as:
 4
         class Node {
 5
             int data;
 6
 7
             Node next;
 8
 9
10
11 ▼ boolean hasCycle(Node head) {
12
    }
13
14
                                                                                                                        Line: 1 Col: 1
                       Test against custom input
                                                                                                                         Submit Code
                                                                                                           Run Code
1 Upload Code as File
```

Join us on IRC at #hackerrank on freenode for hugs or bugs.

Contest Calendar | Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy | Request a Feature