

[Practice](#)[Compete](#)[Jobs](#)[Rank](#)[Leaderboard](#)[Dashboard](#) > [Java](#) > [Object Oriented Programming](#) > [Java Interface](#)

Points: 673 Rank: 3249

Java Interface

 by [Shafaet](#)

Problem

Submissions

Leaderboard

Discussions

Editorial

A Java interface can only contain method signatures and fields. The interface can be used to achieve polymorphism. In this problem, you will practice your knowledge on interfaces.

You are given an interface *AdvancedArithmetic* which contains a method signature *int divisor_sum(int n)*. You need to write a class called *MyCalculator* which implements the interface.

divisorSum function just takes an integer as input and return the sum of all its divisors. For example divisors of 6 are 1, 2, 3 and 6, so *divisor_sum* should return 12. The value of n will be at most 1000.

Read the partially completed code in the editor and complete it. You just need to write the *MyCalculator* class only. *Your class shouldn't be public.*

Sample Input

6

Sample Output

```
I implemented: AdvancedArithmetic
12
```

Explanation

Divisors of 6 are 1,2,3 and 6. $1+2+3+6=12$.



[f](#) [t](#) [in](#)Submissions: [34801](#)

Max Score: 10

Difficulty: Easy

Rate This Challenge:

☆☆☆☆☆

[More](#)Current Buffer (saved locally, editable)  

Java 7



```
1 ▶ import ↔;
2 ▼ interface AdvancedArithmetic{
3     int divisor_sum(int n);
4 }
```

```
5 //Write your code here
```

```
6 ▶ class Solution{↔}  
27  
28
```

Line: 3 Col: 1

 [Upload Code as File](#) ☐ Test against custom input

Run Code

Submit Code

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.

[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)