

Cucumber Report

Oct 4, 2025, 9:54:05 PM

Start : Oct 04, 9:53:26.527 PM

End : Oct 04, 9:54:03.542 PM

Duration : 37.015 s

Features



Scenarios

Steps

PASSED - 2
FAILED - 0
SKIPPED - 0


PASSED - 7
FAILED - 0
SKIPPED - 0

PASSED - 35
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As a user of application I want to validate login functionality</u>	37.015 s	4	4	0	0	20	20	0	0
<u>Validate dashboards</u>	35.266 s	3	3	0	0	15	15	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@validCredentials	6	6	0	0	2	2	0	0
@smoke	4	4	0	0	2	2	0	0
@mainTestCase	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>As a user of application I want to validate login functionality</u>	4	4	0	0	37.015 s
2	<u>Validate dashboards</u>	3	3	0	0	35.266 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As a user of application I want to validate login functionality</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	35.364 s
2		<u>Validate login functionality with valid credentials</u>	5	5	0	0	35.277 s
3		<u>Validate login functionality with invalid credentials</u>	5	5	0	0	1.578 s
4		<u>Validate login functionality with valid credentials</u>	5	5	0	0	1.614 s
5	<u>Validate dashboards</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	35.224 s
6		<u>Validate login functionality with valid credentials 3</u>	5	5	0	0	35.258 s
7		<u>Validate login functionality with valid credentials 2</u>	5	5	0	0	35.238 s



As a user of application I want to validate login functionality

PASSED	DURATION - 37.015 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 9:53:26.527 PM // 9:54:03.542 PM /					



Validate login functionality with valid credentials



<div>PASSED</div> <div>DURATION - 35.364 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:53:26.530 PM // 9:54:01.894 PM /</div>			
<div>As a user of application I want to validate login functionality</div>			
<div>@validCredentials @smoke @mainTestCase</div>			




#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	2.557 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.449 s				
	[B@78ec4e4a						
	<div><div>Swag Labs</div><div><div><div>Username</div><div></div></div><div><div>Password</div><div></div></div><div>Login</div></div><div><div>Accepted usernames are:</div><div>standard_user</div><div>Password for all users:</div><div>secret_sauce</div></div></div>						
2	When user entered the credentials	PASSED	0.923 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.057 s				
	[B@d50fd4e						

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.952 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.072 s
	[B@1df96f23]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.127 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.077 s
	[B@7c247b99]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.044 s
	[B@4fccc089]		
			



Validate login functionality with valid credentials



<div>PASSED</div>	<div>DURATION - 35.277 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:53:26.659 PM // 9:54:01.936 PM /</div>				
<div>As a user of application I want to validate login functionality</div>				
<div>@validCredentials</div>				



#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	2.576 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.427 s
	[B@10c34a97]		
			
2	When user entered username "visual_user" and password "secret_sauce"	PASSED	0.925 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.029 s
	[B@3b630db9]		
			
3	And user has clicked on Login button	PASSED	0.985 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.101 s
	[B@3d2b3ca7]		

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.095 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.086 s
	[B@7d6f4f47]		
			
5	And close the browser	PASSED	0.002 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.126 s
	[B@42ed98d0]		
			



Validate login functionality with invalid credentials

PASSED	DURATION - 1.578 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:54:01.917 PM // 9:54:03.495 PM /				
As a user of application I want to validate login functionality				



#	Step / Hook Details	Status	Duration	
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.229 s	
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.080 s	
	[B@2f8c8090			
				
2	When user entered the credentials	PASSED	0.225 s	
<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName			Password
userName	Password			
standard_user	secret_sauce			
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.046 s	
	[B@582626f7			
				
3	And user has clicked on Login button	PASSED	0.107 s	
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.073 s	
	[B@4fa3a4c1			
				
4	Then user verify "Products" on Dashboard	PASSED	0.025 s	
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.050 s	
	[B@5f486ae8			


#	Step / Hook Details	Status	Duration
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.044 s
	[B@22f11617]		
			

Validate login functionality with valid credentials



PASSED	DURATION - 1.614 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:54:01.928 PM // 9:54:03.542 PM /				
As a user of application I want to validate login functionality				
@validCredentials				

#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.341 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.079 s
	[B@5146322e]		



#	Step / Hook Details	Status	Duration
			
2	When user entered username "standard_user" and password "secret_sauce"	PASSED	0.187 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.053 s
	[B@349cf1e7]		
			
3	And user has clicked on Login button	PASSED	0.114 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.060 s
	[B@24882389]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.030 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.032 s
	[B@326c0a17]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.047 s

#	Step / Hook Details	Status	Duration
	<p>[B@7cd588f0]</p> 		





Validate dashboards


PASSED	DURATION - 35.266 s	Scenarios		Steps	
/ 9:53:26.641 PM // 9:54:01.907 PM /		Total - 3		Total - 15	
		Pass - 3		Pass - 15	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate login functionality with valid credentials



<div>PASSED</div> <div>DURATION - 35.224 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:53:26.641 PM // 9:54:01.865 PM /</div>			
<div>Validate dashboards</div>			
<div>@validCredentials @smoke</div>			


#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	2.574 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.411 s
	[B@2de72ef3]		

#	Step / Hook Details	Status	Duration				
	<div><div>Swag Labs</div><div><div>Username</div><div>Password</div><div>Login</div></div><div>Accepted usernames are: Password for all users:</div></div>						
2	When user entered the credentials	PASSED	0.943 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.053 s				
	[B@64b0680e]						
	<div><div>Swag Labs</div><div><div>standard_user</div><div></div><div>Login</div></div><div>Accepted usernames are: Password for all users:</div></div>						
3	And user has clicked on Login button	PASSED	0.965 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.058 s				
	[B@6786d1b8]						
	<div><div>Swag Labs</div><div><div>Products</div><div><div><div></div><div><div>Sauce Labs Backpack</div><div>carryallTheThing() with the sleek, streamlined Sly Pack that meets uncompromising style with unequalled laptop and tablet protection.</div><div><div>\$29.99</div><div>Add to cart</div></div></div><div><div></div><div><div>Sauce Labs Bike Light</div><div></div><div></div></div></div></div></div></div></div>						
4	Then user verify "Products" on Dashboard	PASSED	0.137 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.080 s				
	[B@66b76b0a]						
	<div><div>Swag Labs</div><div><div>Products</div><div><div><div></div><div><div>Sauce Labs Backpack</div><div>carryallTheThing() with the sleek, streamlined Sly Pack that meets uncompromising style with unequalled laptop and tablet protection.</div><div><div>\$29.99</div><div>Add to cart</div></div></div><div><div></div><div><div>Sauce Labs Bike Light</div><div></div><div></div></div></div></div></div></div></div>						

#	Step / Hook Details	Status	Duration
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.069 s
	[B@716ca7a6		
			



Validate login functionality with valid credentials 3



PASSED	DURATION - 35.258 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:53:26.649 PM // 9:54:01.907 PM /				
Validate dashboards				
@validCredentials @smoke				



#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	2.559 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.469 s				
	[B@ac083c9						
							
2	When user entered the credentials	PASSED	0.902 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.054 s				
	[B@3f10c00d						

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.952 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.072 s
	[B@7dff0ece]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.139 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.066 s
	[B@2427cb94]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.073 s
	[B@78f5680a]		
			

Validate login functionality with valid credentials 2

<div>PASSED</div>	<div>DURATION - 35.238 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:53:26.656 PM // 9:54:01.894 PM /</div>				
<div>Validate dashboards</div>				
<div>@validCredentials @smoke</div>				

#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	2.561 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.293 s				
	[B@6c0680c2						
							
2	When user entered the credentials	PASSED	1.075 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.057 s				
	[B@5e761da9						
							
3	And user has clicked on Login button	PASSED	0.956 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.059 s				
	[B@1b7625d4						

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.148 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.054 s
	[B@74b4d6e2]		
			
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.059 s
	[B@5a3160d4]		
	