

# Cucumber Report

Oct 4, 2025, 9:33:01 PM

Start : Oct 04, 9:32:43.463 PM

End : Oct 04, 9:33:00.619 PM

Duration : 17.156 s

Features



Scenarios

Steps

PASSED - 2  
FAILED - 0  
SKIPPED - 0


PASSED - 7  
FAILED - 0  
SKIPPED - 0

PASSED - 35  
FAILED - 0  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate dashboards</u>	15.620 s	3	3	0	0	15	15	0	0
<u>As a user of application I want to validate login functionality</u>	17.094 s	4	4	0	0	20	20	0	0

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@validCredentials	6	6	0	0	2	2	0	0
@smoke	4	4	0	0	2	2	0	0
@mainTestCase	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Validate dashboards</u>	3	3	0	0	15.620 s
2	<u>As a user of application I want to validate login functionality</u>	4	4	0	0	17.094 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate dashboards</u>	<u>Validate login functionality with valid credentials 2</u>	5	5	0	0	15.618 s
2		<u>Validate login functionality with valid credentials 3</u>	5	5	0	0	15.543 s
3		<u>Validate login functionality with valid credentials</u>	5	5	0	0	15.545 s
4	<u>As a user of application I want to validate login functionality</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	15.619 s
5		<u>Validate login functionality with valid credentials</u>	5	5	0	0	15.539 s
6		<u>Validate login functionality with invalid credentials</u>	5	5	0	0	1.486 s
7		<u>Validate login functionality with valid credentials</u>	5	5	0	0	1.520 s

## Validate dashboards

<b>PASSED</b>	<b>DURATION - 15.620 s</b>	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 9:32:43.463 PM // 9:32:59.083 PM /					



## Validate login functionality with valid credentials 2



<div>PASSED</div> <div>DURATION - 15.618 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:32:43.465 PM // 9:32:59.083 PM /</div>			
<div>Validate dashboards</div>			
<div>@validCredentials @smoke</div>			

#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.146 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.142 s				
	[B@105c277c						
							
2	When user entered the credentials	PASSED	0.685 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.048 s				
	[B@73afaa7a						




#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.494 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.079 s
	[B@5cad939c]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.082 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.063 s
	[B@2241549f]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.051 s
	[B@4d8f1bb4]		
			

**Validate login functionality with valid credentials 3**



<div>PASSED</div>	<div>DURATION - 15.543 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:32:43.518 PM // 9:32:59.061 PM /</div>				
<div>Validate dashboards</div>				
<div>@validCredentials @smoke</div>				



#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.158 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.132 s				
	[B@1bc17b1						
							
2	When user entered the credentials	PASSED	0.688 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.067 s				
	[B@39b1fa44						
							
3	And user has clicked on Login button	PASSED	0.372 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.122 s				
	[B@17131bc7						





#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.095 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.074 s
	[B@d21b314]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.081 s
	[B@557ea69c]		
			



## Validate login functionality with valid credentials

PASSED		DURATION - 15.545 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:32:43.532 PM // 9:32:59.077 PM /						
Validate dashboards						
@validCredentials @smoke						



#	Step / Hook Details	Status	Duration	
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.154 s	
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.169 s	
	[B@4bdef52d			
				
2	When user entered the credentials	PASSED	0.668 s	
<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName			Password
userName	Password			
standard_user	secret_sauce			
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.048 s	
	[B@1bac0b64			
				
3	And user has clicked on Login button	PASSED	0.402 s	
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.180 s	
	[B@4ba8bb18			
				
4	Then user verify "Products" on Dashboard	PASSED	0.075 s	
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.048 s	
	[B@403258d0			




#	Step / Hook Details	Status	Duration
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.063 s
	[B@31630047]		
			



## As a user of application I want to validate login functionality

PASSED	DURATION - 17.094 s	Scenarios		Steps	
/ 9:32:43.525 PM // 9:33:00.619 PM /		Total - 4		Total - 20	
		Pass - 4		Pass - 20	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



## Validate login functionality with valid credentials

PASSED	DURATION - 15.619 s		Steps	
/ 9:32:43.525 PM // 9:32:59.144 PM /			Total - 5	
As a user of application I want to validate login functionality			Pass - 5	
@validCredentials			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.146 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.153 s
	[B@5da6ddc 		
2	When user entered username "visual_user" and password "secret_sauce"	PASSED	0.714 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.075 s
	[B@46f550b1 		
3	And user has clicked on Login button	PASSED	0.368 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.184 s
	[B@164a2a2b 		
4	Then user verify "Products" on Dashboard	PASSED	0.061 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.113 s
	[B@77c29cb5		


#	Step / Hook Details	Status	Duration
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.122 s
			

### Validate login functionality with valid credentials



PASSED	DURATION - 15.539 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:32:43.539 PM // 9:32:59.078 PM /				
As a user of application I want to validate login functionality				
@validCredentials @smoke @mainTestCase				


#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.147 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.149 s
	[B@bbe3d39]		

#	Step / Hook Details	Status	Duration				
	<div><div>Swag Labs</div><div><div>Username</div><div>Password</div><div>Login</div></div><div>Accepted usernames are: Password for all users:</div></div>						
2	When user entered the credentials	PASSED	0.679 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.054 s				
	[B@c34fb2]						
	<div><div>Swag Labs</div><div><div>standard_user</div><div></div><div>Login</div></div><div>Accepted usernames are: Password for all users:</div></div>						
3	And user has clicked on Login button	PASSED	0.475 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.065 s				
	[B@4d442bc2]						
	<div><div>Swag Labs</div><div><div>Products</div><div><div><div><div><div></div></div><div>Sauce Labs Backpack</div><div>carryallTheThing() with the sleek, streamlined Sly Pack that meets uncompromising style with unequalled laptop and tablet protection.</div><div>\$29.99</div><div>Add to cart</div></div><div><div><div></div></div><div>Sauce Labs Bike Light</div></div></div></div></div></div>						
4	Then user verify "Products" on Dashboard	PASSED	0.087 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.068 s				
	[B@5ba48960]						
	<div><div>Swag Labs</div><div><div>Products</div><div><div><div><div><div></div></div><div>Sauce Labs Backpack</div><div>carryallTheThing() with the sleek, streamlined Sly Pack that meets uncompromising style with unequalled laptop and tablet protection.</div><div>\$29.99</div><div>Add to cart</div></div><div><div><div></div></div><div>Sauce Labs Bike Light</div></div></div></div></div></div>						

#	Step / Hook Details	Status	Duration
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.063 s
	[B@5fabac79]		
			

### Validate login functionality with invalid credentials



PASSED		DURATION - 1.486 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:32:59.090 PM // 9:33:00.576 PM /						
As a user of application I want to validate login functionality						



#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.209 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.088 s				
	[B@1f064d35]						
							
2	When user entered the credentials	PASSED	0.233 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.037 s				
	[B@2b055317]						



#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.109 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.068 s
	[B@2152307f]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.026 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.039 s
	[B@26a6c0e8]		
			
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.043 s
	[B@330f1d8e]		
			

**Validate login functionality with valid credentials**



<div>PASSED</div>	<div>DURATION - 1.520 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:32:59.099 PM // 9:33:00.619 PM /				
As a user of application I want to validate login functionality				
@validCredentials				

#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.278 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.072 s
	[B@1df60540]		
			
2	When user entered username "standard_user" and password "secret_sauce"	PASSED	0.201 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.048 s
	[B@460a0b44]		
			
3	And user has clicked on Login button	PASSED	0.110 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.067 s
	[B@5e0af39]		

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.033 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.025 s
	[B@18cf756d]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.054 s
	[B@8790e7a]		
	