

Cucumber Report

Oct 4, 2025, 9:40:23 PM

Start : Oct 04, 9:40:04.593 PM

End : Oct 04, 9:40:22.679 PM

Duration : 18.086 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 0
SKIPPED - 0


PASSED - 7
FAILED - 0
SKIPPED - 0

PASSED - 35
FAILED - 0
SKIPPED - 0




| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|----|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>As a user of application I want to validate login functionality</u> | 18.086 s | 4 | 4 | 0 | 0 | 20 | 20 | 0 | 0 |
| <u>Validate dashboards</u> | 16.422 s | 3 | 3 | 0 | 0 | 15 | 15 | 0 | 0 |

| TAG | Scenario | | | | Feature | | | |
|-------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @validCredentials | 6 | 6 | 0 | 0 | 2 | 2 | 0 | 0 |
| @smoke | 4 | 4 | 0 | 0 | 2 | 2 | 0 | 0 |
| @mainTestCase | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>As a user of application I want to validate login functionality</u> | 4 | 4 | 0 | 0 | 18.086 s |
| 2 | <u>Validate dashboards</u> | 3 | 3 | 0 | 0 | 16.422 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|---|---|---|---|----------|
| 1 | <u>As a user of application I want to validate login functionality</u> | <u>Validate login functionality with valid credentials</u> | 5 | 5 | 0 | 0 | 16.505 s |
| 2 | | <u>Validate login functionality with valid credentials</u> | 5 | 5 | 0 | 0 | 16.481 s |
| 3 | | <u>Validate login functionality with invalid credentials</u> | 5 | 5 | 0 | 0 | 1.540 s |
| 4 | | <u>Validate login functionality with valid credentials</u> | 5 | 5 | 0 | 0 | 1.573 s |
| 5 | <u>Validate dashboards</u> | <u>Validate login functionality with valid credentials</u> | 5 | 5 | 0 | 0 | 16.422 s |
| 6 | | <u>Validate login functionality with valid credentials 2</u> | 5 | 5 | 0 | 0 | 16.370 s |
| 7 | | <u>Validate login functionality with valid credentials 3</u> | 5 | 5 | 0 | 0 | 16.389 s |

As a user of application I want to validate login functionality

| | | | | | |
|--------------------------------------|---------------------|--|---|--|---|
| PASSED | DURATION - 18.086 s | Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0 |  | Steps Total - 20 Pass - 20 Fail - 0 Skip - 0 |  |
| / 9:40:04.593 PM // 9:40:22.679 PM / | | | | | |



Validate login functionality with valid credentials



| | | | | | | |
|---|--|---------------------|--|--|--|---|
| PASSED | | DURATION - 16.505 s | |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  |
| / 9:40:04.596 PM // 9:40:21.101 PM / | | | | | | |
| As a user of application I want to validate login functionality | | | | | | |
| @validCredentials @smoke @mainTestCase | | | | | | |




| # | Step / Hook Details | Status | Duration | | | | |
|---------------|--|----------|----------|---------------|--------------|--|--|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 1.199 s | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.147 s | | | | |
| | [B@148b2c1e | | | | | | |
| |  | | | | | | |
| 2 | When user entered the credentials | PASSED | 0.555 s | | | | |
| | <table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table> | userName | Password | standard_user | secret_sauce | | |
| userName | Password | | | | | | |
| standard_user | secret_sauce | | | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.102 s | | | | |
| | [B@370cb578 | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And user has clicked on Login button | PASSED | 0.390 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.127 s |
| | [B@50b21a8d] | | |
| |  | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.145 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.051 s |
| | [B@54d0b1a1] | | |
| |  | | |
| 5 | And close the browser | PASSED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.046 s |
| | [B@7c1792c2] | | |
| |  | | |



Validate login functionality with valid credentials


| | | | | |
|--|--------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 16.481 s</div> | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:40:04.678 PM // 9:40:21.159 PM /</div> | | | | |
| <div>As a user of application I want to validate login functionality</div> | | | | |
| <div>@validCredentials</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 1.197 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.138 s |
| | [B@5d5e5fe7 | | |
| |  | | |
| 2 | When user entered username "visual_user" and password "secret_sauce" | PASSED | 0.576 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.113 s |
| | [B@744072cb | | |
| |  | | |
| 3 | And user has clicked on Login button | PASSED | 0.362 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.124 s |
| | [B@20fc78dc | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.130 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.079 s |
| | [B@53ae5949] | | |
| |  | | |
| 5 | And close the browser | PASSED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.074 s |
| | [B@10f0e52d] | | |
| |  | | |



Validate login functionality with invalid credentials

| | | | | |
|---|--------------------|--|--|---|
| PASSED | DURATION - 1.540 s |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  |
| / 9:40:21.088 PM // 9:40:22.628 PM / | | | | |
| As a user of application I want to validate login functionality | | | | |
| | | | | |




| # | Step / Hook Details | Status | Duration | |
|--|---|--------|----------|----------|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 0.302 s | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.086 s | |
| | [B@22eb1d94 | | | |
| |  | | | |
| 2 | When user entered the credentials | PASSED | 0.226 s | |
| <table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table> | userName | | | Password |
| userName | Password | | | |
| standard_user | secret_sauce | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.035 s | |
| | [B@5304989a | | | |
| |  | | | |
| 3 | And user has clicked on Login button | PASSED | 0.111 s | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.068 s | |
| | [B@346de9fc | | | |
| |  | | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.031 s | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.047 s | |
| | [B@46f4cd06 | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 5 | And close the browser | PASSED | 0.000 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.043 s |
| |  | | |

Validate login functionality with valid credentials



| | | | | |
|---|--------------------|---|--|--|
| PASSED | DURATION - 1.573 s |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  |
| / 9:40:21.106 PM // 9:40:22.679 PM / | | | | |
| As a user of application I want to validate login functionality | | | | |
| @validCredentials | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 0.332 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.087 s |
| | [B@6906684e | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 2 | When user entered username "standard_user" and password "secret_sauce" | PASSED | 0.189 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.060 s |
| | [B@52f296e3] | | |
| |  | | |
| 3 | And user has clicked on Login button | PASSED | 0.122 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.065 s |
| | [B@765425cf] | | |
| |  | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.033 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.032 s |
| | [B@60a26177] | | |
| |  | | |
| 5 | And close the browser | PASSED | 0.001 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.048 s |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <p>[B@62a82b98]</p>  | | |

Validate dashboards


| | | | | | |
|--------------------------------------|---------------------|-----------|---|------------|---|
| PASSED | DURATION - 16.422 s | Scenarios | | Steps | |
| / 9:40:04.688 PM // 9:40:21.110 PM / | | Total - 3 |  | Total - 15 |  |
| | | Pass - 3 | | Pass - 15 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

Validate login functionality with valid credentials



| | | | | |
|--|--|--|--|---|
| <div><div>PASSED</div><div>DURATION - 16.422 s</div></div> | | <div></div> | <div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div> | <div></div> |
| / 9:40:04.688 PM // 9:40:21.110 PM / | | | | |
| Validate dashboards | | | | |
| @validCredentials @smoke | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 1.204 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.134 s |
| | [B@35132829] | | |

| # | Step / Hook Details | Status | Duration | | | | |
|---------------|---|----------|----------|---------------|--------------|--|--|
| | <div><div>Swag Labs</div><div><div>Username</div><div>Password</div><div>Login</div></div><div>Accepted usernames are: Password for all users:</div></div> | | | | | | |
| 2 | When user entered the credentials | PASSED | 0.546 s | | | | |
| | <table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table> | userName | Password | standard_user | secret_sauce | | |
| userName | Password | | | | | | |
| standard_user | secret_sauce | | | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.125 s | | | | |
| | [B@64efb43] | | | | | | |
| | <div><div>Swag Labs</div><div><div>standard_user</div><div></div><div>Login</div></div><div>Accepted usernames are: Password for all users:</div></div> | | | | | | |
| 3 | And user has clicked on Login button | PASSED | 0.396 s | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.120 s | | | | |
| | [B@360cb37f] | | | | | | |
| | <div><div>Swag Labs</div><div><div>Products</div><div><div><div><div><div>Sauce Labs Backpack</div><div>carryallTheThing() with the sleek, streamlined Sty Pack that meets uncompromising style with unequalled laptop and tablet protection.</div><div>\$29.99</div><div>Add to cart</div></div></div><div><div><div>Sauce Labs Bike Light</div></div></div></div></div></div></div> | | | | | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.137 s | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.063 s | | | | |
| | [B@e15ef40] | | | | | | |
| | <div><div>Swag Labs</div><div><div>Products</div><div><div><div><div><div>Sauce Labs Backpack</div><div>carryallTheThing() with the sleek, streamlined Sty Pack that meets uncompromising style with unequalled laptop and tablet protection.</div><div>\$29.99</div><div>Add to cart</div></div></div><div><div><div>Sauce Labs Bike Light</div></div></div></div></div></div></div> | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 5 | And close the browser | PASSED | 0.001 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.064 s |
| | [B@505ec81b | | |
| |  | | |



Validate login functionality with valid credentials 2



| | | | | | | | | |
|--------------------------------------|--|---------------------|--|--|--|---|--|--|
| PASSED | | DURATION - 16.370 s | |  | Steps Total - 5 Pass - 5 Fail - 0 Skip - 0 |  | | |
| / 9:40:04.695 PM // 9:40:21.065 PM / | | | | | | | | |
| Validate dashboards | | | | | | | | |
| @validCredentials @smoke | | | | | | | | |




| # | Step / Hook Details | Status | Duration | |
|--|---|--------|----------|----------|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 1.202 s | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.144 s | |
| | [B@2875340e | | | |
| |  | | | |
| 2 | When user entered the credentials | PASSED | 0.578 s | |
| <table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table> | userName | | | Password |
| userName | Password | | | |
| standard_user | secret_sauce | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.092 s | |
| | [B@1a1d9cb5 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And user has clicked on Login button | PASSED | 0.380 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.093 s |
| | [B@291fca18] | | |
| |  | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.151 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.062 s |
| | [B@1a0c0b57] | | |
| |  | | |
| 5 | And close the browser | PASSED | 0.008 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.061 s |
| | [B@4e0ae3b4] | | |
| |  | | |

Validate login functionality with valid credentials 3

| | | | | |
|---|--------------------------------|---|---|--|
| <div>PASSED</div> | <div>DURATION - 16.389 s</div> | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 9:40:04.701 PM // 9:40:21.090 PM /</div> | | | | |
| <div>Validate dashboards</div> | | | | |
| <div>@validCredentials @smoke</div> | | | | |

| # | Step / Hook Details | Status | Duration | | | | |
|---------------|--|----------|----------|---------------|--------------|--|--|
| 1 | Given user has launched url "https://www.saucedemo.com" | PASSED | 1.199 s | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.153 s | | | | |
| | [B@5101da92] | | | | | | |
| |  | | | | | | |
| 2 | When user entered the credentials | PASSED | 0.550 s | | | | |
| | <table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table> | userName | Password | standard_user | secret_sauce | | |
| userName | Password | | | | | | |
| standard_user | secret_sauce | | | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.144 s | | | | |
| | [B@3e09d2e5] | | | | | | |
| |  | | | | | | |
| 3 | And user has clicked on Login button | PASSED | 0.350 s | | | | |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.138 s | | | | |
| | [B@1028dddf] | | | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| |  | | |
| 4 | Then user verify "Products" on Dashboard | PASSED | 0.116 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.066 s |
| | [B@7e41100] | | |
| |  | | |
| 5 | And close the browser | PASSED | 0.007 s |
| | AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) | PASSED | 0.066 s |
| | [B@67ebf83f] | | |
| |  | | |