

Cucumber Report

04-Oct-2025, 9:53:04 pm

Start : Oct 04, 9:52:37.010 pm

End : Oct 04, 9:53:02.980 pm

Duration : 25.970 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 5
SKIPPED - 0


PASSED - 45
FAILED - 5
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>As a user of application I want to validate login functionality</u>	25.970 s	8	3	5	0	40	30	5	5
<u>Validate dashboards</u>	13.490 s	3	3	0	0	15	15	0	0

#	Feature Name	Scenario Name
1	<u>As a user of application I want to validate login functionality</u>	<u>Validate login functionality with invalid credentials</u>
2		<u>Validate login functionality with invalid credentials</u>
3		<u>Validate login functionality with invalid credentials</u>
4		<u>Validate login functionality with invalid credentials</u>
5		<u>Validate login functionality with invalid credentials</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@validCredentials	6	6	0	0	2	1	1	0
@smoke	4	4	0	0	2	1	1	0
@mainTestCase	1	1	0	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	<u>As a user of application I want to validate login functionality</u>	8	3	5	0	25.970 s
2	<u>Validate dashboards</u>	3	3	0	0	13.490 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>As a user of application I want to validate login functionality</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	14.582 s
2		<u>Validate login functionality with valid credentials</u>	5	5	0	0	14.164 s
3		<u>Validate login functionality with valid credentials</u>	5	5	0	0	14.293 s
4		<u>Validate login functionality with invalid credentials</u>	5	3	1	1	4.098 s
5		<u>Validate login functionality with invalid credentials</u>	5	3	1	1	14.328 s
6		<u>Validate login functionality with invalid credentials</u>	5	3	1	1	2.255 s
7		<u>Validate login functionality with invalid credentials</u>	5	3	1	1	2.344 s
8		<u>Validate login functionality with invalid credentials</u>	5	3	1	1	2.759 s
9	<u>Validate dashboards</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	9.304 s
10		<u>Validate login functionality with valid credentials 3</u>	5	5	0	0	4.308 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Validate dashboards</u>	<u>Validate login functionality with valid credentials 2</u>	5	5	0	0	13.454 s

As a user of application I want to validate login functionality

FAILED	DURATION - 25.970 s	Scenarios Total - 8 Pass - 3 Fail - 5 Skip - 0		Steps Total - 40 Pass - 30 Fail - 5 Skip - 5	
/ 9:52:37.010 pm // 9:53:02.980 pm /					



Validate login functionality with valid credentials




<div><div>PASSED</div><div>DURATION - 14.582 s</div></div>		<div></div>	<div>Steps Total - 5 Pass - 5 Fail - 0 Skip - 0</div>	<div></div>
/ 9:52:37.015 pm // 9:52:51.597 pm /				
As a user of application I want to validate login functionality				
@validCredentials @smoke @mainTestCase				



#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.655 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.083 s				
	[B@182c447						
							
2	When user entered the credentials	PASSED	0.230 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.058 s				
	[B@53892354						

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.144 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.139 s
	[B@406be581]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.044 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.064 s
	[B@f107be6]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.132 s
	[B@40b49d37]		
			



Validate login functionality with valid credentials

<div>PASSED</div>	<div>DURATION - 14.164 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:52:37.105 pm // 9:52:51.269 pm /</div>				
<div>As a user of application I want to validate login functionality</div>				
<div>@validCredentials</div>				





#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	4.627 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.091 s
	[B@328fb87a]		
			
2	When user entered username "visual_user" and password "secret_sauce"	PASSED	0.318 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.064 s
	[B@750b1a87]		
			
3	And user has clicked on Login button	PASSED	0.235 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.214 s
	[B@45fda50e]		
			


#	Step / Hook Details	Status	Duration
4	Then user verify "Products" on Dashboard	PASSED	0.057 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.117 s
	[B@72a01704]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.076 s
	[B@1946d896]		
			

Validate login functionality with valid credentials



PASSED	DURATION - 14.293 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:52:37.120 pm // 9:52:51.413 pm /				
As a user of application I want to validate login functionality				
@validCredentials				


#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.177 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.560 s
	[B@13221e42]		



#	Step / Hook Details	Status	Duration
			
2	When user entered username "standard_user" and password "secret_sauce"	PASSED	0.317 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.108 s
	[B@4e116701]		
			
3	And user has clicked on Login button	PASSED	0.201 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.117 s
	[B@67b8e0a]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.035 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.069 s
	[B@28ba7bc]		
			
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.172 s
	[B@53f31f7]		


#	Step / Hook Details	Status	Duration
			

Validate login functionality with invalid credentials



<div>FAILED</div> <div>DURATION - 4.098 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 9:52:37.126 pm // 9:52:41.224 pm /				
As a user of application I want to validate login functionality				

#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.590 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.100 s				
	[B@5b00e971						
							
2	When user entered the credentials	PASSED	0.208 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user2</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user2	secret_sauce		
userName	Password						
standard_user2	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.069 s				
	[B@9b9c469						




#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.096 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.074 s
	[B@5b724c08]		
			
4	Then user verify "Products" on Dashboard	FAILED	0.026 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Products']"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9d62df90e4f74cecc526f2e0e98ef34d, findElement {using=xpath, value=//span[text()='Products']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SOUVIK~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50725}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50725/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9d62df90e4f74cecc526f2e0e98ef34d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefs.LoginStepDefinitions.user_verify_on_dashboard(LoginStepDefinitions.java:56) at ?.user verify "Products" on Dashboard(file:///C:/Users/SOUVIK%20SARKAR/IdeaProjects/sampleBDDCucumber/src/test/resources/features/login.feature:27) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.062 s
	[B@1c787c00]		
			
5	And close the browser	SKIPPED	0.000 s

Validate login functionality with invalid credentials



<div>FAILED</div> <div>DURATION - 14.328 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:52:41.264 pm // 9:52:55.592 pm /</div>				
<div>As a user of application I want to validate login functionality</div>				



#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.566 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.057 s
	[B@5562ceba]		


#	Step / Hook Details	Status	Duration				
							
2	When user entered the credentials	PASSED	0.182 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user2</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user2	secret_sauce		
userName	Password						
standard_user2	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.083 s				
	[B@65cbeffa]						
							
3	And user has clicked on Login button	PASSED	0.071 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.073 s				
	[B@1596fe1c]						
							
4	Then user verify "Products" on Dashboard	FAILED	0.018 s				
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Products']"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [70beee5679e9b11c6ab8eda934005f7f, findElement {using=xpath, value=//span[text()='Products']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SOUVIK~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50941}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:50941/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:						


#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: 70beee5679e9b11c6ab8eda934005f7f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefs.LoginStepDefinitions.user_verify_on_dashboard(LoginStepDefinitions.java:56) at ?.user verify "Products" on Dashboard(file:///C:/Users/SOUVIK%20SARKAR/IdeaProjects/sampleBDDCucumber/src/test/resources/features/login.feature:27) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.054 s
	<p>[B@35501392</p> 		
5	And close the browser	SKIPPED	0.000 s

Validate login functionality with invalid credentials



<div>FAILED</div> <div>DURATION - 2.255 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:52:55.603 pm // 9:52:57.858 pm /</div>			
<div>As a user of application I want to validate login functionality</div>			


#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.561 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.070 s				
	[B@4278c157						
							
2	When user entered the credentials	PASSED	0.134 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user2</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user2	secret_sauce		
userName	Password						
standard_user2	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.080 s				
	[B@69602a2e						
							
3	And user has clicked on Login button	PASSED	0.079 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.065 s				
	[B@61eef4b						



#	Step / Hook Details	Status	Duration
			
4	<p>Then user verify "Products" on Dashboard</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Products']"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [69e173f58fb62279a783c11c9cf7c676, findElement {using=xpath, value=//span[text()='Products']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SOUVIK~1\AppData\Local\Temp\140.0.7339.207 (17230b545fd..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51355/devtools, se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 69e173f58fb62279a783c11c9cf7c676</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefs.LoginStepDefinitions.user_verify_on_dashboard(LoginStepDefinitions.java:56) at ?.user verify "Products" on Dashboard(file:///C:/Users/SOUVIK%20SARKAR/IdeaProjects/sampleBDDCucumber/src/test/resources/features/login.feature:27) </pre> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.016 s
	<p>AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)</p> <p>[B@4ad54ca4</p>	PASSED	0.042 s


#	Step / Hook Details	Status	Duration
			
5	And close the browser	SKIPPED	0.000 s

Validate login functionality with invalid credentials



FAILED DURATION - 2.344 s / 9:52:57.867 pm // 9:53:00.211 pm / As a user of application I want to validate login functionality		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
--	--	--	---

#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.555 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.073 s				
	[B@1c714d8e						
							
2	When user entered the credentials	PASSED	0.171 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user2</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user2	secret_sauce		
userName	Password						
standard_user2	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.090 s				
	[B@4e03fac8						




#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.086 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.089 s
	[B@1abd0cf6]		
			
4	Then user verify "Products" on Dashboard	FAILED	0.018 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Products']"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f767fc4499ebac4bd86b5ffb2c932b43, findElement {using=xpath, value=//span[text()='Products']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SOUVIK~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51383}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51383/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f767fc4499ebac4bd86b5ffb2c932b43</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefs.LoginStepDefinitions.user_verify_on_dashboard(LoginStepDefinitions.java:56) at ?.user verify "Products" on Dashboard(file:///C:/Users/SOUVIK%20SARKAR/IdeaProjects/sampleBDDCucumber/src/test/resources/features/login.feature:27) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.056 s
	[B@414395b6]		
			
5	And close the browser	SKIPPED	0.001 s

Validate login functionality with invalid credentials



<div>FAILED</div>	<div>DURATION - 2.759 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 9:53:00.221 pm // 9:53:02.980 pm /</div>				
<div>As a user of application I want to validate login functionality</div>				

#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.649 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.094 s
	[B@1daed01c]		



#	Step / Hook Details	Status	Duration				
							
2	When user entered the credentials	PASSED	0.237 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user2</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user2	secret_sauce		
userName	Password						
standard_user2	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.078 s				
	[B@1db27d5a]						
							
3	And user has clicked on Login button	PASSED	0.116 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.076 s				
	[B@63eeb9fd]						
							
4	Then user verify "Products" on Dashboard	FAILED	0.019 s				
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Products']"} (Session info: chrome=140.0.7339.208) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b2e18430cc26d5eef06e0f0cfa83c53e, findElement {using=xpath, value=//span[text()='Products']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 140.0.7339.208, chrome: {chromedriverVersion: 140.0.7339.207 (17230b545fd..., userDataDir: C:\Users\SOUVIK~1\AppData\Local\..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51411}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51411/devtoo..., se:cdpVersion: 140.0.7339.208, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:						


#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: b2e18430cc26d5eef06e0f0cfa83c53e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at stepDefs.LoginStepDefinitions.user_verify_on_dashboard(LoginStepDefinitions.java:56) at ?.user verify "Products" on Dashboard(file:///C:/Users/SOUVIK%20SARKAR/IdeaProjects/sampleBDDCucumber/src/test/resources/features/login.feature:27) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.068 s
	<p>[B@b30d04</p> 		
5	And close the browser	SKIPPED	0.001 s

Validate dashboards

PASSED	DURATION - 13.490 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 9:52:37.099 pm // 9:52:50.589 pm /					

Validate login functionality with valid credentials



PASSED	DURATION - 9.304 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 9:52:37.099 pm // 9:52:46.403 pm /				
Validate dashboards				
@validCredentials @smoke				




#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.223 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.516 s				
	[B@1f3f356d						
							
2	When user entered the credentials	PASSED	0.220 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.075 s				
	[B@2130827d						

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button	PASSED	0.123 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.146 s
	[B@128544ab]		
			
4	Then user verify "Products" on Dashboard	PASSED	0.032 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.075 s
	[B@1963f5e]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.122 s
	[B@1a2a5460]		
			



Validate login functionality with valid credentials 3

<div>PASSED</div> <div>DURATION - 4.308 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.620</td></tr><tr><td>2</td><td>0.077</td></tr><tr><td>3</td><td>0.129</td></tr><tr><td>4</td><td>0.103</td></tr></tbody></table></div>	Step	Duration (s)	1	0.620	2	0.077	3	0.129	4	0.103	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
Step		Duration (s)											
1		0.620											
2		0.077											
3	0.129												
4	0.103												
<div>/ 9:52:37.103 pm // 9:52:41.411 pm /</div>													
<div>Validate dashboards</div>													
<div>@validCredentials @smoke</div>													


#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.620 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.077 s				
	[B@7b8c3a94]						
							
2	When user entered the credentials	PASSED	0.201 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce	PASSED	0.086 s
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.086 s				
	[B@39d34da1]						
							
3	And user has clicked on Login button	PASSED	0.129 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.103 s				
	[B@59aec1fa]						

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.052 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.084 s
	[B@2d10258]		
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.108 s
	[B@6a4a6fbc]		
			

Validate login functionality with valid credentials 2

PASSED	DURATION - 13.454 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:52:37.135 pm // 9:52:50.589 pm /				
Validate dashboards				
@validCredentials @smoke				

#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.663 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.083 s				
	[B@50833082						
							
2	When user entered the credentials	PASSED	0.186 s				
	<table><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.072 s				
	[B@4560bf04						
							
3	And user has clicked on Login button	PASSED	0.166 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.101 s				
	[B@1ccfde59						
							
4	Then user verify "Products" on Dashboard	PASSED	0.026 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.065 s				
	[B@1760799d						

#	Step / Hook Details	Status	Duration
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.112 s
	[B@19b4b42f 