

# Cucumber Report

06-Oct-2025, 3:15:35 am

**Start : Oct 06, 3:15:01.485 am**

**End : Oct 06, 3:15:34.121 am**

**Duration : 32.636 s**

Features




PASSED - 2  
FAILED - 0  
SKIPPED - 0

Scenarios

PASSED - 7  
FAILED - 0  
SKIPPED - 0


Steps

PASSED - 35  
FAILED - 0  
SKIPPED - 0




<b>Feature</b>		<b>Scenario</b>				<b>Step</b>			
<b>Name</b>	<b>Duration</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
<u>Validate dashboards</u>	22.168 s	3	3	0	0	15	15	0	0
<u>As a user of application I want to validate login functionality</u>	32.548 s	4	4	0	0	20	20	0	0

<b>TAG</b>	<b>Name</b>	<b>Scenario</b>				<b>Feature</b>			
		<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@validCredentials		6	6	0	0	2	2	0	0
@smoke		4	4	0	0	2	2	0	0
@mainTestCase		1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validate dashboards</u>	3	3	0	0	22.168 s
2	<u>As a user of application I want to validate login functionality</u>	4	4	0	0	32.548 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate dashboards</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	18.836 s
2		<u>Validate login functionality with valid credentials 2</u>	5	5	0	0	21.370 s
3		<u>Validate login functionality with valid credentials 3</u>	5	5	0	0	22.070 s
4	<u>As a user of application I want to validate login functionality</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	18.017 s
5		<u>Validate login functionality with valid credentials</u>	5	5	0	0	21.083 s
6		<u>Validate login functionality with invalid credentials</u>	5	5	0	0	14.487 s
7		<u>Validate login functionality with valid credentials</u>	5	5	0	0	9.296 s




## Validate dashboards

PASSED	DURATION - 22.168 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 3:15:01.485 am // 3:15:23.653 am /					


## Validate login functionality with valid credentials

PASSED	DURATION - 18.836 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:15:01.494 am // 3:15:20.330 am /					
Validate dashboards					
@validCredentials @smoke					




#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)  [B@29ab9a1EDGE	PASSED	0.351 s
		PASSED	1.429 s
2	When user entered the credentials  user Name   Password standard_user   secret_sauce	PASSED	0.984 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)  [B@ad5c515EDGE	PASSED	0.337 s

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@5a5a0800EDGE	PASSED	0.370 s
		PASSED	0.686 s
4	Then user verify "Products" on Dashboard AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@664821ceEDGE	PASSED	0.195 s
		PASSED	0.638 s
5	And close the browser AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@738fc40bEDGE	PASSED	0.001 s
		PASSED	0.534 s


Validate login functionality with valid credentials 2




#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@75228fb2EDGE  	PASSED	6.322 s
2	When user entered the credentials  userNmae Password standard_user secret_sauce  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@28603483EDGE  	PASSED	0.732 s
3	And user has clicked on Login button  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@6a82e661EDGE	PASSED	0.288 s
		PASSED	0.665 s

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.079 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@3d68097EDGE  	PASSED	0.549 s
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@daaeb5EDGE  	PASSED	0.535 s


### Validate login functionality with valid credentials 3




#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@68c8252bEDGE  	PASSED	6.099 s				
2	When user entered the credentials  <table border="1"><tr><td>userNmae</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table> AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@76679eb0EDGE  	userNmae	Password	standard_user	secret_sauce	PASSED	0.474 s
userNmae	Password						
standard_user	secret_sauce						
3	And user has clicked on Login button  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@364ac85EDGE  	PASSED	0.371 s				
4	Then user verify "Products" on Dashboard  AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@68f6dfcaEDGE	PASSED	0.112 s				
		PASSED	0.498 s				



#	Step / Hook Details	Status	Duration
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@2fa5fc25EDGE 	PASSED	0.508 s


## As a user of application I want to validate login functionality




## Validate login functionality with valid credentials







#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.225 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@6406fa1bEDGE 	PASSED	0.460 s
2	When user entered username "visual_user" and password "secret_sauce"	PASSED	0.266 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@31ea7376EDGE 	PASSED	0.285 s
3	And user has clicked on Login button	PASSED	0.356 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@93b6aedEDGE 	PASSED	0.979 s
4	Then user verify "Products" on Dashboard	PASSED	0.094 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@496552fdEDGE 	PASSED	0.734 s
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.828 s

#	Step / Hook Details	Status	Duration
	[B@294de065EDGE 		


### Validate login functionality with valid credentials

PASSED	DURATION - 21.083 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:15:01.586 am // 3:15:22.669 am /				
As a user of application I want to validate login functionality				
@validCredentials @smoke @mainTestCase				




#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.341 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.323 s				
	[B@4cfbdbf4EDGE 						
2	When user entered the credentials	PASSED	0.599 s				
	<table border="1"> <tr> <td>userName</td> <td>Password</td> </tr> <tr> <td>standard_user</td> <td>secret_sauce</td> </tr> </table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.315 s				
	[B@3874fb5dEDGE						

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@10bcbaeaEDGE	PASSED	0.260 s
		PASSED	0.590 s
4	Then user verify "Products" on Dashboard AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@18d04873EDGE	PASSED	0.068 s
		PASSED	0.396 s
5	And close the browser AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@18ffca3EDGE	PASSED	0.000 s
		PASSED	0.427 s


Validate login functionality with invalid credentials




#	Step / Hook Details	Status	Duration						
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.785 s						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@7a75f46fEDGE  	PASSED	0.340 s						
2	When user entered the credentials  <table border="1"><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr><tr><td>visual_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce	visual_user	secret_sauce	PASSED	0.371 s
userName	Password								
standard_user	secret_sauce								
visual_user	secret_sauce								
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@6203b73cEDGE  	PASSED	0.420 s						
3	And user has clicked on Login button	PASSED	0.485 s						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@7accf5d3EDGE	PASSED	0.684 s						

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.042 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@435c6acEDGE 	PASSED	0.525 s
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@45571f96EDGE 	PASSED	0.463 s

### Validate login functionality with valid credentials

PASSED	DURATION - 9.296 s	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:15:20.349 am // 3:15:29.645 am /			
As a user of application I want to validate login functionality			
@validCredentials			

#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.861 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@41578c3fEDGE 	PASSED	0.722 s
2	When user entered username "standard_user" and password "secret_sauce"	PASSED	0.250 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@25aa231eEDGE 	PASSED	0.329 s
3	And user has clicked on Login button	PASSED	0.183 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@31167afdfEDGE 	PASSED	0.613 s
4	Then user verify "Products" on Dashboard	PASSED	0.045 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@6eb07987EDGE 	PASSED	0.538 s
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.463 s

#	Step / Hook Details	Status	Duration
	[B@2e1fd33EDGE 