

Cucumber Report

06-Oct-2025, 4:01:21 am

Start : Oct 06, 3:59:37.965 am

End : Oct 06, 4:01:19.345 am

Duration : 1 m 41.380 s

Features







PASSED - 2
FAILED - 0
SKIPPED - 0

Scenarios

PASSED - 7
FAILED - 0
SKIPPED - 0


Steps

PASSED - 35
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Validate dashboards</u>	1 m 41.380 s	3	3	0	0	15	15	0	0
<u>As a user of application I want to validate login functionality</u>	1 m 39.175 s	4	4	0	0	20	20	0	0

TAG	Name	Scenario				Feature			
		T	P	F	S	T	P	F	S
	@validCredentials	6	6	0	0	2	2	0	0
	@smoke	4	4	0	0	2	2	0	0
	@mainTestCase	1	1	0	0	1	1	0	0



#	Feature Name	T	P	F	S	Duration
1	<u>Validate dashboards</u>	3	3	0	0	1 m 41.380 s
2	<u>As a user of application I want to validate login functionality</u>	4	4	0	0	1 m 39.175 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate dashboards</u>	<u>Validate login functionality with valid credentials 3</u>	5	5	0	0	1 m 41.376 s
2		<u>Validate login functionality with valid credentials 2</u>	5	5	0	0	1 m 38.799 s
3		<u>Validate login functionality with valid credentials</u>	5	5	0	0	37.381 s
4	<u>As a user of application I want to validate login functionality</u>	<u>Validate login functionality with valid credentials</u>	5	5	0	0	37.721 s
5		<u>Validate login functionality with valid credentials</u>	5	5	0	0	31.852 s
6		<u>Validate login functionality with invalid credentials</u>	5	5	0	0	44.722 s
7		<u>Validate login functionality with valid credentials</u>	5	5	0	0	1 m 1.755 s




Validate dashboards

PASSED	DURATION - 1 m 41.380 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 15 Pass - 15 Fail - 0 Skip - 0	
/ 3:59:37.965 am // 4:01:19.345 am /					


Validate login functionality with valid credentials 3

PASSED	DURATION - 1 m 41.376 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:59:37.969 am // 4:01:19.345 am /					
Validate dashboards					
@validCredentials @smoke					




#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.774 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@3b36b4beEDGE 	PASSED	0.291 s				
2	When user entered the credentials <table border="1"><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce	PASSED	0.248 s
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@6f2aca86EDGE	PASSED	0.210 s				

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@395df499EDGE	PASSED	0.126 s
		PASSED	0.342 s
4	Then user verify "Products" on Dashboard AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@1288524bEDGE	PASSED	0.042 s
		PASSED	0.291 s
5	And close the browser AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@15556a01EDGE	PASSED	0.000 s
		PASSED	0.300 s


Validate login functionality with valid credentials 2




#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com" AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@608699b3EDGE 	PASSED	45.126 s
2	When user entered the credentials userNmae Password standard_user secret_sauce AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@16ff1626EDGE 	PASSED	0.360 s
3	And user has clicked on Login button AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@bb8c9d0EDGE	PASSED	0.186 s
		PASSED	0.622 s

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.056 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@4b95c7d9EDGE 	PASSED	0.676 s
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@2073ff8EDGE 	PASSED	20.334 s


Validate login functionality with valid credentials

PASSED	DURATION - 37.381 s	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:59:38.076 am // 4:00:15.457 am /			
Validate dashboards			
@validCredentials @smoke			


#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.076 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@4f60612EDGE 	PASSED	0.362 s				
2	When user entered the credentials <table border="1"><tr><td>userNmae</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr></table>	userNmae	Password	standard_user	secret_sauce	PASSED	0.366 s
userNmae	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@80bd926EDGE 	PASSED	0.354 s				
3	And user has clicked on Login button	PASSED	0.249 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@5a73f3b2EDGE 	PASSED	0.617 s				
4	Then user verify "Products" on Dashboard	PASSED	0.077 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@7c946c67EDGE	PASSED	0.708 s				



#	Step / Hook Details	Status	Duration
5	And close the browser	PASSED	0.001 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@7a55333bEDGE 	PASSED	0.521 s


As a user of application I want to validate login functionality




Validate login functionality with valid credentials







#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	5.784 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@79919cfEDGE 	PASSED	0.384 s
2	When user entered username "visual_user" and password "secret_sauce"	PASSED	0.365 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@12eb3529EDGE 	PASSED	0.326 s
3	And user has clicked on Login button	PASSED	0.275 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@2b0d0a2aEDGE 	PASSED	0.807 s
4	Then user verify "Products" on Dashboard	PASSED	0.067 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@207490e4EDGE 	PASSED	0.483 s
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.658 s

#	Step / Hook Details	Status	Duration
	[B@5f777134EDGE 		


Validate login functionality with valid credentials

PASSED	DURATION - 31.852 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:59:38.079 am // 4:00:09.931 am /				
As a user of application I want to validate login functionality				
@validCredentials @smoke @mainTestCase				




#	Step / Hook Details	Status	Duration				
1	Given user has launched url "https://www.saucedemo.com"	PASSED	1.206 s				
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.408 s				
	[B@86f3102EDGE 						
2	When user entered the credentials	PASSED	0.292 s				
	<table border="1"> <tr> <td>userName</td> <td>Password</td> </tr> <tr> <td>standard_user</td> <td>secret_sauce</td> </tr> </table>	userName	Password	standard_user	secret_sauce		
userName	Password						
standard_user	secret_sauce						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.242 s				
	[B@4280d57EDGE						

#	Step / Hook Details	Status	Duration
			
3	And user has clicked on Login button AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@2061975EDGE	PASSED	0.188 s
		PASSED	0.623 s
4	Then user verify "Products" on Dashboard AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@702fcb68EDGE	PASSED	0.050 s
		PASSED	0.505 s
5	And close the browser AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@2f91380cEDGE	PASSED	0.002 s
		PASSED	0.839 s


Validate login functionality with invalid credentials




#	Step / Hook Details	Status	Duration						
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.713 s						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@eba9ae3EDGE 	PASSED	0.325 s						
2	When user entered the credentials <table border="1"><tr><td>userName</td><td>Password</td></tr><tr><td>standard_user</td><td>secret_sauce</td></tr><tr><td>visual_user</td><td>secret_sauce</td></tr></table>	userName	Password	standard_user	secret_sauce	visual_user	secret_sauce	PASSED	0.402 s
userName	Password								
standard_user	secret_sauce								
visual_user	secret_sauce								
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@1ceb8403EDGE 	PASSED	0.268 s						
3	And user has clicked on Login button	PASSED	0.235 s						
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@35c88a27EDGE	PASSED	0.448 s						

#	Step / Hook Details	Status	Duration
			
4	Then user verify "Products" on Dashboard	PASSED	0.095 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@14f6379bEDGE	PASSED	37.138 s
			
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@7755b38cEDGE	PASSED	0.601 s
			

Validate login functionality with valid credentials

PASSED	DURATION - 1 m 1.755 s	Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 4:00:15.490 am // 4:01:17.245 am /			
As a user of application I want to validate login functionality			
@validCredentials			

#	Step / Hook Details	Status	Duration
1	Given user has launched url "https://www.saucedemo.com"	PASSED	0.871 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@4756050EDGE 	PASSED	0.308 s
2	When user entered username "standard_user" and password "secret_sauce"	PASSED	0.308 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@761f8f20EDGE 	PASSED	0.269 s
3	And user has clicked on Login button	PASSED	0.436 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@78f25c5dEDGE 	PASSED	0.732 s
4	Then user verify "Products" on Dashboard	PASSED	13.861 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario) [B@220387ebEDGE 	PASSED	6.085 s
5	And close the browser	PASSED	0.000 s
	AFTER_STEP - hooks.Hooks.commonStepAfterEachStep(io.cucumber.java.Scenario)	PASSED	0.505 s

#	Step / Hook Details	Status	Duration
	[B@670e7a1EDGE 