			1 1	
Reg. No				
		 	West of the same	

## **B.Tech DEGREE EXAMINATION, NOVEMBER 2023**

Seventh Semester

## 18BME466T - ARTIFICIAL INTELLIGENCE IN HEALTH CARE

(For the candidates admitted during the academic year 2020 - 2021 & 2021 - 2022)

## Note:

i. Part - A should be answered in OMR sheet within first 40 minutes and OMR sheet should be handed over to hall invigilator at the end of 40<sup>th</sup> minute.

ii. Pa	rt - B and Part - C should be answered in a	nswer booklet.			460
Time	: 3 Hours		Max. N	larks:	: 100
	PART - A $(20 \times 1 =$ Answer all Que		Mark	s BL	CO
1.	Which type of intelligent agent focuse predefined measure of success or satisfacti (A) Simple reflex agents (C) Goal-based agents	s on selecting actions that maximize a on?  (B) Model-based agents  (D) Utility-based agents		2	1
2.	What is meant by agent's percept sequence (A) Used to perceive the environment (C) Complete history of perceived things	(B) Complete history of actuator (D) Future events of the environment	1	1	1
3.	In which agent does the problem generator (A) Learning agent (C) Reflex agent	r is present?  (B) Observing agent  (D) Uniform agent	1 a	2	1
4.		about number of steps, but only about the  (B) Breadth first search  (D) Depth limited search		2	1
5.	Which search is complete and optimal who (A) Depth-first search (C) Iterative search	en h(n) is consistent?  (B) Best-first search  (D) A* search	1	3	2
6.	Which search method will expand the nod (A) Best-first search (C) A* search	that is closest to the goal?  (B) Greedy best-first search  (D) Breadth first search	1	1	2
7.	What is the evaluation function in A* app (A) Heuristic function	roach?  (B) Path cost from start node to current node  (D) Average of Path cost from start	1	2	2
	(C) Path cost from start node to current node + Heuristic cost	node to current node and Heuristic cost	1	1	2
8.	Heuristic function h(n) is(A) Lowest path cost	(B) Cheapest path from root to goal node			
	(C) Estimated cost of cheapest path from root to goal node	(D) Average path cost		2	7
9.	What are you predicating by the logic: ∀x (A) Everyone is loyal to some one (C) Everyone is not loyal to someone	x: ∃y: loyalto(x, y) (B) Everyone is loyal to all (D) Everyone is loyal	1	3	3

10. ∀ x Likes(x, IceCream) is equivalent to (A) ∃ x T Likes(x, IceCream) (C) ∃ x Likes(x, IceCream) (D) ∃ x T Likes(x, IceCream) (D) ∃ x T Likes(x, IceCream) (D) ∃ x T Likes(x, IceCream) (E) ∃ x Likes(x, IceCream) (D) ∃ x T Likes(x, IceCream) (E) ∃ x Likes(x, IceCream) (D) ∃ x T Likes(x, IceCream) (E) ∃ x Likes(x, IceCream) (D) ∃ x T Likes(x, IceCream) (D) ∃ F and thild are in inverlation (E) Pean and child are in intrelation (E) Pean and child are in intrelation (E) Pe				
11. ∀ p, c Parent(p, c) ⇔ Child (c, p) logic represents that  (A) Parent and child are equivalent  (B) Parent and child are in inv relation  (C) Parent and child are in opposite relation  12. The		1	1	3
(A) Parent and child are equivalent (C) Parent and child are in opposite relation (D) Parent and child are in implies relation (D) Pano axioms (D) Peano axioms (D) Peano axioms (D) Peano axioms (E) Reature Transform (E) Feature Engineering (C) Feature Encoding (D) Feature Engineering (D) Feature Engineering (E) Feature Engineering (D) Feature Selection (A) SVM (B) KNN (C) LoR (D) DT (D) DT (E) Which of the following is a type of neural network? (A) Decision Tree (C) Convolutional neural network (D) Linear regression (E) Semantic analysis (D) Sentiment analysis (D) Sentiment analysis (D) Sentiment analysis (D) Sentiment analysis (E) Database module (E) Pooling (E) Full Connection (A) Spatial Pooling (D) Convolution (E) Sum Pooling (D) Convolution (E) Sum Pooling (D) Average Pooling (D) Average Pooling (D) Average Pooling (E) Sum Pooling (D) System as Service	am)			
relation  (C) Parent and child are in opposite relation  (D) Parent and child are in implies relation  (D) Parent and child are in implies relation  (E) Parent and child are in implies relation  (A) Domain axioms (B) Equality axioms (C) Natural axioms (D) Peano axioms  (E) Equality axioms (D) Peano axioms (E) Equality axioms (E) Equality axioms (D) Peano axioms (E) Equality axioms	ıverse	1	3	3
relation implies relation  12. The				
(A) Domain axioms (C) Natural axioms (D) Peano axioms (D) Peano axioms (D) Peano axioms  13. Extraction of features from data and transforming them into formats that ar for ML algorithms is called (A) Feature Transform (C) Feature Encoding (D) Feature selection  14				
(A) Domain axioms (C) Natural axioms (D) Peano axioms (D) Peano axioms (D) Peano axioms  13. Extraction of features from data and transforming them into formats that ar for ML algorithms is called (A) Feature Transform (C) Feature Encoding (D) Feature selection  14		1	1	3
13. Extraction of features from data and transforming them into formats that ar for ML algorithms is called  (A) Feature Transform  (C) Feature Encoding  (D) Feature Engineering (C) Feature Encoding  (D) Feature Selection  14		•	1	3
(C) Feature Encoding (D) Feature selection  14	are suitable	1	1	4
(C) Feature Encoding  (D) Feature selection  14				
14 machine learning algorithm can easily adapt onto unseen data (A) SVM (B) KNN (C) LoR (D) DT  15. Which of the following is a type of neural network? (A) Decision Tree (B) Random Forest (C) Convolutional neural network (D) Linear regression  16. The process of understanding the meaning and interpretation of words, a sentence structure is called (A) Tokenization (B) Lexical analysis (C) Semantic analysis (D) Sentiment analysis  17 module is used to classify whether the recently posted data indicates of not (A) Data processing module (B) Computational module (C) Database module (D) Administrator module  18 stage of DL extracts important features from the image (A) Flattening (B) Full Connection (C) Pooling (D) Convolution  19 curtails the dimensionality of each feature map but retains si information (A) Spatial Pooling (B) Max Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (B) Platform as a Service (C) Software as a Service (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the 22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to fooling solution. explain.				
(C) LoR  (D) DT  15. Which of the following is a type of neural network?  (A) Decision Tree (B) Random Forest (C) Convolutional neural network (D) Linear regression  16. The process of understanding the meaning and interpretation of words, sentence structure is called (A) Tokenization (C) Semantic analysis (D) Sentiment analysis  17module is used to classify whether the recently posted data indicates of not (A) Data processing module (C) Database module (C) Database module (D) Administrator module  18stage of DL extracts important features from the image (A) Flattening (B) Full Connection (C) Pooling (D) Convolution  19curtails the dimensionality of each feature map but retains sinformation (A) Spatial Pooling (D) Average Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (C) Software as a Service (D) System as Service (C) Software as a Service (D) System as Service (E) PART - B (5 × 4 = 20 Marks) Answer any 5 Questions (E) What are the types of depth-first search techniques? Elaborate on ONE of the solution, explain.		1	1	4
15. Which of the following is a type of neural network?  (A) Decision Tree (B) Random Forest (C) Convolutional neural network (D) Linear regression  16. The process of understanding the meaning and interpretation of words, sentence structure is called (A) Tokenization (B) Lexical analysis (C) Semantic analysis (D) Sentiment analysis  17module is used to classify whether the recently posted data indicates of not (A) Data processing module (C) Database module (C) Database module (D) Administrator module  18stage of DL extracts important features from the image (A) Flattening (B) Full Connection (C) Pooling (D) Convolution  19curtails the dimensionality of each feature map but retains sinformation (A) Spatial Pooling (B) Max Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (C) Software as a Service (D) System as Service (C) Software as a Service (D) System as Service (E) PART - B (5 × 4 = 20 Marks) Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the solution, explain.				
(A) Decision Tree (C) Convolutional neural network (D) Linear regression  16. The process of understanding the meaning and interpretation of words, a sentence structure is called (A) Tokenization (B) Lexical analysis (C) Semantic analysis (D) Sentiment analysis  17 module is used to classify whether the recently posted data indicates of not (A) Data processing module (C) Database module (C) Database module (C) Database module (D) Administrator module  18 stage of DL extracts important features from the image (A) Flattening (B) Full Connection (C) Pooling (D) Convolution  19 curtails the dimensionality of each feature map but retains si information (A) Spatial Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (C) Software as a Service (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the solution. explain.  23. During what situation the hill climbing search technique is unable to foolution. explain.				
(C) Convolutional neural network  (D) Linear regression  16. The process of understanding the meaning and interpretation of words, sentence structure is called  (A) Tokenization (B) Lexical analysis (C) Semantic analysis (D) Sentiment analysis  17		1	1	4
16. The process of understanding the meaning and interpretation of words, sentence structure is called  (A) Tokenization (B) Lexical analysis (C) Semantic analysis (D) Sentiment analysis (D) Sentiment analysis (E) Semantic analysis (D) Sentiment analysis (D) Sentiment analysis (E) Semantic analysis (E) Semantic analysis (D) Sentiment analysis (E) Computational module (E) Database module (E) Database module (E) Database module (E) Computational module (E) Database module (E) Database module (E) Computational module (E) Database module (E) Computational module (E) Database module (E) Convolution (D) Convolution (E) Full Connection (D) Convolution (E) Full Connection (D) Convolution (E) Max Pooling (C) Sum Pooling (D) Average Pooling (D) Average Pooling (E) Average Pooling (E) Average Pooling (E) Patromas a Service (D) System as Service (C) Software as a Service (D) System as Service (D) S	.5	5		
(A) Tokenization  (B) Lexical analysis  (C) Semantic analysis  (D) Sentiment analysis  (D) Sentiment analysis  (E) Semantic analysis  (D) Sentiment analysis  (D) Sentiment analysis  (E) Semantic analysis  (E) Semantic analysis  (E) Semantic analysis  (D) Sentiment analysis  (E) Semantic analysis  (D) Sentiment analysis  (E) Semantic analysis  (D) Semantic analysis  (E) Semantic analysis  (E) Computational module  (D) Administrator module  (E) Pall Connection  (D) Convolution  (D) Convolution  (E) Max Pooling  (C) Sum Pooling  (D) Average Pooling  (E) Sum Pooling  (D) Average Pooling  (E) Sum Pooling  (D) Average Pooling  (E) Particular analysis  (E) Particular analysis  (E) Particular analysis  (E) Full Connection  (D) Convolution  (E) Particular analysis  (E) Full Connection  (D) Convolution  (E) Max Pooling  (D) Average Pooling  (D) Average Pooling  (E) Particular analysis  (E) Particular analysis  (E) Particular analysis  (E) Semantic analysis  (E) Particular analysis  (E) Semantic analysis				
(C) Semantic analysis  (D) Sentiment analysis  17 module is used to classify whether the recently posted data indicates of not  (A) Data processing module (C) Database module (D) Administrator module  (E) Database module (D) Administrator module  (E) Pooling (D) Convolution  (C) Pooling (D) Convolution  (E) Full Connection (D) Convolution  (E) Max Pooling (D) Average Pooling (D) Average Pooling  (E) Sum Pooling (D) Average Pooling  (E) Sum Pooling (D) Average Pooling  (E) Sum Pooling (D) Average Pooling  (E) Platform as a Service (C) Software as a Service (D) System as Service (C) Software as a Service (D) System as Service (E) PART - B (5 × 4 = 20 Marks) (D) System as Service (D) System as Service (E) Part - B (5 × 4 = 20 Marks) (D) System as Service (E) Part - B (5 × 4 = 20 Marks) (E) System as Service (E) S	, signs and	1	2	4
17module is used to classify whether the recently posted data indicates of (A) Data processing module (B) Computational module (C) Database module (D) Administrator module  18stage of DL extracts important features from the image (A) Flattening (B) Full Connection (C) Pooling (D) Convolution  19curtails the dimensionality of each feature map but retains sinformation (A) Spatial Pooling (B) Max Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (B) Platform as a Service (C) Software as a Service (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the convironments.  23. During what situation the hill climbing search technique is unable to for solution. explain.				
(A) Data processing module (C) Database module (C) Database module (D) Administrator module (E) Database module (D) Administrator module (E) Polling (E) Full Connection (D) Convolution (D) Convolution (E) Full Connection (D) Convolution (E) Max Pooling (D) Average Pooling (D) Average Pooling (E) Sum Pooling (D) Average Pooling (E) Max Pooling (D) Average Pooling (E) Max Pooling (D) Average Pooling (E) Sum Pooling (D) Average Pooling (E) Max Pooling (D) Average Pooling (D) System as Service (E) Platform as a Service (D) System as Ser				
(C) Database module  (D) Administrator module  18	disease or	1	1	5
(A) Flattening (B) Full Connection (C) Pooling (D) Convolution  19.				
(A) Flattening (C) Pooling (D) Convolution  19 curtails the dimensionality of each feature map but retains si information (A) Spatial Pooling (B) Max Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (B) Platform as a Service (C) Software as a Service (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the convironments.  23. During what situation the hill climbing search technique is unable to foolition. explain.	= = ;	1	1	5
(C) Pooling (D) Convolution  19.				
(A) Spatial Pooling (C) Sum Pooling (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications (A) Infrastructure as a Service (B) Platform as a Service (C) Software as a Service (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the convironments.  22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to for solution, explain.				
(C) Sum Pooling  (D) Average Pooling  20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications  (A) Infrastructure as a Service  (B) Platform as a Service  (C) Software as a Service  (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the convironments.  22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to fooling solution. explain.	significant 1	1	1	5
<ul> <li>20. The model that employ specified coding languages and hardware into the computing infrastructure which empower the users to imply and develop applications <ul> <li>(A) Infrastructure as a Service</li> <li>(B) Platform as a Service</li> <li>(C) Software as a Service</li> <li>(D) System as Service</li> </ul> </li> <li>21. What are the types of depth-first search techniques? Elaborate on ONE of the 22. When is an environment strategic? Differentiate Single-agent and menvironments.</li> <li>23. During what situation the hill climbing search technique is unable to for solution, explain.</li> <li>24. Consider the Wumpus world as shown ,describe PEAS for the task environments.</li> </ul>				
computing intrastructure which empower the users to imply and develop applications  (A) Infrastructure as a Service  (B) Platform as a Service  (C) Software as a Service  (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the 22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to for solution. explain.				
(A) Infrastructure as a Service (C) Software as a Service  (D) System as Service  PART - B (5 × 4 = 20 Marks)  Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of the 22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to foolution. explain.  24. Consider the Wumpus world as shown ,describe PEAS for the task environments.	the cloud 1 op various	1	1	5
PART - B (5 × 4 = 20 Marks) Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of th  22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to f solution. explain.  24. Consider the Wumpus world as shown ,describe PEAS for the task environments.				
Answer any 5 Questions  21. What are the types of depth-first search techniques? Elaborate on ONE of th  22. When is an environment strategic? Differentiate Single-agent and menvironments.  23. During what situation the hill climbing search technique is unable to f solution. explain.  24. Consider the Wumpus world as shown, describe PEAS for the task environments.		*		
<ul><li>22. When is an environment strategic? Differentiate Single-agent and menvironments.</li><li>23. During what situation the hill climbing search technique is unable to f solution. explain.</li><li>24. Consider the Wumpus world as shown ,describe PEAS for the task environments.</li></ul>	<b>M</b>	Marks B	BL (	CO
<ul><li>22. When is an environment strategic? Differentiate Single-agent and menvironments.</li><li>23. During what situation the hill climbing search technique is unable to f solution. explain.</li><li>24. Consider the Wumpus world as shown ,describe PEAS for the task environments.</li></ul>	them. 4	4 2	,	1
<ul><li>23. During what situation the hill climbing search technique is unable to f solution. explain.</li><li>24. Consider the Wumpus world as shown ,describe PEAS for the task environm</li></ul>				1
24. Consider the Wumpus world as shown ,describe PEAS for the task environm	find best 4	1 2	2 :	2
24. Consider the wumpus world as shown, describe PEAS for the task environm				
Page 3 of 3	ment. 4	1		2 =
Page 2 of 3		27N	IF7-18BI	ME466T

25.	Describe the formal grammar of the first order logic.	4	1	3
	Represent the following in predicate logic.  1. Two sets are equal if and only if each is a subset of the other  2. An object is in the union of two sets if and only if it is a member of either set	4	1%:	4
27.	What are the components of DDS architecture?	4	1	5
	PART - C (5 × 12 = 60 Marks) Answer all Questions	Mark	s BL	co
28.	<ul> <li>(a) Illustrate the strategies under uninformed search.</li> <li>(OR)</li> <li>(b) (i) Discuss the architecture of the intelligent agent. (5 Marks)</li> <li>(ii) Explain the various components and their role in decision making. (4 Marks)</li> <li>(iii) Use a example to illustrate how these components work together in an agent's operation. (3 marks)</li> </ul>	12	2	1
29.	<ul> <li>(a) Explain the algorithm of A* search algorithm with a example.</li> <li>(OR)</li> <li>(b) (i) Explain the concept of logical equality in propositional logic. (4 Marks)</li> <li>(ii) Prove the logical equivalence of the following propositions using truth tables (8 Marks)</li> </ul>	12	2	2
30.	<ul> <li>(a) (i) Discuss the difference between first order logic and proportional logic.(6 Marks)</li> <li>(ii) Describe the role of quantifiers in quantifying the variables and the relation between them. (6 marks)</li> <li>(OR)</li> <li>(b) Elaborate on the stages in knowledge engineering problem of circuit design.</li> </ul>	12	2	4
31.	The second section of the se	12	1	4
32	. (a) Describe the architecture of DDS and its implementation in healthcare diagnostics.	12	3	5
	(b) (i) Explain the fundamental principle of cloud computing. (3 marks) (ii) What are the key characteristics, service models and deployment models that define cloud computing. (6 marks) (iii) Provide a example in healthcare. (3 Marks)			

\* \* \* \* \*