Reg. No							33	

B.Tech DEGREE EXAMINATION, NOVEMBER 2023

Fifth Semester

18CSE373T - PROGRAMMING IN JAVA SCRIPT

(For the candidates admitted during the academic year 2020 - 2021 & 2021 - 2022)

Note:

i. Part - A should be answered in OMR sheet within first 40 minutes and OMR sheet should be handed over to hall invigilator at the end of 40^{th} minute.

im	me: 3 Hours					
3.						
	PART - A $(20 \times 1 = 2)$ Answer all Ques	Mar	ks BL	CO		
1.	When a user views a page containing a Jav executes the script?	1	1	1		
	(A) The User's machine running a Web browser	(B) The Web server				
	(C) A central machine deep within Netscape's corporate offices	(D) The Web client				
2.	Why so JavaScript and Java have similar na	me?	1	1.	1	
	(A) JavaScript is a stripped-down version of Java	(B) JavaScript's syntax is loosely based on Java's				
	(C) They both originated on the island of Java	(D) JavaScript is a stripped-down version of C++				
3.	What will be the output of the following coortype = "text/javascript"> a = 5+"9"; document.write(a);	de snippet?	1	1	1	
	(A) 14	(B) Complication error				
	(C) 59	(D) Runtime error				
4.	Which one of the following also known as (Conditional Expression:	1	1	1	
	(A) Alternative to if-else	(B) Switch statement				
	(C) If-then-else statement	(D) immediate if				
5.	When a user views a page containing a Jav executes the script?	aScript program, which machine actually	1	1	2	
	(A) The User's machine running a Web browser	(B) The Web server				
	(C) A central machine deep within Netscape's corporate offices	(D) The Web Client				
6.	In JavaScript, what is a block of statement? (A) Conditional block	(B) block that combines a number of statements into a single compound statement	1	1	2	
	(C) both conditional block and a single statement	(D) block that contains a single statement				
7.	The "function" and " var" are known as:		1	1	2	
	(A) Keywords	(B) Data types				
	(C) Declaration statements	(D) Prototypes				

8.	What will happen, if the following JavaSo var count =0; while (count <10)	1	1	2	
	console.log(count); count++; }				
	(A) An error is displayed(C) The values of count variable are logged or stored in a particular location or storage	(B) An exception is thrown(D) The value of count from 0 to 9 is displayed in the console			
9.	The correct sequence of HTML tags for sta (A) Head, Title, HTML, body (C) HTML, Head, Title, Head	arting a web page is - (B) HTML, Body, Title, Head (D) HTML, Head, Title, Body	1	1	3
10.	Which of the following element is respons (A) <pre>(C) </pre>	1	1	3	
11.	The property in CSS used to change the ba (A) bgcolor (C) background-color	ckground color of an element is - (B) color (D) background-image	1	1	3
12.	The HTML attribute used to define the interpolation (A) <style> (C) (link></td><td>ernal stylesheet is - (B) style (D) <script></td><td>1</td><td>1</td><td>3</td></tr><tr><td>13.</td><td>jQuery is a - (A) JavaScript method (C) JSON library</td><td>(B) JavaScript library (D) PHP method</td><td>1</td><td>1</td><td>4</td></tr><tr><td>14.</td><td>Which of the following sign is used as a sh (A) the % sign (C) the \$ sign</td><td>nortcut for jQuery? (B) the & sign (D) the @ sign</td><td>1</td><td>1</td><td>4</td></tr><tr><td>15.</td><td>Which of the following jQuery method is (A) The hidden() method (C) The visible(false) method</td><td>used to hide the selected elements? (B) The hide() method (D) The display(none) method</td><td>1</td><td>1</td><td>4</td></tr><tr><td>16.</td><td>Which jQuery method is used to set one element? (A) The html() method (C) The css() method</td><td>(B) The style() method (D) The conflict() method</td><td>1</td><td>1</td><td>4</td></tr><tr><td>17.</td><td>What server support Ajax? (A) WWW (C) HTTP</td><td>(B) SMTP (D) FTP</td><td>1</td><td>1</td><td>5</td></tr><tr><td>18.</td><td>Ajax stands for (A) Asynchronous JavaScript and XML (C) Asynchronous Java and XML</td><td>(B) Asynchronous JSON and XML (D) Asynchronous JavaScript and XMLHttpRequest</td><td>1</td><td>1</td><td>5</td></tr><tr><td>19.</td><td>Ajax sends data to a web server (A) in the background (C) with reloading the page</td><td>(B) before loading the page (D) in the front ground</td><td>1</td><td>I</td><td>5</td></tr><tr><td>20.</td><td>How many types of triggers are present in (A) one (C) three</td><td>update panel? (B) two (D) four</td><td>1</td><td></td><td>5</td></tr></tbody></table></style>				

	Answer any 5 Questions	Marks	BL	CO
21.	Mention the Regular Expression modifiers in JavaScript? Give examples.	4	1	1
	List the advantage and disadvantage of using JavaScript?	4	ì	1
23.	Discuss the concept of anonymous functions in JavaScript?	4	2	2
24.	Difference between HTML and HTML5?	4	2	3
25.	Write down the use of toggle () method in Jquery?	4	4	4
26.	Discuss the purpose of the new keyword in AJAX?	4	4	5
27.	List out some of the callback functions in Ajax?	4	4	5
	PART - C ($5 \times 12 = 60$ Marks) Answer all Questions	Marks	BL	CO
28.	 (a) Mention the primitive data types used in JavaScript with examples? (OR) (b) Write the difference between the JavaScript and Java? 	12	2	1
29.	11 di 11 mariah	12	1	2
	(OR) (b) Explain the concepts of Function overloading in JavaScript with an example?			
30.	(a) Discuss in detail about the HTML tags used to display a table? With examples. (OR)	12	2	3
	(b) Discuss in detail about the different types of lists in HTML? With examples.			
31.	(OR)	12	4	4
	(b) Discuss in detail about the Getting and Setting attributes in Jquery?	10	2 8	-
32.	(OR)	12	3	5
	(b) Explain in detail about the cross-origin requests with JSONP?			

* * * *