

SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1	Air Plug Gauge	AGSP-0218-12-4	44.980 / 44.925 mm	EPB PISTON Ø 45	STEELCALIPER FI	29-Sep-22	29-Dec-22	3 MONTHS	
2	Air Plug Gauge	AGSP-0224-7-3	26.45 / 26.51 mm	DS PRIMARY	TRW CELL	5-Feb-24	5-May-24	3 MONTHS	
3	Air Plug Gauge	AGSP-0510-10-3	23.795 / 23.825 mm		FS FI	22-Jan-24	22-Apr-24	3 MONTHS	
4	Air Plug Gauge	AGSP-0510-12-5	23.835 / 23.795 mm	23 DIA SEC / PRIMARY	FS CELL	13-Nov-23	13-Feb-24	3 MONTHS	
5	Air Plug Gauge	AGSP-0526-10-5	27.005 / 26.975 mm	27.Ø SECONDARY	FS FI	9-Feb-24	9-May-24	3 MONTHS	
6	Air Plug Gauge	AGSP-0551-15-4	22.205 / 22.235 mm		FS FI	8-Sep-23	8-Dec-23	3 MONTHS	
7	Air Plug Gauge	AGSP-0551-15-5	22.195 / 22.205 mm	22 DIA PRIMARY	FS CELL	23-Nov-23	23-Feb-24	3 MONTHS	
8	Air Plug Gauge	AGSP-0551-15-6	22.235 / 22.205 mm	22 PRIMARY	FS FI	12-Dec-23	12-Mar-24	3 MONTHS	
9	Air Plug Gauge	AGSP-0551-15-7	22.235 / 22.195 mm	S101 PRI / SEC	FS FI	30-Nov-23	29-Feb-24	3 MONTHS	
10	Air Plug Gauge	AGSP-0571-15-3	20.655 / 20.615 mm		FS CELL	2-Dec-23	2-Mar-24	3 MONTHS	
11	Air Plug Gauge	AGSP-0571-15-6-0	mm	TATA SEC	FS FI	11-Dec-23	11-Mar-24	3 MONTHS	
12	Air Plug Gauge	AGSP-0571-15-7	20.655 / 20.615 mm	TATA PRIMARY	FS FI	1-Feb-24	1-May-24	3 MONTHS	
13	Air Plug Gauge	AGSP-0590-16-2	28.55 / 28.56 mm	28 DIA PRIMARY	FS CELL	18-Nov-23	18-Feb-24	3 MONTHS	
14	Air Plug Gauge	AGSP-0621-13-21	30.172 / 30.194 mm		GAUGE STORAGE ROOM	30-Jul-22	30-Oct-22	3 MONTHS	
15	Air Plug Gauge	AGSP-0621-13-22	30.172 / 30.194 mm	AB YOKE (COMMON)	YOKE FI	23-Jan-24	23-Apr-24	3 MONTHS	
16	Air Plug Gauge	AGSP-0621-13-23	30.175 / 30.194 mm	AB YOKE (COMMON)	YOKE FI	22-Oct-23	22-Jan-24	3 MONTHS	
17	Air Plug Gauge	AGSP-0621-13-24-	30.181 mm	AB YOKE (COMMON)	YOKE FI	10-Nov-23	10-Feb-24	3 MONTHS	
18	Air Plug Gauge	AGSP-0621-13-29	34.922 / 34.900 mm	SFA YOKE	YOKE CELL	31-Oct-23	31-Jan-24	3 MONTHS	
19	Air Plug Gauge	AGSP-0621-13-31	30.172 / 30.194 mm	AB YOKE	YOKE FI	4-May-23	4-Aug-23	3 MONTHS	
20	Air Plug Gauge	AGSP-0621-13-32	30.172 / 30.194 mm		YOKE FI	4-Feb-23	4-May-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
21	Air Plug Gauge	AGSP-0621-13-34	30.172 / 30.194 mm	AB YOKE	YOKE CELL	2-Nov-23	2-Feb-24	3 MONTHS	
22	Air Plug Gauge	AGSP-0621-13-35	30.172 / 30.194 mm	AB YOKE (COMMON)	YOKE FI	4-Aug-23	4-Nov-23	3 MONTHS	
23	Air Plug Gauge	AGSP-0621-13-36	30.153 / 30.179 mm	TUBE YOKE A41	YOKE CELL	17-Oct-23	17-Jan-24	3 MONTHS	
24	Air Plug Gauge	AGSP-0621-13-37	30.194 / 30.172 mm	AB YOKE	YOKE FI	17-Nov-23	17-Feb-24	3 MONTHS	
25	Air Plug Gauge	AGSP-0631-12-2	27.00 / 26.982 mm	Dana Yoke	YOKE FI	17-Aug-23	17-Nov-23	3 MONTHS	
26	Air Plug Gauge	AGSP-0661-20-1	34.895 / 34.921 mm	SFA YOKE	YOKE CELL	2-Nov-23	2-Feb-24	3 MONTHS	
27	Air Plug Gauge	AGSP-0661-20-3	34.922 / 34.900 mm		YOKE CELL	3-Sep-23	3-Dec-23	3 MONTHS	
28	Air Plug Gauge	AGSP-0661-20-4	34.900 / 34.922 mm	FCA / SFA YOKE	YOKE FI	15-Aug-23	15-Nov-23	3 MONTHS	
29	Air Plug Gauge	AGSP-0692-3-1	30.175 / 30.157 mm	TUBE YOKE 3535	YOKE FI	25-May-23	25-Aug-23	3 MONTHS	
30	Air Plug Gauge	AGSP-0692-3-2-0	30.173/30.159 mm	Dana Yoke	YOKE CELL	29-Sep-23	29-Dec-23	3 MONTHS	
31	Air Plug Gauge	AGSP-0692-3-3	30.175/30.157 mm		YOKE FI	7-Aug-23	7-Nov-23	3 MONTHS	
32	Air Plug Gauge	AGSP-0701-9-3	4.05 / 4.045 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	22-Dec-23	22-Mar-24	3 MONTHS	
33	Air Plug Gauge	AGSP-0716-21-5	3.54 / 3.53 mm		WABCO CELL	30-Jan-24	30-Apr-24	3 MONTHS	
34	Air Plug Gauge	AGSP-0807-8-2	23.790 / 23.820 mm	END YOKE	NON AUTO FI	17-Jan-24	17-Apr-24	3 MONTHS	
35	Air Plug Gauge	AGSP-0807-8-3	- mm	END YOKE	YOKE FI	4-Jan-24	4-Apr-24	3 MONTHS	
36	Air Plug Gauge	AGSP-4135-1-1	40.00 / 39.975 mm		NON AUTO LINE	2-Mar-23	2-Jun-23	3 MONTHS	
37	Air Plug Gauge	AGSP-4135-1-2	- mm	SWIVEL FLANGE-80	S.K.R Ind	5-Jan-24	5-Apr-24	3 MONTHS	
38	Air Plug Gauge	AGSP-4135-1-3	40.00 / 39.975 mm	SWIVEL FLANGE-80	NON AUTO FI	22-Nov-23	22-Feb-24	3 MONTHS	
39	Air Plug Gauge	AGSP-4136-1-2	54.995/54.975 mm	SWIVEL FLANE 125	S.K.R Ind	30-Dec-23	30-Mar-24	3 MONTHS	
40	Air Plug Gauge	AGSP-4136-1-3	54.995/54.975 mm	SWIVEL FLANE 125	NON AUTO FI	13-Jan-24	13-Apr-24	3 MONTHS	
41	Air Plug Gauge	AGSP-4147-1-1	32.00 / 31.975 mm	SWIVEL FLANGE	NON AUTO LINE	7-Apr-23	7-Jul-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
42	Air Plug Gauge	AGSP-4147-1-2	- mm	SWIVEL FLANGE 63	S.K.R Ind	28-Oct-23	28-Jan-24	3 MONTHS	
43	Air Plug Gauge	AGSP-4147-1-3	32.00/31.975 mm	SWIVEL FLANGE 63	NON AUTO FI	28-Nov-23	28-Feb-24	3 MONTHS	
44	Air Ring Gauge	AGSR-0217-24-3	57.180 / 57.125 mm	EPB PISTON 57Ø	STEELCALIPER FI	22-Nov-23	22-Feb-24	3 MONTHS	
45	Air Ring Gauge	AGSR-0217-24-4	57.18 / 57.125 mm		STEELCALIPER FI	22-Aug-22	22-Jan-23	3 MONTHS	
46	Air Ring Gauge	AGSR-0218-13-1	44.980/44.925 mm		STEELCALIPER FI	17-Dec-23	17-Mar-24	3 MONTHS	
47	Air Ring Gauge	AGSR-0219-13-3	43.955 / 43.900 mm	EPB PISTON 44Ø	STEELCALIPER FI	8-Jan-24	8-Apr-24	3 MONTHS	
48	Air Ring Gauge	AGSR-0221-13-3	41.98 / 41.925 mm	EPB PISTON 42Ø	STEELCALIPER FI	22-Jan-23	22-Apr-23	3 MONTHS	
49	Air Ring Gauge	AGSR-0221-13-4	mm	EPB PISTON 42Ø	STEELCALIPER FI	3-Jan-24	3-Apr-24	3 MONTHS	
50	Air Ring Gauge	AGSR-0224-18-1	- mm	EPB PISTON Ø 51	STEELCALIPER FI	24-Jan-24	24-Apr-24	3 MONTHS	
51	Air Ring Gauge	AGSR-0224-20-3	51.085 / 51.030 mm	EPB PISTON Ø 51	STEELCALIPER FI	20-Aug-23	20-Nov-23	3 MONTHS	
52	Air Ring Gauge	AGSR-0225-20-1	48.085 / 48.030 mm	EPB PISTON Ø 48	STEELCALIPER FI	16-Nov-23	16-Feb-24	3 MONTHS	
53	Air Ring Gauge	AGSR-0226-18-1	38.155/38.100 mm	EPB PISTON Ø 38	STEELCALIPER FI	29-Nov-23	29-Feb-24	3 MONTHS	
54	Air Ring Gauge	AGSR-0226-18-3-0	- mm	EPB PISTON Ø 38	STEELCALIPER FI	3-Jan-24	3-Apr-24	3 MONTHS	
55	Air Ring Gauge	AGSR-0226-23-6	16.986 / 16.931 mm	V229 PRIMARY	TRW CELL	19-Jan-24	19-Apr-24	3 MONTHS	
56	Air Ring Gauge	AGSR-0227-17-2	33.940 / 33.885 mm		GAUGE STORAGE ROOM	4-Jul-22	4-Oct-22	3 MONTHS	
57	Air Ring Gauge	AGSR-0227-17-3	33.940 / 33.885 mm	EPB PISTON 34Ø	STEELCALIPER FI	29-Jan-24	29-Apr-24	3 MONTHS	
58	Air Ring Gauge	AGSR-0228-16-2	- mm	EPB PIUSTON 36 Ø	STEELCALIPER FI	3-Jan-24	3-Apr-24	3 MONTHS	
59	Air Ring Gauge	AGSR-0526-11-4	27.005 / 26.975 mm	27 Ø PRIMARY	FS CELL	18-Nov-23	18-Feb-24	3 MONTHS	
60	Air Ring Gauge	AGSR-0526-11-6	27.005 / 26.975 mm		FS FI	2-Feb-24	2-May-24	3 MONTHS	
61	Air Ring Gauge	AGSR-0571-15-6	mm	TATA SEC	FS CELL	1-Jul-23	1-Oct-23	3 MONTHS	
62	Air Ring Gauge	AGSR-0571-16-5	20.65 / 20.615 mm	TATA SECONDRY	FS FI	23-Aug-23	23-Nov-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
63	Air Ring Gauge	AGSR-0581-13-6	59.980 / 59.925 mm	CALIPER PISTON 0581	CALIPER FI	10-Jul-23	10-Oct-23	3 MONTHS	
64	Air Ring Gauge	AGSR-0581-13-7	59.980 /59.925 mm	CALIPER PISTON 0581	CALIPER FI	15-Oct-23	15-Dec-23	3 MONTHS	
65	Air Ring Gauge	AGSR-0590-11-2	53.980 / 53.925 mm	CALIPER PISTON 54 DIA	CALIPER FI	17-Sep-23	17-Dec-23	3 MONTHS	
66	Air Ring Gauge	AGSR-0590-17-4	28.585 / 28.555 mm		FS FI	8-Dec-23	8-Mar-24	3 MONTHS	
67	Air Ring Gauge	AGSR-0631-13-1	26.986 / 27.001 mm		YOKE CELL	18-Oct-23	18-Jan-24	3 MONTHS	
68	Air Ring Gauge	AGSR-0631-13-3	27.00 / 26.982 mm	Dana Yoke	YOKE FI	25-Jan-24	25-Apr-24	3 MONTHS	
69	Air Ring Gauge	AGSR-0661-20-5	34.922 / 34.896 mm	SFA YOKE	YOKE FI	24-Jan-24	24-Apr-24	3 MONTHS	
70	Air Ring Gauge	AGSR-0661-20-6	34.922 / 34.896 mm	SFA YOKE	YOKE FI	24-Jan-24	24-Apr-24	3 MONTHS	
71	Air Ring Gauge	AGSR-0692-4-4	30.175 / 30.157 mm	Dana Yoke	YOKE FI	25-Jan-24	25-Apr-24	3 MONTHS	
72	Air Ring Gauge	AGSR-0716-22-7	4.240 / 4.230 mm	WABCO PIPE	WABCO CELL	9-Dec-23	9-Mar-24	3 MONTHS	
73	Air Ring Gauge	AGSR-0764-11-2	23.825 / 23.795 mm	23 DIA SEC / PRIMARY	FS FI	10-Feb-24	10-May-24	3 MONTHS	
74	Air Ring Gauge	AGSR-0767-9-1	19.065 / 19.035 mm		FS FI	2-Feb-24	2-May-24	3 MONTHS	
75	Air Ring Gauge	AGSR-0767-9-2	19.065 / 19.035 mm	YIK (Ø19.05) PRIMARY	FS CELL	10-Nov-23	10-Feb-24	3 MONTHS	
76	Air Ring Gauge	AGSR-0772-9-1	25.415 / 25.385 mm		FS FI	21-Jan-24	21-Apr-24	3 MONTHS	
77	Air Ring Gauge	AGSR-0772-9-2	25.385 / 25.415 mm	BOLERO SECONDRY	FS CELL	10-Nov-23	10-Feb-24	3 MONTHS	
78	Air Ring Gauge	AGSR-0783-23-1	-	Z101 PRIMARY	FS FI	21-Jul-23	21-Oct-23	3 MONTHS	
79	Air Ring Gauge	AGSR-0807-9-1	23.810 / 23.790 mm	END YOKE	NON AUTO LINE	10-Jan-24	10-Apr-24	3 MONTHS	
80	Air Ring Gauge	AGSR-1040-26-6	39.513 / 39.573 mm	POWER PISTON	BOSCH FI	15-Dec-23	15-Mar-24	3 MONTHS	
81	Air Ring Gauge	AGSR-1053-10-11	38.10 / 38.18 mm	CAP ACCUMULATOR	BOSCH FI	11-Nov-23	11-Feb-24	3 MONTHS	
82	Air Ring Gauge	AGSR-4136-2-1	54.97 / 55.025 mm	SWIVEL FLANE 125	NON AUTO LINE	18-Apr-23	18-Jul-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
83	Template Gauge	C-0206-1-3	7.82 / 7.32 mm	HYDROMAX PISTON	BOSCH FI	27-Jan-24	27-Feb-24	1 MONTHS	
84	Template Gauge	C-0214-4-4	6.00 / 6.20 mm	U387 SECONDARY	NEWTECH INDIA	6-Jan-24	6-Apr-24	3 MONTHS	
85	Template Gauge	C-0216-16-1	6.00 / 6.20 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Dec-23	2-Mar-24	1 MONTHS	
86	Template Gauge	C-0217-11-1-0	3.50 / 3.35 mm	EPB PISTON 57Ø	RECEIVING INSPECTION	19-Dec-23	19-Mar-24	3 MONTHS	
87	Template Gauge	C-0221-10-1	5.100/ 4.950 mm	EPB PIUSTON 36 Ø	RECEIVING INSPECTION	28-Sep-23	28-Dec-23	3 MONTHS	
88	Template Gauge	C-0221-10-2	4.95 / 5.10 mm	EPB PISTON 57Ø	STEELCALIPER LINE	21-Dec-23	21-Mar-24	3 MONTHS	
89	Template Gauge	C-0221-10-4	4.95 / 5.10 mm	EPB PISTON Ø 43	BASKARA INDUSTRIES	2-Feb-24	2-May-24	3 MONTHS	
90	Template Gauge	C-0221-10-5	4.95 / 5.10 mm	EPB PISTON Ø 43	BASKARA INDUSTRIES	20-Jan-24	20-Apr-24	3 MONTHS	
91	Template Gauge	C-0221-10-6	4.950 / 5.100 mm	EPB PISTON Ø 38	NANDISHWARA ENGINEERING	20-Jan-24	20-Apr-24	3 MONTHS	
92	Template Gauge	C-0221-10-7	- mm	EPB PIUSTON 36 Ø	NANDISHWARA ENGINEERING	9-Jan-24	9-Apr-24	3 MONTHS	
93	Template Gauge	C-0221-11-1	3.35 / 3.50 mm	EPB PISTON Ø 43	CMM ROOM	30-Sep-22	30-Oct-22	1 MONTHS	
94	Template Gauge	C-0223-11-1	6.60 / 7.20 mm	P356 SECONDARY	NEWTECH INDIA	18-Dec-23	18-Mar-24	3 MONTHS	
95	Template Gauge	C-0223-11-3	6.60 / 7.20 mm	INGINO SECONDARY	TRW FI	3-Jan-24	3-Apr-24	3 MONTHS	
96	Template Gauge	C-0224-10-1	3.35 / 3.50 mm	EPB PISTON Ø 51	STEELCALIPER LINE	20-Jan-24	20-Apr-24	1 MONTHS	
97	Template Gauge	C-0224-10-2	3.35 / 3.50 mm	EPB PISTON 44Ø	SRI VISHNU ENGINEERING	28-Nov-23	28-Feb-24	1 MONTHS	
98	Template Gauge	C-0224-10-3	3.35 / 3.50 mm	EPB PISTON 57Ø	BASKARA INDUSTRIES	7-Feb-24	7-May-24	3 MONTHS	
99	Template Gauge	C-0224-10-4	- mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Sep-23	29-Oct-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
100	Template Gauge	C-0224-10-5	3.500/3.300 mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Nov-23	29-Feb-24	3 MONTHS	
101	Template Gauge	C-0227-22-3	6.60 / 7.10 mm	V229 SECONDARY	RECEIVING INSPECTION	5-Jan-24	5-Apr-24	3 MONTHS	
102	Template Gauge	C-0261-11-3	6.02 / 6.18 mm	V229 PRIMARY	FS CELL	28-Jan-24	28-Apr-24	3 MONTHS	
103	Template Gauge	C-0261-11-4	6.180/6.020 mm	FML PRIMARY	RECEIVING INSPECTION	24-Jun-23	24-Sep-23	3 MONTHS	
104	Template Gauge	C-0262-14-1	- mm	FML SECONDARY	NEWTECH INDIA	25-Jul-23	25-Oct-23	3 MONTHS	
105	Template Gauge	C-0276-14-1	7.00 / 6.80 mm	E70 SECONDARY	NEWTECH INDIA	24-Nov-23	24-Feb-24	3 MONTHS	
106	Template Gauge	C-0276-5-2	6.00 / 6.20 mm	E70 SECONDARY	NEWTECH INDIA	25-Dec-23	25-Mar-24	1 MONTHS	
107	Template Gauge	C-0505-13-5	8.40 / 8.60 mm	U387 SECONDARY	NEWTECH INDIA	17-Nov-23	17-Feb-24	3 MONTHS	
108	Template Gauge	C-0538-22-1	8.65 / 8.35 mm	T1XX HD PRIMARY	NEWTECH INDIA	16-Nov-23	16-Feb-24	3 MONTHS	
109	Template Gauge	C-0543-20-1	10.35 / 10.65 mm	DT PRIMARY	RECEIVING INSPECTION	8-Apr-23	8-Jul-23	3 MONTHS	
110	Template Gauge	C-0543-20-3	10.35 / 10.65 mm	T1XX HD SECONDARY	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
111	Template Gauge	C-0567-13-1	8.35 / 8.65 mm	DS SECONDARY	NEWTECH INDIA	28-May-23	28-Jun-23	1 MONTHS	
112	Template Gauge	C-0567-27-2	10.65 / 10.35 mm	T1XX HD SECONDARY	NEWTECH INDIA	4-Jan-24	4-Apr-24	3 MONTHS	
113	Template Gauge	C-0567-7-1	6.02 / 6.180 mm	DT SECONDARY	NEWTECH INDIA	17-Nov-23	17-Feb-24	1 MONTHS	
114	Template Gauge	C-0567-7-3	8.35 / 8.65 mm	DS SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
115	Template Gauge	C-0581-10-4	3.34 / 3.50 mm	CALIPER PISTON 54 DIA	CALIPER LINE	23-Jan-24	23-Apr-24	3 MONTHS	
116	Template Gauge	C-0586-17-3	6.70 / 7.30 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	5-Feb-24	5-May-24	3 MONTHS	
117	Template Gauge	C-0612-4-2	14.15 / 14.45 mm	BRACKET LH/ RH	BRACKET LINE	17-Nov-23	17-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
118	Template Gauge	C-0641-3-2	6.10 / 5.90 mm	BRACKET LH/ RH	BRACKET FI	15-Nov-22	15-Feb-23	3 MONTHS	
119	Template Gauge	C-0711-13-1	7.55 / 7.45 mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
120	Template Gauge	C-0711-13-2	7.45 / 7.55 mm	Plunger 1014	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
121	Template Gauge	C-0711-18-1	7.40 / 7.60 mm	Plunger 1014	BOSCH FI	19-Jan-24	19-Apr-24	3 MONTHS	
122	Template Gauge	C-0711-7-1	9.53 / 9.67 mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
123	Template Gauge	C-0711-7-2	9.53 / 9.67 mm	Plunger 1014	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
124	Template Gauge	C-0719-6-1	9.50 /9.70 mm	Plunger 1014	BOSCH FI	20-Dec-23	20-Mar-24	3 MONTHS	
125	Template Gauge	C-0728-13-1	10.7 / 10.9 mm	PISTON 1468	BOSCH FI	12-Jan-24	12-Apr-24	3 MONTHS	
126	Template Gauge	C-0728-4-1	10.74 / 10.88 mm	PISTON 1468	RAJASARATHY	20-Nov-23	20-Feb-24	3 MONTHS	
127	Template Gauge	C-1038-17-10	9.10 / 9.22 mm	PISTON ACCUMULATOR	BOSCH FI	2-Feb-24	2-May-24	3 MONTHS	
128	Template Gauge	C-1038-17-8	9.11 / 9.21 mm	PISTON ACCUMULATOR	RECEIVING INSPECTION	18-Dec-23	18-Mar-24	3 MONTHS	
129	Template Gauge	C-1053-19-11	3.32 / 3.56 mm	CAP ACCUMULATOR	BASKARA INDUSTRIES	18-Nov-23	18-Feb-24	3 MONTHS	
130	Template Gauge	C-1053-22-4	3.30 / 3.56 mm	CAP ACCUMULATOR	BOSCH FI	2-Nov-23	2-Feb-24	3 MONTHS	
131	Template Gauge	C-1053-22-5	3.53 / 3.52 mm	CAP ACCUMULATOR	BOSCH FI	17-Nov-23	17-Feb-24	3 MONTHS	
132	Template Gauge	C-1063-13-1	2.10 / 1.90 mm		INPUT ROD FI	19-Nov-22	19-Feb-23	3 MONTHS	
133	Template Gauge	C-1087-19-2	6.90 / 7.02 mm	PISTON SECONDARY	BOSCH FI	13-Dec-23	13-Mar-24	3 MONTHS	
134	Template Gauge	C-1087-8-2	6.92 / 7.00 mm	PISTON SECONDARY	PRECICOM	9-Dec-23	9-Mar-24	3 MONTHS	
135	Template Gauge	C-1089-13-3	1.12 / 1.21 mm	PISTON ACCUMULATOR	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
136	Template Gauge	C-1089-36-2	3.05 /3.150 mm	HYDROMAX PISTON	BOSCH FI	8-Oct-23	8-Jan-24	3 MONTHS	
137	Template Gauge	C-1089-54-2	1.120 /1.22 mm	HYDROMAX PISTON	BOSCH FI	10-Apr-23	10-Jul-23	3 MONTHS	
138	Template Gauge	C-1323-38-3-1	13.10 / 13.30 mm		GAUGE STORAGE ROOM	8-Aug-22	8-Nov-22	3 MONTHS	
139	Template Gauge	C-1383-40-3-1	13.28 / 13.12 mm	CONTACT 266	KOTTAIYUR ENGINEERING	21-Dec-23	21-Mar-24	3 MONTHS	
140	Template Gauge	C-1387-40-3-1	13.15 / 13.25 mm		KOTTAIYUR ENGG NA	21-Oct-22	21-Jan-23	3 MONTHS	
141	Concentricity Gauge	CC-0701-16-FG-5	0.25 Max mm	HA/ RBI PRIMARY	FORGING FI	5-Dec-22	5-Feb-23	1 MONTHS	
142	Concentricity Gauge	CC-0701-16-fg-6	0.25Max mm	HA/ RBI PRIMARY	FS FI	9-Sep-22	28-Dec-22	3 MONTHS	
143	Concentricity Gauge	CC-0709-11-8	0.3 Max mm	TATA SECONDRY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
144	Concentricity Gauge	CC-0712-24-1	0.30 Max mm	S101 PRI / SEC	FS FI	14-Sep-23	14-Oct-23	1 MONTHS	
145	Concentricity Gauge	CC-0712-24-3-A	0.30 Max mm	S101 PRI / SEC	GAUGE STORAGE ROOM	11-Oct-22	11-Nov-22	1 MONTHS	
146	Combined Gauge	CG-0217-26-2	51 & Ø 53 & Ø56 & Ø 57 mm	EPB PISTON 57Ø	STEELCALIPER FI	6-Jan-24	6-Feb-24	1 MONTHS	
147	Combined Gauge	CG-0218-24-2-0	mm	EPB PISTON Ø 45	STANDARDS ROOM	8-Feb-24	8-Mar-24	1 MONTHS	
148	Combined Gauge	CG-0219-24-1	51.95 / 42.95 / 43.95 mm	EPB PISTON 44Ø	STEELCALIPER FI	8-Dec-22	8-Jan-23	1 MONTHS	
149	Combined Gauge	CG-0219-24-2	51 &37&44.95 mm	EPB PISTON 44Ø	STANDARDS ROOM	8-Feb-24	8-Mar-24	1 MONTHS	
150	Combined Gauge	CG-0221-25-1	51.65 / 51.95 mm	EPB PISTON 42Ø	STEELCALIPER FI	7-Jan-23	7-Feb-23	1 MONTHS	
151	Combined Gauge	CG-0221-25-2	mm	EPB PISTON 42Ø	STEELCALIPER FI	24-Jan-24	24-Feb-24	1 MONTHS	
152	Combined Gauge	CG-0224-21-1	51.95 / 51.65 mm	EPB PISTON Ø 51	STANDARDS ROOM	6-Feb-24	6-Mar-24	1 MONTHS	
153	Combined Gauge	CG-0225-21-1	51.95 / 51.65 mm	EPB PISTON Ø 48	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
154	Combined Gauge	CG-0226-19-1	51.95 / 51.65 & 38 mm	EPB PISTON Ø 38	STEELCALIPER FI	24-Jan-24	24-Feb-24	1 MONTHS	
155	Combined Gauge	CG-0226-19-2	- mm	EPB PISTON Ø 38	STEELCALIPER FI	9-Oct-23	9-Nov-23	1 MONTHS	
156	Combined Gauge	CG-0226-41-1	26 / 29 / 73 mm	V229 PRIMARY	TRW FI	9-Mar-23	9-Jun-23	3 MONTHS	
157	Combined Gauge	CG-0227-18-2-0	51.95 / 51.65 mm	EPB PISTON 34Ø	STANDARDS ROOM	8-Feb-24	8-Mar-24	1 MONTHS	
158	Combined Gauge	CG-0291-27-1	70 / 26 / 29 mm	E70 PRIMARY	TRW FI	3-Mar-23	3-Jun-23	3 MONTHS	
159	Combined Gauge	CG-0566-4-1	79 / 31 / 23 mm	DS PRIMARY	TRW FI	7-Sep-23	7-Dec-23	3 MONTHS	
160	Plug Gauge	D000-0-0	6.02 / 6.18 mm	DS PRIMARY	HIMECH CNC	28-Aug-22	28-Sep-22	1 MONTHS	
161	Plug Gauge	D-00225-1-1	mm	EPB PISTON Ø 48	STEELCALIPER FI	6-Oct-23	6-Nov-23	1 MONTHS	
162	Plug Gauge	D-0212-1-1	26 Ø / 24 Ø / 15 Ø / mm	HYDROMAX PISTON	BOSCH FI	18-Apr-23	18-May-23	1 MONTHS	
163	Plug Gauge	D-0212-1-2	Ø26,Ø24,Ø14,Ø13, Ø9	HYDROMAX PISTON	BOSCH FI	27-Jan-24	27-Feb-24	1 MONTHS	
164	Plug Gauge	D-0212-2-1	24.11 / 24.17 mm	HYDROMAX PISTON	BOSCH CELL	28-Mar-23	28-Apr-23	1 MONTHS	
165	Plug Gauge	D-0212-2-3	24.110/24.170 mm	HYDROMAX PISTON	BOSCH CELL	4-Jan-24	4-Feb-24	1 MONTHS	
166	Plug Gauge	D-0212-6-1	24.17 / 24.13 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
167	Plug Gauge	D-0215-10-1	3.60 / 3.67 mm	MANDO PRIMARY	PV ENGINEERING	9-Nov-23	9-Feb-24	1 MONTHS	
168	Plug Gauge	D-0216-FG-13-1	37.70 / 38.00 mm	LV CAP ACCUMULATOR	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
169	Plug Gauge	D-0216-FG-16-2	37.40 / 37.60 mm		FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
170	Plug Gauge	D-0217-19-1	43.35 / 43.65 mm	EPB PISTON 57Ø	STEELCALIPER FI	17-Jan-24	17-Feb-24	1 MONTHS	
171	Plug Gauge	D-0217-25-1	13.00 / 13.20 mm	EPB PISTON Ø 38	BASKARA INDUSTRIES	24-Jan-24	24-Feb-24	1 MONTHS	
172	Plug Gauge	D-0217-25-2	13.20 / 13.00 mm	EPB PISTON Ø 45	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
173	Plug Gauge	D-0217-25-7	13.00 / 13.20 mm	EPB PISTON 57Ø	SRI VISHNU ENGINEERING	28-Dec-23	28-Jan-24	1 MONTHS	
174	Plug Gauge	D-0217-25-8	13.20 / 13.00 mm	EPB PISTON 34Ø	BASKARA INDUSTRIES	27-Jan-24	27-Feb-24	1 MONTHS	
175	Plug Gauge	D-0218-3-1	32.65/32.95 mm	EPB PISTON Ø 45	STEELCALIPER FI	11-Aug-23	11-Sep-23	1 MONTHS	
176	Plug Gauge	D-0218-3-2	32.95 / 32.65 mm	EPB PISTON Ø 45	STEELCALIPER FI	13-Jan-24	13-Feb-24	1 MONTHS	
177	Plug Gauge	D-0219-1-1	32.65 / 32.95 mm	EPB PISTON 44Ø	STEELCALIPER FI	10-Jan-24	10-Feb-24	1 MONTHS	
178	Plug Gauge	D-0219-1-2	32.65 / 32.95 mm	EPB PISTON Ø 43	NITRO FI	27-Jan-24	27-Feb-24	1 MONTHS	
179	Plug Gauge	D-0221-2-1	29.15 / 28.85 mm	EPB PISTON 42Ø	STEELCALIPER FI	10-Jan-24	10-Feb-24	1 MONTHS	
180	Plug Gauge	D-0224-2-1	43.00 / 43.40 mm	EPB PISTON Ø 51	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
181	Plug Gauge	D-0224-FG-33-1	23.15 / 23.30 mm	P356 PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
182	Plug Gauge	D-0224-FG-9-1	23.20 mm	FML PRIMARY	FORGING	24-Dec-23	24-Mar-24	3 MONTHS	
183	Plug Gauge	D-0225-1-1	37.35 / 37.65 mm	EPB PISTON Ø 48	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	
184	Plug Gauge	D-0226-13-1-0	9.625/9.575 mm	FML PRIMARY	TRW FI	23-Dec-23	23-Jan-24	1 MONTHS	
185	Plug Gauge	D-0226-15-2	7.70 / 7.80 mm	V229 PRIMARY	PV ENGINEERING	5-Feb-24	5-Mar-24	1 MONTHS	
186	Plug Gauge	D-0226-25-1	14.00 / 14.20 mm	V229 PRIMARY	FORGING	3-Jan-24	3-Apr-24	3 MONTHS	
187	Plug Gauge	D-0226-38-2	9.60 / 9.63 mm	V229 PRIMARY	FS CELL	11-Dec-23	11-Jan-24	1 MONTHS	
188	Plug Gauge	D-0226-38-6	9.59 / 9.63 mm	V229 PRIMARY	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
189	Plug Gauge	D-0226-38-7	mm	FML PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
190	Plug Gauge	D-0226-38-8	- mm	FML SECONDARY	NEWTECH INDIA	25-Sep-23	25-Oct-23	1 MONTHS	
191	Plug Gauge	D-0226-38-9	9.63 / 9.60 mm	V229 PRIMARY	FS CELL	21-Jan-24	21-Feb-24	1 MONTHS	
192	Plug Gauge	D-0226-40-1	5.065 / 5.095 mm	V229 SECONDARY	NEWTECH INDIA	13-Jan-24	13-Feb-24	1 MONTHS	
193	Plug Gauge	D-0226-40-3	5.065 / 5.095 mm	V229 PRIMARY	FS CELL	11-Jan-24	11-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
194	Plug Gauge	D-0226-40-8	5.06 / 5.09 mm	V229 SECONDARY	RECEIVING INSPECTION	15-Nov-23	15-Feb-24	3 MONTHS	
195	Plug Gauge	D-0226-40-9	5.065 /5.095 mm	FML PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
196	Plug Gauge	D-0226-41-2	5.045 / 5.085 mm	V229 PRIMARY	TRW FI	6-Jan-24	6-Feb-24	3 MONTHS	
197	Plug Gauge	D-0226-FG-24-2	11.80 / 12.20 mm	DS PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
198	Plug Gauge	D-0226-fg-26-1	- mm	FML PRIMARY	FORGING	23-Dec-23	23-Jan-24	1 MONTHS	
199	Plug Gauge	D-0226-FG-9-1	23.10 / 23.30 mm	DS PRIMARY	FORGING	3-Jan-24	3-Apr-24	3 MONTHS	
200	Plug Gauge	D-0227-17-4	29.55 / 29.70 mm	EPB PISTON 34Ø	BASKARA INDUSTRIES	20-Jan-24	20-Feb-24	1 MONTHS	
201	Plug Gauge	D-0227-17-5	29.55 / 29.70 mm	EPB PISTON 34Ø	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	
202	Plug Gauge	D-0227-20-5	3.30 / 3.50 mm	V229 SECONDARY	RECEIVING INSPECTION	24-Sep-23	23-Dec-23	3 MONTHS	
203	Plug Gauge	D-0227-20-7	3.30 / 3.50 mm	V229 SECONDARY	TRW FI	8-Jan-24	8-Feb-24	1 MONTHS	
204	Plug Gauge	D-0227-20-8	5.045 / 5.085 mm	V229 SECONDARY	TRW FI	21-Jan-24	21-Feb-24	1 MONTHS	
205	Plug Gauge	D-0227-2-1	24.15 / 24.45 mm	EPB PISTON 34Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
206	Plug Gauge	D-0227-21-1	- mm	FML SECONDARY	NEWTECH INDIA	24-Jul-23	24-Aug-23	1 MONTHS	
207	Plug Gauge	D-0227-2-2	- mm	EPB PIUSTON 36 Ø	STEELCALIPER FI	17-Jan-24	17-Feb-24	1 MONTHS	
208	Plug Gauge	D-0227-8-2	- mm	FML SECONDARY	RECEIVING INSPECTION	24-Dec-23	24-Mar-24	1 MONTHS	
209	Plug Gauge	D-0227-8-4	3.30 / 3.50 mm	V229 PRIMARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
210	Plug Gauge	D-0252-14-1	9.55 / 9.65 mm	V229 SECONDARY	TRW FI	5-Jan-23	5-Feb-24	1 MONTHS	
211	Plug Gauge	D-0253-20-16	8.00 / 8.03 mm	U387 PRIMARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
212	Plug Gauge	D-0261-FG-22-1	12.00 / 12.20 mm		FORGING	2-Feb-24	2-May-24	3 MONTHS	
213	Plug Gauge	D-0261-FG-22-2	12.00 / 12.20 mm	22 PRIMARY	FORGING	4-Jan-24	4-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
214	Plug Gauge	D-0261-FG-22-3	12.00 / 12.20 mm	DS PRIMARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
215	Plug Gauge	D-0261-FG-23-1	14.05 / 14.20 mm		FORGING	10-Feb-24	10-May-24	3 MONTHS	
216	Plug Gauge	D-0261-FG-24-1	12.20 / 12.30 mm		FORGING	8-Dec-23	8-Mar-24	3 MONTHS	
217	Plug Gauge	D-0262-1-1	- mm	FML SECONDARY	NEWTECH INDIA	3-Jul-23	3-Aug-23	1 MONTHS	
218	Plug Gauge	D-0262-1-2	- mm	FML SECONDARY	RECEIVING INSPECTION	23-Dec-23	23-Mar-24	1 MONTHS	
219	Plug Gauge	D-0262-4-1	11.05 /11.20 mm	FML SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
220	Plug Gauge	D-0262-6-1	5.060 /5.090 mm	FML SECONDARY	NEWTECH INDIA	25-Sep-23	25-Oct-23	1 MONTHS	
221	Plug Gauge	D-0262-7-1	3.50 /3.30 mm	FML SECONDARY	NEWTECH INDIA	25-Sep-23	25-Oct-23	1 MONTHS	
222	Plug Gauge	D-0276-13-6	6.90 / 7.10 mm	E70 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
223	Plug Gauge	D-0276-4-1-0	mm	U387 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
224	Plug Gauge	D-0282-4-4	9.80/9.70 mm	DS PRIMARY	CHENNAI AUTOMOTIVE	15-Sep-23	15-Oct-23	1 MONTHS	
225	Plug Gauge	D-0291-3-4	5.95 / 6.05 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
226	Plug Gauge	D-0291-3-5	7.985 / 8.035 mm	E70 PRIMARY	RECEIVING INSPECTION	9-Dec-23	9-Mar-24	3 MONTHS	
227	Plug Gauge	D-0291-3-6	5.95 / 6.05 mm	E70 PRIMARY	RECEIVING INSPECTION	9-Dec-23	9-Mar-24	3 MONTHS	
228	Plug Gauge	D-0291-5-2	7.975 / 8.025 mm	E70 PRIMARY	TRW FI	23-Jan-24	23-Feb-24	1 MONTHS	
229	Plug Gauge	D-0291-5-5	7.985 / 8.035 mm	E70 PRIMARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
230	Plug Gauge	D-0505-11-2	6.96 / 7.02 mm	U202 PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
231	Plug Gauge	D-0505-12-1	8.00 / 8.03 mm	U387 PRIMARY	RECEIVING INSPECTION	8-Jan-24	8-Apr-24	3 MONTHS	
232	Plug Gauge	D-0505-26-1	12.23 / 12.195 mm	U387 PRIMARY	RECEIVING INSPECTION	21-Dec-23	21-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
233	Plug Gauge	D-0505-28-1	11.71 / 11.68 mm	U387 PRIMARY	RECEIVING INSPECTION	21-Dec-23	21-Mar-24	3 MONTHS	
234	Plug Gauge	D-0510-9-1	0.20 Max mm	BMW PRIMARY	GAUGE STORAGE ROOM	8-Sep-22	8-Dec-22	3 MONTHS	
235	Plug Gauge	D-0524-7-4	DIA 17.97 mm	22 PRIMARY	FS FI	10-Nov-23	10-Feb-24	3 MONTHS	
236	Plug Gauge	D-0526-FG-21-1	20.95 / 21.15 mm	27 Ø PRIMARY	FORGING	21-Dec-23	21-Mar-24	3 MONTHS	
237	Plug Gauge	D-0528-FG-3-1	12.20 /11.80 mm		FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
238	Plug Gauge	D-0538-7-1	9.35 / 9.65 mm	DS SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
239	Plug Gauge	D-0538-8-1	13.94 / 14.08 mm	HD PRIMARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
240	Plug Gauge	D-0541-FG-18-1	19.99 / 19.89 mm	BR166 PRIMARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
241	Plug Gauge	D-0541-FG-19-1	18.28 / 18.48 mm	BMW PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
242	Plug Gauge	D-0541-FG-22-1	19.89 /19.99 mm	BMW PRIMARY	FORGING	25-May-23	25-Aug-23	1 MONTHS	
243	Plug Gauge	D-0543-11-4	6.94 / 7.08 mm	HD PRIMARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
244	Plug Gauge	D-0543-8-1	9.35 / 9.65 mm	HD PRIMARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
245	Plug Gauge	D-0544-12-6	6.90 / 7.10 mm	T1XX HD SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
246	Plug Gauge	D-0544-18-6	7.10 / 6.90 mm	HD SECONDARY	REJECTION BOX	4-Sep-23	4-Oct-23	1 MONTHS	
247	Plug Gauge	D-0544-18-7	7.10/6.90 mm	T1XX HD PRIMARY	TRW FI	30-Dec-23	13-Jan-24	1 MONTHS	
248	Plug Gauge	D-0544-20-3	13.40 /13.60 mm	HD SECONDARY	RECEIVING INSPECTION	18-Nov-23	18-Feb-24	3 MONTHS	
249	Plug Gauge	D-0544-6-13	6.94 / 7.08 mm	T1XX HD SECONDARY	NEWTECH INDIA	21-Jan-24	21-Feb-24	1 MONTHS	
250	Plug Gauge	D-0544-6-14	- mm	DT PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
251	Plug Gauge	D-0551-11-6	2.45 / 2.55 mm	23 DIA SEC / PRIMARY	STANDARDS ROOM	8-Sep-22	8-Oct-22	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
252	Plug Gauge	D-0551-11-7	2.450 / 2.550 mm	W601 PRIMARY	FS CELL	8-Aug-23	8-Sep-23	1 MONTHS	
253	Plug Gauge	D-0551-11-8	2.55 / 2.45 mm	22 PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
254	Plug Gauge	D-0551-19-18	4.04 GO mm		FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
255	Plug Gauge	D-0551-19-19	4.00 GO mm	22 DIA PRIMARY	FS FI	9-Dec-22	9-Jan-23	1 MONTHS	
256	Plug Gauge	D-0551-19-21	4.00 / 4.04 mm	22 DIA PRIMARY	FS FI	8-Jan-23	8-Feb-23	1 MONTHS	
257	Plug Gauge	D-0551-19-25	4.04 NOGO mm		FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
258	Plug Gauge	D-0551-19-28	4.04 NOGO mm	NISSAN B SECONDARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
259	Plug Gauge	D-0551-19-29	4.045 / 4.015 mm	NISSON A SEC	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
260	Plug Gauge	D-0551-19-30	4.04 NOGO mm		STANDARDS ROOM	18-Aug-22	18-Sep-22	1 MONTHS	
261	Plug Gauge	D-0551-19-31	4.00 GO mm		FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
262	Plug Gauge	D-0551-19-32	4.00 / 4.04 mm		FS FI	17-May-23	17-Jun-23	1 MONTHS	
263	Plug Gauge	D-0551-19-33	4.00 / 4.04 mm	22 DIA PRIMARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
264	Plug Gauge	D-0551-19-34	- mm		FS FI	10-Jul-23	10-Aug-23	1 MONTHS	
265	Plug Gauge	D-0551-19-35	4.00 mm	22 DIA PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
266	Plug Gauge	D-0551-FG-2-2	18.27 / 18.37 mm	23 DIA SEC / PRIMARY	FORGING	17-Jan-24	17-Apr-24	3 MONTHS	
267	Plug Gauge	D-0551-FG-2-3	18.27 / 18.37 mm	22 PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
268	Plug Gauge	D-0551-FG-3-1	18.37 / 18.17 mm	MQB PRIMARY	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
269	Plug Gauge	D-0557-10-1	7.98 / 8.05 mm	E70 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
270	Plug Gauge	D-0566-1-1	14.08 / 13.92 mm	DT PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
271	Plug Gauge	D-0566-1-2	13.94 / 14.08 mm	DS PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
272	Plug Gauge	D-0567-5-2	10.85 / 11.15 mm	DT SECONDARY	RECEIVING INSPECTION	9-Dec-23	9-Mar-24	3 MONTHS	
273	Plug Gauge	D-0567-9-2	6.93 / 7.09 mm	DS PRIMARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
274	Plug Gauge	D-0571-FG-2-1	17.00 / 17.30 mm	NISSON Ø 20.64 PRIMARY	FORGING	2-Feb-24	2-May-24	3 MONTHS	
275	Plug Gauge	D-0571-FG-21-2	17.20 / 17.30 mm	NISSON Ø 20.64 PRIMARY	FORGING	21-Dec-23	21-Mar-24	3 MONTHS	
276	Plug Gauge	D-0575-FG-20-3	22.15 / 22.05 mm	RT PRIMARY	FORGING	28-Nov-23	28-Feb-24	3 MONTHS	
277	Plug Gauge	D-0581-5-2	46.80 / 47.20 mm	CALIPER PISTON 0581	CALIPER LINE	23-Jan-24	23-Feb-24	1 MONTHS	
278	Plug Gauge	D-0581-FG-20-1	46.15 / 46.40 mm	CALIPER PISTON 0581	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
279	Plug Gauge	D-0585-2-2	6.925 / 7.025 mm	U202 PRIMARY	TRW FI	28-Jan-24	28-Feb-24	1 MONTHS	
280	Plug Gauge	D-0586-10-3	5.06 / 5.09 mm	U202 SECONDARY	REJECTION BOX	8-Oct-22	8-Nov-22	1 MONTHS	
281	Plug Gauge	D-0586-10-4	5.06/5.09 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
282	Plug Gauge	D-0586-6-2	11.02 / 11.18 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
283	Plug Gauge	D-0590-14-3	23.32 DIA mm	BR166 PRIMARY	FS FI	6-Mar-23	6-Jun-23	3 MONTHS	
284	Plug Gauge	D-0590-2-1	41.20 / 40.80 mm	CALIPER PISTON 54 DIA	CALIPER FI	8-Oct-23	8-Nov-23	1 MONTHS	
285	Plug Gauge	D-0590-2-2	41.20 / 40.803 mm	CALIPER PISTON 54 DIA	CALIPER LINE	26-Jul-23	26-Oct-23	1 MONTHS	
286	Plug Gauge	D-0590-FG-1-1	23.47 / 23.67 mm	BR166 PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
287	Plug Gauge	D-0590-fg-21-1	23.67 / 23.57 mm	BR166 SECONDARY	FORGING	22-Jan-24	22-Apr-24	3 MONTHS	
288	Plug Gauge	D-0590-FG-21-2	23.57 / 23.67 mm	BR166 SECONDARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
289	Plug Gauge	D-0612-3-3	32.15 / 32.45 mm	BRACKET LH/ RH	BRACKET LINE	17-Jan-24	17-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
290	Plug Gauge	D-0621-12-1	30.168-0.02 mm	AB YOKE	GAUGE STORAGE ROOM	10-Jul-22	10-Aug-22	1 MONTHS	
291	Plug Gauge	D-0621-12-10	0.02 MAX mm	AB YOKE	YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
292	Plug Gauge	D-0621-12-11	0.02 MAX mm	AB YOKE	YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
293	Plug Gauge	D-0621-12-12	- mm	AB YOKE	YOKE FI	24-Jan-24	24-Feb-24	1 MONTHS	
294	Plug Gauge	D-0621-12-4	0.02 MAX mm	AB YOKE	YOKE CELL	13-Jan-24	13-Feb-24	1 MONTHS	
295	Plug Gauge	D-0621-12-7	0.02 MAX mm	AB YOKE	YOKE CELL	7-Jan-24	7-Feb-24	1 MONTHS	
296	Plug Gauge	D-0621-12-8	0.02 MAX mm	AB YOKE (COMMON)	YOKE CELL	17-Jan-24	17-Feb-24	1 MONTHS	
297	Plug Gauge	D-0621-12-9	0.02 MAX mm	AB YOKE	YOKE CELL	3-Jan-24	3-Feb-24	1 MONTHS	
298	Plug Gauge	D-0621-14-1	30.160 / 30.194 mm	AB YOKE	YOKE CELL	24-Jan-24	24-Feb-24	1 MONTHS	
299	Plug Gauge	D-0621-14-2	30.160 / 30.194 mm	AB YOKE	YOKE CELL	13-Jan-24	13-Feb-24	1 MONTHS	
300	Plug Gauge	D-0621-14-3	30.194 / 30.160 mm	KTIG- AA YOKE	YOKE CELL	27-Jan-24	27-Feb-24	1 MONTHS	
301	Plug Gauge	D-0621-17-1	95.84 / 96.16 mm	AB YOKE	YOKE FI	21-Jan-24	21-Feb-24	1 MONTHS	
302	Plug Gauge	D-0621-17-2	95.84 / 96.16 mm	AB YOKE	YOKE FI	21-Nov-23	21-Dec-23	1 MONTHS	
303	Plug Gauge	D-0621-18-1	95.85 / 96.13 mm	AB YOKE (COMMON)	YOKE CELL	13-Jan-24	13-Feb-24	1 MONTHS	
304	Plug Gauge	D-0621-19-1	30.45 / 30.75 mm	AB YOKE (COMMON)	YOKE FI	22-Jan-24	22-Feb-24	1 MONTHS	
305	Plug Gauge	D-0621-19-2	30.45 / 30.75 mm	AB YOKE	YOKE FI	7-Feb-24	7-Mar-24	1 MONTHS	
306	Plug Gauge	D-0621-19-4	30.45 /30.75 mm	AB YOKE	YOKE FI	17-Jan-24	17-Feb-24	1 MONTHS	
307	Plug Gauge	D-0621-19-5	30.75/30.45 mm	AB YOKE	YOKE FI	25-Dec-23	25-Jan-24	1 MONTHS	
308	Plug Gauge	D-0621-19-6	30.75 / 30.45 mm	KTIG- AA YOKE	YOKE FI	22-Jan-24	22-Feb-24	1 MONTHS	
309	Plug Gauge	D-0621-4-2	95.87 / 96.13 mm	KTIG- AA YOKE	YOKE CELL	21-Jan-24	21-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
310	Plug Gauge	D-0621-4-4	95.88 / 96.13 mm	KTIG- AA YOKE	YOKE CELL	3-Jan-24	3-Feb-24	1 MONTHS	
311	Plug Gauge	D-0621-4-5	95.87 / 96.13 mm	AB YOKE	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
312	Plug Gauge	D-0621-4-6	95.87 / 96.130 mm	AB YOKE	YOKE CELL	12-Jan-24	12-Feb-24	1 MONTHS	
313	Plug Gauge	D-0621-4-7	95.87 / 96.13 mm	AB YOKE	YOKE CELL	13-Jan-24	13-Feb-24	1 MONTHS	
314	Plug Gauge	D-0621-8-10	30.49 / 30.71 mm	AB YOKE (COMMON)	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
315	Plug Gauge	D-0621-8-11	30.49 / 30.71 mm	AB YOKE	YOKE CELL	18-Jan-24	18-Feb-24	1 MONTHS	
316	Plug Gauge	D-0621-8-4	30.49 / 30.71 mm	AB YOKE (COMMON)	YOKE CELL	13-Jan-24	13-Feb-24	1 MONTHS	
317	Plug Gauge	D-0621-8-6	30.49 / 30.71 mm	AB YOKE	YOKE CELL	28-Jan-24	28-Feb-24	1 MONTHS	
318	Plug Gauge	D-0621-8-7	30.49 / 30.71 mm	AB YOKE	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
319	Plug Gauge	D-0621-8-8	30.49 / 30.71 mm	AB YOKE (COMMON)	YOKE CELL	18-Jan-24	18-Feb-24	1 MONTHS	
320	Plug Gauge	D-0621-8-9	30.49 / 30.71 mm	AB YOKE (COMMON)	YOKE CELL	11-Jan-24	11-Feb-24	1 MONTHS	
321	Plug Gauge	D-0629-12-2	30.30 / 30.50 mm	Dana Yoke	YOKE CELL	24-Jan-24	24-Feb-24	1 MONTHS	
322	Plug Gauge	D-0631-3-1	27.51 / 27.29 mm	FL3W BA YOKE	YOKE CELL	18-Jan-24	18-Feb-24	1 MONTHS	
323	Plug Gauge	D-0641-06-17	69.95/ 70.05 mm	BRACKET LH/ RH	REJECTION BOX	11-Sep-22	11-Oct-22	1 MONTHS	
324	Plug Gauge	D-0641-1-10	69.95 / 70.01 mm	BRACKET LH/ RH	BRACKET LINE	17-Jan-24	17-Feb-24	1 MONTHS	
325	Plug Gauge	D-0641-1-6	69.950 / 70.01 mm	BRACKET LH/ RH	BRACKET LINE	20-Jan-24	20-Feb-24	1 MONTHS	
326	Plug Gauge	D-0641-3-3	5.90 / 6.10 mm	BRACKET LH/ RH	BRACKET LINE	17-Jan-24	17-Apr-24	1 MONTHS	
327	Plug Gauge	D-0641-5-2	14.40 /14.20 mm	BRACKET LH/ RH	BRACKET FI	13-Jan-24	13-Feb-24	1 MONTHS	
328	Plug Gauge	D-0641-5-3	14.40 / 14.20 mm	BRACKET LH/ RH	BRACKET LINE	13-Jan-24	13-Feb-24	1 MONTHS	
329	Plug Gauge	D-0641-6-17	69.95 / 70.05 mm	BRACKET LH/ RH	STANDARDS ROOM	11-Sep-22	11-Oct-22	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
330	Plug Gauge	D-0641-6-18	69.95 / 70.05 mm	BRACKET LH/ RH	BRACKET FI	6-Feb-24	6-Mar-24	1 MONTHS	
331	Plug Gauge	D-0657-4-3	108.55 / 108.85 mm	KTIG - BA YOKE	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
332	Plug Gauge	D-0658-3-1	27.13 / 27.33 mm	A35-TUBE YOKE	YOKE CELL	6-Jan-24	6-Feb-24	1 MONTHS	
333	Plug Gauge	D-0658-8-1	3.85 / 4.15 mm	A35-TUBE YOKE	YOKE CELL	4-Dec-23	4-Jan-24	1 MONTHS	
334	Plug Gauge	D-0659-3-1	30.30 / 30.50 mm	KTIG - BA YOKE	YOKE CELL	24-Jan-24	24-Feb-24	1 MONTHS	
335	Plug Gauge	D-0659-3-2	30.50 / 30.30 mm	TUBE YOKE 3535	YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
336	Plug Gauge	D-0661-3-1	35.05 / 35.25 mm	TUBE YOKE A41	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
337	Plug Gauge	D-0669-1-1	94.87 / 95.13 mm	JA YOKE	YOKE CELL	22-Sep-23	22-Oct-23	1 MONTHS	
338	Plug Gauge	D-0669-1-2	94.870 / 95.130 mm	JA YOKE	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
339	Plug Gauge	D-0670-5-1	108.54 / 108.86 mm	KTIG - BA YOKE	YOKE FI	3-Jan-24	3-Feb-24	1 MONTHS	
340	Plug Gauge	D-0672-1-1	mm	KTIG- HA YOKE	YOKE CELL	29-Jan-24	29-Feb-24	1 MONTHS	
341	Plug Gauge	D-0672-6-2	121.240 / 121.560 mm	KTIG - BA YOKE	YOKE FI	12-Jan-24	12-Feb-24	1 MONTHS	
342	Plug Gauge	D-0682-10-1	4.60 / 5.00 mm	Dana Yoke	YOKE CELL	11-Dec-23	11-Jan-24	1 MONTHS	
343	Plug Gauge	D-0682-10-2	5.30/4.30 mm	Dana Yoke	YOKE FI	13-Jan-24	13-Feb-24	1 MONTHS	
344	Plug Gauge	D-0682-12-1	26.983-0.013 mm	Dana Yoke	YOKE CELL	12-Jan-24	12-Feb-24	1 MONTHS	
345	Plug Gauge	D-0682-17-1	27.48 / 27.10 mm	TUBE YOKE -0582	YOKE FI	21-Jan-24	21-Feb-24	1 MONTHS	
346	Plug Gauge	D-0682-5-1	mm	Dana Yoke	YOKE CELL	25-Dec-23	25-Jan-24	1 MONTHS	
347	Plug Gauge	D-0682-5-2	- mm	Dana Yoke	YOKE CELL	20-Jan-24	20-Feb-24	1 MONTHS	
348	Plug Gauge	D-0699-1-1	118.85 / 119.15 mm	SFA YOKE	YOKE CELL	23-Jan-24	23-Feb-24	1 MONTHS	
349	Plug Gauge	D-0699-4-1	- mm	FCA / SFA YOKE	YOKE CELL	26-Jun-23	26-Jul-23	1 MONTHS	
350	Plug Gauge	D-0699-4-2	- mm		YOKE CELL	26-Jun-23	26-Jul-23	1 MONTHS	
351	Plug Gauge	D-0700-1-1	120.25 / 120.55 mm	SFA YOKE	YOKE CELL	23-Jan-24	23-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
352	Plug Gauge	D-0700-1-2	120.25 / 120.55 mm	SFA YOKE	YOKE FI	9-Jan-24	9-Feb-24	1 MONTHS	
353	Plug Gauge	D-0700-4-1	35.20 / 35.40 mm	SFA YOKE	YOKE CELL	24-Jan-24	24-Feb-24	1 MONTHS	
354	Plug Gauge	D-0700-4-2	35.20 / 35.40 mm	SFA YOKE	YOKE CELL	18-Jan-24	18-Feb-24	1 MONTHS	
355	Plug Gauge	D-0700-5-1	DIA 34.88 mm	LT3G-4683	YOKE CELL	20-Sep-23	20-Oct-23	1 MONTHS	
356	Plug Gauge	D-0700-5-2	34.880 -0.02 Mm mm	LT3G-4683	YOKE CELL	9-Jan-24	9-Feb-24	1 MONTHS	
357	Plug Gauge	D-0700-6-1	120.20 / 120.60 mm	LT3G-4683	YOKE FI	12-Jan-24	12-Feb-24	1 MONTHS	
358	Plug Gauge	D-0700-9-1	35.45/35.15 mm	FCA / SFA YOKE	YOKE FI	24-Jan-24	24-Feb-24	1 MONTHS	
359	Plug Gauge	D-0700-9-2	35.45/35.15 min	FCA / SFA YOKE	YOKE FI	24-Jan-24	24-Feb-24	1 MONTHS	
360	Plug Gauge	D-0701-FG-10-2	16.93 / 16.67 mm	HA/ RBI PRIMARY	FORGING FI	21-Jan-24	21-Apr-24	3 MONTHS	
361	Plug Gauge	D-0701-FG-12-2	15.50 /16.10 mm	HA/ RBI PRIMARY	FORGING FI	21-Jan-24	21-Apr-24	3 MONTHS	
362	Plug Gauge	D-0701-FG-2-1	16.960 / 17.75 mm		FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
363	Plug Gauge	D-0701-FG-4-1	15.60 / 15.80 mm		FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
364	Plug Gauge	D-0701-fg-8-2	- mm	HA/ RBI PRIMARY	FORGING	4-Jan-24	4-Feb-24	1 MONTHS	
365	Plug Gauge	D-0703-4-10	4.015 / 4.045 mm	NISSAN B PRIMARY	RECEIVING INSPECTION	30-Dec-23	13-Mar-24	1 MONTHS	
366	Plug Gauge	D-0703-4-17	4.015 / 4.045 mm	22 PRIMARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
367	Plug Gauge	D-0703-4-20	4.015 / 4.045 mm	BMW SECONDARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
368	Plug Gauge	D-0703-4-21	4.045 / 4.015 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	25-Dec-23	25-Jan-24	1 MONTHS	
369	Plug Gauge	D-0703-4-22	4.045 / 40.15 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
370	Plug Gauge	D-0703-4-23	4.015 / 4.045 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
371	Plug Gauge	D-0703-4-24	4.00 Go mm	22 DIA PRIMARY	FS FI	7-Dec-23	7-Jan-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
372	Plug Gauge	D-0703-4-25	4.015 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	22-Jan-24	22-Feb-24	1 MONTHS	
373	Plug Gauge	D-0703-4-26	4.045 / 4.015 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
374	Plug Gauge	D-0703-4-8	4.015 / 4.045 mm	23 DIA SEC / PRIMARY	FS CELL	22-Jan-24	22-Feb-24	1 MONTHS	
375	Plug Gauge	D-0704-4-1	8.15 / 7.85 mm	W501 PRIMARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
376	Plug Gauge	D-0707-14-3	1.92 / 2.08 mm	TATA PRIMARY	FS CELL	25-Jan-23	25-Feb-23	1 MONTHS	
377	Plug Gauge	D-0707-14-4	1.920 / 2.080 mm	K2 PRIMARY	FS CELL	27-Jan-24	27-Feb-24	1 MONTHS	
378	Plug Gauge	D-0707-19-2	3.70 / 3.50 mm	TATA PRIMARY	FS FI	24-Jan-24	24-Feb-24	1 MONTHS	
379	Plug Gauge	D-0707-20-4	1.90 / 2.10 mm	TATA SEC	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
380	Plug Gauge	D-0707-9-2	3.68 / 3.52 mm	TATA PRIMARY	RECEIVING INSPECTION	23-Dec-23	23-Mar-24	3 MONTHS	
381	Plug Gauge	D-0707-FG-2-2	16.67 / 16.93 mm	K2 PRIMARY	FORGING	9-Feb-24	9-May-24	3 MONTHS	
382	Plug Gauge	D-0707-FG-2-3	16.63 / 16.80 mm	TATA PRIMARY	FORGING	13-Jan-24	13-Apr-24	3 MONTHS	
383	Plug Gauge	D-0707-FG-3-3	5.58 / 5.42 mm	K2 SECONDARY	FORGING	8-Jan-24	8-Feb-24	3 MONTHS	
384	Plug Gauge	D-0707-FG-6-2	16.60 / 17.00 mm	TATA PRIMARY	FS FI	2-Feb-24	2-May-24	3 MONTHS	
385	Plug Gauge	D-0711-30-1	12.680/12.520 mm	Plunger 1014	RAJASARATHY	18-Dec-23	18-Jan-24	1 MONTHS	
386	Plug Gauge	D-0712-FG-2-3	18.35 / 18.20 mm	S101 PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
387	Plug Gauge	D-0712-FG-3-1	18.20 / 18.00 mm	S101 PRIMARY	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
388	Plug Gauge	D-0712-FG-8-3	5.60 / 5.40 mm	S101 PRI / SEC	FS FI	13-Jan-24	13-Feb-24	1 MONTHS	
389	Plug Gauge	D-0716-25-1	mm	WABCO PIPE	HEAT TREATMENT	6-Jan-24	6-Apr-24	1 MONTHS	
390	Plug Gauge	D-0716-FG-2-1	31.05 / 31.25 mm	WABCO PIPE	FORGING	6-Jan-24	6-Apr-24	3 MONTHS	
391	Plug Gauge	D-0716-FG-2-2	31.05 / 31.25 mm	WABCO PIPE	FORGING	2-Dec-23	2-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
392	Plug Gauge	D-0716-FG-3-2	24.60 / 24.80 mm	WABCO PIPE	FORGING	2-Dec-23	2-Mar-24	3 MONTHS	
393	Plug Gauge	D-0727-FG-1-1	17.20 / 17.30 mm	ZEST / BOLD SECONDARY	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
394	Plug Gauge	D-0736-8-1	11.66 / 11.70 mm	HD SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
395	Plug Gauge	D-0736-8-5	11.66 / 11.70 mm	E70 SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
396	Plug Gauge	D-0736-8-6	11.660 / 11.700 mm	T1XX HD PRIMARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
397	Plug Gauge	D-0736-8-7	11.660 / 11.700 mm	T1XX HD PRIMARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
398	Plug Gauge	D-0736-9-4	12.175 / 12.225 mm	E70 PRIMARY U387 PRIMARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
399	Plug Gauge	D-0736-9-5	12.175 / 12.225 mm	DS SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
400	Plug Gauge	D-0750-FG-2-1	25.55 / 25.75 mm	WABCO PIPE	FORGING	2-Dec-23	2-Mar-24	3 MONTHS	
401	Plug Gauge	D-0753-4-2	7.98 / 8.05 mm	T1XX HD SECONDARY	NEWTECH INDIA	2-Feb-23	2-Mar-23	1 MONTHS	
402	Plug Gauge	D-0764-10-1	3.95 / 3.90 mm	FCA PRIMARY -23.810	NEWTECH INDIA	28-Mar-23	28-Apr-23	1 MONTHS	
403	Plug Gauge	D-0764-10-2	3.95 / 3.90 mm	FCA PRIMARY -23.810	RECEIVING INSPECTION	8-Dec-23	8-Mar-24	3 MONTHS	
404	Plug Gauge	D-0764-14-1	18.65 / 18.95 mm	FCA PRIMARY -23.810	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
405	Plug Gauge	D-0764-14-2	18.65 / 18.95 mm	FCA SECONDARY -23.81 Ø	RECEIVING INSPECTION	8-Dec-23	8-Mar-24	3 MONTHS	
406	Plug Gauge	D-0764-20-1	2.30 / 2.40 mm	VW MQB PRIMARY	FS FI	23-Jul-23	23-Aug-23	1 MONTHS	
407	Plug Gauge	D-0764-20-2	- mm	VW MQB PRIMARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
408	Plug Gauge	D-0764-FG-4-1	19.70 / 19.95 mm	FCA PRIMARY -23.810	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
409	Plug Gauge	D-0765-12-1	19.00 / 18.60 mm	FCA SECONDARY -23.81 Ø	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
410	Plug Gauge	D-0775-FG-1-1	23.50 / 23.40 mm	MQB PRIMARY	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
411	Plug Gauge	D-0777-FG-1-1	15.95 / 15.75 mm	MQB PRIMARY	FORGING	15-Dec-23	15-Mar-24	3 MONTHS	
412	Plug Gauge	D-0783-12-1-0	mm	Z101 PRIMARY	CHENNAI AUTOMOTIVE	24-Aug-23	24-Sep-23	1 MONTHS	
413	Plug Gauge	D-0783-12-2	11.615/11.475 mm	Z101 SECONDSRY	RECEIVING INSPECTION	4-May-23	4-Aug-23	1 MONTHS	
414	Plug Gauge	D-0783-18-1	Ø21.980 / 21.947 mm	Z101 SECONDSRY	FS FI	3-Aug-23	3-Sep-23	1 MONTHS	
415	Plug Gauge	D-0783-27-1	11.625/11.475 mm	Z101 SECONDSRY	FS FI	30-Nov-23	30-Dec-23	1 MONTHS	
416	Plug Gauge	D-0783-7-1	-	Z101 SECONDSRY	CHENNAI AUTOMOTIVE	24-Aug-23	24-Sep-23	1 MONTHS	
417	Plug Gauge	D-0783-fg-1-1	21.40 /21.50 mm	Z101 PRIMARY	FORGING	2-Feb-24	2-May-24	3 MONTHS	
418	Plug Gauge	D-0783-FG-4-1	20.50 /20.60 mm	Z101 PRIMARY	FORGING	2-Feb-24	2-May-24	1 MONTHS	
419	Plug Gauge	D-0784-FG-2-1	20.950/21.05 mm	Z101 SECONDSRY	FORGING	2-Feb-24	2-May-24	1 MONTHS	
420	Plug Gauge	D-0787-9-1	16.70 / 16.90 mm	KANGER PRIMARY	PV ENGINEERING	24-Jan-24	24-Feb-24	1 MONTHS	
421	Plug Gauge	D-0807-20-1	- mm	END YOKE	NON AUTO FI	28-Dec-23	28-Jan-24	1 MONTHS	
422	Plug Gauge	D-0807-20-2	28.320/28.04 mm	END YOKE	NON AUTO FI	6-Sep-23	6-Oct-23	1 MONTHS	
423	Plug Gauge	D-0807-2-1	23.790-0.02 Mm mm	INTERNAL TUBE YOKE	NON AUTO LINE	9-Feb-24	9-Mar-24	1 MONTHS	
424	Plug Gauge	D-0807-5-1	6.647 mm	END YOKE	NON AUTO LINE	9-Jan-24	9-Apr-24	3 MONTHS	
425	Plug Gauge	D-0808-1-1	10.60 /10.80 mm	INTERNAL TUBE YOKE	NON AUTO LINE	9-Feb-24	9-Mar-24	1 MONTHS	
426	Plug Gauge	D-0808-2-2	- mm	END SOLAR YOKE INTERNAL TUBE YOKE	YOKE FI	24-Jan-24	24-Feb-24	1 MONTHS	
427	Plug Gauge	D-0811-1-1	- mm	SDA YOKE	YOKE CELL	11-Jan-24	11-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
428	Plug Gauge	D-1038-FG-11-7	11.50 /11.80 mm	PISTON ACCUMULATOR	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
429	Plug Gauge	D-1038-FG-12-3	20.10 / 20.50 mm	PISTON ACCUMULATOR	FORGING	17-Jan-24	17-Apr-24	3 MONTHS	
430	Plug Gauge	D-1038-FG-2-3	25.70 / 25.60 mm	PISTON ACCUMULATOR	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
431	Plug Gauge	D-1038-FG-3-3	20.50 / 20.70 mm	PISTON ACCUMULATOR	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
432	Plug Gauge	D-1038-FG-34-3	25.50 / 25.40 mm	PISTON ACCUMULATOR	FORGING	9-Feb-24	9-May-24	3 MONTHS	
433	Plug Gauge	D-1038-FG-36-3	30.70 / 30.40 mm	PISTON ACCUMULATOR	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
434	Plug Gauge	D-1038-FG-4-3	11.95 / 11.75 mm	PISTON ACCUMULATOR	FORGING	10-Feb-24	10-May-24	3 MONTHS	
435	Plug Gauge	D-1040-17-33	3.227 / 3.327 mm	POWER PISTON	BOSCH FI	24-Nov-23	24-Dec-23	1 MONTHS	
436	Plug Gauge	D-1040-17-34	3.227 / 3.327 mm	POWER PISTON	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
437	Plug Gauge	D-1040-17-35	3.327 / 3.227 mm	POWER PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
438	Plug Gauge	D-1040-43-2	14.10 / 14.150 mm	POWER PISTON	BASKARA INDUSTRIES	6-Feb-24	6-Mar-24	1 MONTHS	
439	Plug Gauge	D-1040-FG-42-3	25.56 / 25.70 mm	POWER PISTON	FORGING	17-Dec-23	17-Mar-24	3 MONTHS	
440	Plug Gauge	D-1053-FG-53-1	36.60 / 36.85 mm	CAP ACCUMULATOR	FORGING	22-Jan-24	22-Apr-24	3 MONTHS	
441	Plug Gauge	D-1063-12-6	12.83 / 12.93 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
442	Plug Gauge	D-1063-21-18	12.83 / 12.93 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
443	Plug Gauge	D-1076-18-3	3.200/3.290 mm		BASKARA INDUSTRIES II	18-Dec-22	18-Jan-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
444	Plug Gauge	D-1087-27-2	6.32 / 6.75 mm	HYDROMAX PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
445	Plug Gauge	D-1087-FG-27-2	33.65 / 33.85 mm		FORGING	6-Jan-24	6-Apr-24	3 MONTHS	
446	Plug Gauge	D-1087-FG-34-1	33.90 / 34.10 mm		FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
447	Plug Gauge	D-1088-2-16	12.98 / 13.08 mm	INPUT ROD	RECEIVING INSPECTION	2-Mar-23	2-Jun-23	3 MONTHS	
448	Plug Gauge	D-1088-2-8	12.98 / 13.08 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
449	Plug Gauge	D-1089-15-2	26.01 / 26.21 mm	HYDROMAX PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
450	Plug Gauge	D-1089-15-3	26.01 / 26.21 mm	HYDROMAX PISTON	RECEIVING INSPECTION	3-Jan-24	3-Apr-24	3 MONTHS	
451	Plug Gauge	D-1089-22-2	9.65 / 9.90 mm	HYDROMAX PISTON	BOSCH FI	19-Jan-24	19-Apr-24	1 MONTHS	
452	Plug Gauge	D-1089-22-4	9.65 / 9.90 mm	HYDROMAX PISTON	STANDARDS ROOM	8-Feb-24	8-Mar-24	1 MONTHS	
453	Plug Gauge	D-1089-22-5	9.65 / 9.90 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
454	Plug Gauge	D-1089-22-8	9.65 / 9.90 mm	HYDROMAX PISTON	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
455	Plug Gauge	D-1089-25-7	4.70 / 4.90 mm	HYDROMAX PISTON	BOSCH CELL	6-Dec-23	6-Jan-24	1 MONTHS	
456	Plug Gauge	D-1089-27-3	6.318 / 6.735 mm	HYDROMAX PISTON	BOSCH CELL	4-Feb-24	4-Mar-24	1 MONTHS	
457	Plug Gauge	D-1089-55-46	24.11 / 24.17 mm	HYDROMAX PISTON	PRECICOM	30-Jul-22	30-Aug-22	1 MONTHS	
458	Plug Gauge	D-1089-55-54	24.12 / 24.17 mm	HYDROMAX PISTON	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
459	Plug Gauge	D-1089-55-55	Nogo- 24.170 mm	HYDROMAX PISTON	BOSCH FI	10-May-23	10-Jun-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
460	Plug Gauge	D-1089-58-7	4.67 / 4.93 mm	HYDROMAX PISTON	BOSCH FI	24-Jan-23	24-Feb-23	1 MONTHS	
461	Plug Gauge	D-1089-58-8	4.67 / 4.93 mm	HYDROMAX PISTON	BOSCH FI	28-Dec-23	28-Jan-24	1 MONTHS	
462	Plug Gauge	D-1089-60-3	13.74 / 13.86 mm	HYDROMAX PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
463	Plug Gauge	D-1089-60-4	13.85 / 13.75 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
464	Plug Gauge	D-1089-60-5	13.75 / 13.85 mm	HYDROMAX PISTON	RECEIVING INSPECTION	29-Dec-23	29-Mar-24	3 MONTHS	
465	Plug Gauge	D-1089-61-3	14.95 / 15.05 mm	HYDROMAX PISTON	PRECICOM	8-Feb-24	8-Mar-24	1 MONTHS	
466	Plug Gauge	D-1089-61-4	14.95 / 15.06 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
467	Plug Gauge	D-1089-61-5	14.94 / 15.06 mm	HYDROMAX PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
468	Plug Gauge	D-1089-64-2	24.13 / 24.17 mm		PRECICOM	3-Aug-22	3-Sep-22	1 MONTHS	
469	Plug Gauge	D-1093-4-21	12.60 / 12.70 mm	INPUT ROD	RECEIVING INSPECTION	2-Dec-22	2-Mar-23	3 MONTHS	
470	Plug Gauge	D-1302-60-3-1	29.80/30.20 mm		S.K.R Ind	5-Oct-23	5-Nov-23	3 MONTHS	
471	Plug Gauge	D-1302-60-6-1	30.20 / 29.80 mm	UPPER CONNECTION 116/114	S.K.R Ind	10-Jan-24	10-Apr-24	3 MONTHS	
472	Plug Gauge	D-1305-25-1-1	36.00 / 36.30 mm		GAUGE STORAGE ROOM	21-Oct-22	21-Nov-22	3 MONTHS	
473	Plug Gauge	D-1307-25-1-1	36.00 / 36.30 mm	CONTACT EARTH SIDE	KOTTAIYUR ENGINEERING	17-Sep-22	17-Dec-22	3 MONTHS	
474	Plug Gauge	D-1307-30-1-1	9.20 / 8.80 mm		GAUGE STORAGE ROOM	21-Oct-22	21-Nov-22	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
475	Plug Gauge	D-1308-30-1-1	10.80 / 11.20 mm		GAUGE STORAGE ROOM	21-Oct-22	21-Nov-22	3 MONTHS	
476	Plug Gauge	D-1317-40-5-1	8.376 / 8.751 mm	CONTACT PART ABOVE 8051	KOTTAIYUR ENGG NA	7-Nov-22	7-Feb-23	3 MONTHS	
477	Plug Gauge	D-1317-42-4-1	39.940 / 40.00 mm	UPPER TERMINAL 3121/3154	NON AUTO LINE	8-Nov-23	8-Feb-24	3 MONTHS	
478	Plug Gauge	D-1317-48-2-13	8.376 / 8.751 mm	UPPER TERMINAL 3121/3154	SRI VISHNU ENGINEERING	8-Oct-23	8-Jan-24	3 MONTHS	
479	Plug Gauge	D-1317-48-2-16	8.376 / 8.751 mm		NON AUTO FI	11-Dec-23	11-Mar-24	3 MONTHS	
480	Plug Gauge	D-1317-48-2-17	8.376 / 8.751 mm		NON AUTO FI	12-Dec-23	12-Mar-24	3 MONTHS	
481	Plug Gauge	D-1317-48-2-8	8.376 / 8.751 mm		RECEIVING INSPECTION	23-Nov-23	23-Dec-23	1 MONTHS	
482	Plug Gauge	D-1317-48-4-1	10.106 / 10.531 mm		GAUGE STORAGE ROOM	21-Oct-22	21-Nov-22	3 MONTHS	
483	Plug Gauge	D-1317-48-4-11	10.106 / 10.531 mm	UPPER TERMINAL 3121/3154	S.K.R Ind	5-Nov-24	5-Feb-24	3 MONTHS	
484	Plug Gauge	D-1317-48-4-12	10.106 / 10.531 mm	UPPER TERMINAL 3121/3154	SRI VISHNU ENGINEERING	8-Oct-23	8-Jan-24	3 MONTHS	
485	Plug Gauge	D-1317-48-4-13	- mm		NON AUTO FI	19-Nov-23	19-Dec-23	1 MONTHS	
486	Plug Gauge	D-1317-48-4-14	10.106 / 10.531 mm		REJECTION BOX	21-Oct-22	21-Nov-22	3 MONTHS	
487	Plug Gauge	D-1317-48-4-16	10.531/10.106 mm	UPPER TERMINAL 3121/3154	NON AUTO FI	19-Jan-24	19-Apr-24	3 MONTHS	
488	Plug Gauge	D-1317-48-4-9	1.106 / 10.531 mm		HIMECH CNC	24-Dec-22	24-Mar-23	3 MONTHS	
489	Plug Gauge	D-1317-6-1	14.20 / 13.80 mm		SRI VISHNU ENGINEERING	8-Oct-23	8-Jan-24	3 MONTHS	
490	Plug Gauge	D-1318-42-1-3	33.10 / 33.20 mm		GAUGE STORAGE ROOM	21-Oct-22	21-Dec-22	3 MONTHS	
491	Plug Gauge	D-1318-42-4-1	75.30 / 75-45 mm		KOTTAIYUR ENGG NA	21-Oct-22	21-Nov-22	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
492	Plug Gauge	D-1329-45-2-1	10.80 / 11.20 mm	MOUNTING FLANGE	SRI VISHNU ENGINEERING	17-Jun-23	17-Sep-23	3 MONTHS	
493	Plug Gauge	D-1330-30-2-1	8.20 / 8.40 mm	MOUNTING FLANGE	SRI VISHNU ENGINEERING	17-Jun-23	17-Oct-23	3 MONTHS	
494	Plug Gauge	D-1331-40-7-3	6.647 / 6.982 mm		NON AUTO FI	9-Jan-24	9-Apr-24	3 MONTHS	
495	Plug Gauge	D-1343-40-3-1	6.982/6.642 mm		S.K.R Ind	5-Jan-24	5-Apr-24	3 MONTHS	
496	Plug Gauge	D-1383-40-1-1	- mm	CONNECTING PART 403	KOTTAIYUR ENGINEERING	21-Dec-23	21-Mar-24	1 MONTHS	
497	Plug Gauge	D-2103-60-4-1	126.20/125.60 mm		S.K.R Ind	10-Nov-23	10-Feb-24	1 MONTHS	
498	Plug Gauge	D-2103-60-8-1	66.90 / 66.70 mm	CONTACT CYLINDER BODY 4247	S.K.R Ind	10-Nov-23	10-Feb-24	3 MONTHS	
499	Plug Gauge	D-2103-60-9-1	57.40/57.20 mm		S.K.R Ind	10-Nov-23	10-Feb-24	1 MONTHS	
500	Plug Gauge	D-2103-65-1-1	13.80/14.20 mm		S.K.R Ind	10-Nov-23	10-Feb-24	3 MONTHS	
501	Plug Gauge	D-2103-70-10-1	120.50/120.00 mm	CONTACT CYLINDER BODY 4247	HIMECH CNC	31-Dec-22	31-Jan-23	1 MONTHS	
502	Plug Gauge	D-2103-70-7-1	125.10/124.90 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Apr-24	3 MONTHS	
503	Plug Gauge	D-2103-70-8-3-0	58.60/58.40 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Apr-24	3 MONTHS	
504	Plug Gauge	D-2103-75-2-1	127.20/127.00 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Oct-23	12-Jan-24	1 MONTHS	
505	Plug Gauge	D-2103-75-4-1	68.20/67.80 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
506	Plug Gauge	D-4135-1-1	55.145 / 55.045 mm	SWIVEL FLANGE	S.K.R Ind	7-Dec-23	7-Mar-24	3 MONTHS	
507	Plug Gauge	D-4135-5-2	11.00 / 11.27 mm	SWIVEL FLANGE	S.K.R Ind	5-Nov-23	5-Feb-24	3 MONTHS	
508	Plug Gauge	D-4136-2-1	60.145/60.045 mm	SWIVEL FLANE 125	S.K.R Ind	8-Jan-24	8-Apr-24	3 MONTHS	
509	Plug Gauge	D-4136-4-1	13.50 / 13.770 mm	SWIVEL FLANE 125	NON AUTO LINE	10-Nov-23	10-Feb-24	3 MONTHS	
510	Plug Gauge	D-4147-1-1	- mm		S.K.R Ind	4-Jul-23	4-Aug-23	1 MONTHS	
511	Plug Gauge	D-4147-5-1	9.02 / 9.20 mm		S.K.R Ind	30-Nov-23	28-Feb-24	3 MONTHS	
512	Plug Gauge	D-4148-1-1	45.03/45.13 mm	SWIVEL FLANGE-80	NON AUTO LINE	15-Nov-23	15-Feb-24	3 MONTHS	
513	Plug Gauge	D-4148-5-1	- mm	SWIVEL FLANGE-80	S.K.R Ind	5-Jan-24	5-Apr-24	1 MONTHS	
514	Plug Gauge	D-4148-6-1	11.07 / 11.20 mm		GAUGE STORAGE ROOM	21-Oct-22	21-Nov-22	3 MONTHS	
515	Plug Gauge	D-DI-10-79-0			STEELCALIPER LINE	30-Mar-23	30-Apr-23	1 MONTHS	
516	Bridge Gauge	E-0214-14-1	61.40 / 61.20 mm	U202 SECONDARY	TRW FI	27-Jan-24	27-Feb-24	1 MONTHS	
517	Bridge Gauge	E-0214-9-2	mm	U202 SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
518	Bridge Gauge	E-0216-5-2	180.15 / 179.85 mm	LV CAP ACCUMULATOR	BASKARA INDUSTRIES	15-Dec-23	15-Mar-24	3 MONTHS	
519	Bridge Gauge	E-0217-17-13	51.950/51.650 mm	EPB PISTON 57Ø	NITRO FI	27-Jan-24	27-Feb-24	1 MONTHS	
520	Bridge Gauge	E-0217-17-5	51.95 / 51.65 mm	EPB PISTON 44Ø	NITRO FI	26-Aug-23	26-Jun-23	1 MONTHS	
521	Bridge Gauge	E-0217-17-8	51.95 / 51.65 mm	EPB PISTON 57Ø	STANDARDS ROOM	28-Jan-23	28-Feb-23	1 MONTHS	
522	Bridge Gauge	E-0217-19-10	51.95/51.65 mm	EPB PISTON 57Ø	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
523	Bridge Gauge	E-0217-19-11	51.95 / 51.65 mm	EPB PISTON Ø 48	SRI VISHNU ENGINEERING	9-Sep-23	9-Oct-23	1 MONTHS	
524	Bridge Gauge	E-0217-6-1	51.70 / 51.90 mm	EPB PISTON 57Ø	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
525	Bridge Gauge	E-0217-6-10	51.90 / 51.70 mm	EPB PISTON 34Ø	BASKARA INDUSTRIES	29-Jan-24	29-Feb-24	1 MONTHS	
526	Bridge Gauge	E-0217-6-2	51.90 / 51.70 mm	EPB PISTON 57Ø	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
527	Bridge Gauge	E-0217-6-3	51.90 / 51.70 mm	EPB PISTON 57Ø	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
528	Bridge Gauge	E-0217-6-6	51.90 / 51.70 mm	EPB PISTON 57Ø	BASKARA INDUSTRIES	27-Dec-23	27-Jan-24	1 MONTHS	
529	Bridge Gauge	E-0217-6-7	51.90 / 51.70 mm	EPB PISTON Ø 38	RECEIVING INSPECTION	21-May-23	21-Jun-23	1 MONTHS	
530	Bridge Gauge	E-0217-6-9	51.90 / 51.70 mm	EPB PISTON 57Ø	SRI VISHNU ENGINEERING	28-May-23	28-Jun-23	1 MONTHS	
531	Bridge Gauge	E-0227-14-7	61.65 / 61.45 mm	V229 SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
532	Bridge Gauge	E-0227-17-3	61.45 / 61.65 mm	V229 SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
533	Bridge Gauge	E-0227-30-1	61.45 / 61.65 mm	V229 SECONDARY	TRW FI	27-Jan-24	27-Feb-24	1 MONTHS	
534	Bridge Gauge	E-0253-4-4	mm	E70 PRIMARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
535	Bridge Gauge	E-0261-15-1	70.30 / 70.60 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
536	Bridge Gauge	E-0261-15-6	73.35 / 73.65 mm	V229 PRIMARY	FS CELL	12-Jan-24	12-Feb-24	1 MONTHS	
537	Bridge Gauge	E-0261-18-4	73.70 / 73.30 mm	V229 PRIMARY	BASKARA INDUSTRIES	21-Jan-24	21-Feb-24	1 MONTHS	
538	Bridge Gauge	E-0282-13-1	79.15 / 78.75 mm	DT PRIMARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	
539	Bridge Gauge	E-0282-8-5	79.10 / 78.80 mm	DS PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
540	Bridge Gauge	E-0291-8-2	70.60,7.30 mm	E70 PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
541	Bridge Gauge	E-0504-4-4	81.10 / 80.85 mm	U387 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
542	Bridge Gauge	E-0504-6-7	81.15 / 80.75 mm	U387 PRIMARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
543	Bridge Gauge	E-0505-5-11	66.60 / 66.80 mm	U387 SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
544	Bridge Gauge	E-0505-5-12	66.80 / 66.60 mm	U387 SECONDARY	NEWTECH INDIA	16-Jan-24	16-Feb-24	1 MONTHS	
545	Bridge Gauge	E-0505-5-13	62.50 / 62.30 mm	E70 SECONDARY	GAUGE STORAGE ROOM	4-Oct-22	4-Nov-22	1 MONTHS	
546	Bridge Gauge	E-0541-12-2	63.90 / 63.70 mm	NISSAN B PRIMARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
547	Bridge Gauge	E-0544-32-2	67.83 / 67.67 mm	T1XX HD SECONDARY	REJECTION BOX	16-Nov-22	16-Dec-22	1 MONTHS	
548	Bridge Gauge	E-0544-32-3	67.83 / 67.67 mm	HD SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
549	Bridge Gauge	E-0544-32-4	67.67 / 67.83 mm	T1XX HD SECONDARY	NEWTECH INDIA	8-Jan-23	8-Feb-23	1 MONTHS	
550	Bridge Gauge	E-0544-32-5	67.850 / 37.650 mm	T1XX HD SECONDARY	TRW FI	3-Apr-23	3-May-23	1 MONTHS	
551	Bridge Gauge	E-0551-14-5	63.90 / 63.70 mm	22 DIA PRIMARY	FS FI	21-Jan-24	21-Feb-24	1 MONTHS	
552	Bridge Gauge	E-0551-14-6	63.90 / 63.70 mm	YIK (Ø19.05) PRIMARY	FS FI	9-Feb-24	9-Mar-24	1 MONTHS	
553	Bridge Gauge	E-0567-18-6	65.70 / 65.50 mm	DS SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
554	Bridge Gauge	E-0567-8-1	65.52 / 65.68 mm	DS SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
555	Bridge Gauge	E-0571-10-3	63.90 / 63.74 mm	BMW PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
556	Bridge Gauge	E-0572-9-1	37.65 /37.35 mm	NISSAN 20.64 SECONDARY	FS FI	21-Dec-23	21-Mar-24	1 MONTHS	
557	Bridge Gauge	E-0581-15-5	53.70 / 53.40 mm	CALIPER PISTON 0581	CALIPER FI	8-Oct-23	8-Nov-23	1 MONTHS	
558	Bridge Gauge	E-0582-6-4	38.15 / 37.85 mm	NISSON Ø 23 SECONDARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
559	Bridge Gauge	E-0582-6-9	37.85 / 38.15 mm	NISSON A SEC	FS FI	21-Jan-24	21-Feb-24	1 MONTHS	
560	Bridge Gauge	E-0585-6-1	82.42 / 82.58 mm	U202 PRIMARY	TRW FI	27-Jan-24	27-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
561	Bridge Gauge	E-0585-6-2	82.58 / 82.42 mm	U202 PRIMARY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
562	Bridge Gauge	E-0586-24-2-1	16.17 / 16.07 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
563	Bridge Gauge	E-0587-12-1	74.752 / 74.30 mm	PISTON PRIMARY 2595	BOSCH FI	15-Jul-23	15-Aug-23	3 MONTHS	
564	Bridge Gauge	E-0587-12-2	- mm		BOSCH FI	21-Nov-23	21-Feb-24	3 MONTHS	
565	Bridge Gauge	E-0587-8-1	74.70 / 74.35 mm	PISTON PRIMARY 2595	PRECICOM	25-Dec-23	25-Mar-24	3 MONTHS	
566	Bridge Gauge	E-0589-3-2	55.15 / 54.85 mm	CALIPER PISTON 0581	CALIPER FI	8-Apr-23	8-May-23	1 MONTHS	
567	Bridge Gauge	E-0589-3-3	55.150 /54.850 mm	CALIPER PISTON 0581	CALIPER FI	8-Jul-23	8-Aug-23	1 MONTHS	
568	Bridge Gauge	E-0590-11-6	82.68 / 82.52 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
569	Bridge Gauge	E-0590-11-7	82.68 / 82.52 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
570	Bridge Gauge	E-0590-18-2	82.70 / 82.50 mm	BR166 PRIMARY	FS FI	22-Jan-24	22-Feb-24	1 MONTHS	
571	Bridge Gauge	E-0591-12-1	41.65 / 41.35 mm	BR166 SECONDARY	FS FI	22-Jan-24	22-Feb-24	1 MONTHS	
572	Bridge Gauge	E-0593-11-1	mm	HYUNDAI PRIMARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
573	Bridge Gauge	E-0593-23-1	78.14 / 77.85 mm	HYUNDAI PRIMARY	FS FI	2-Jul-23	2-Aug-23	1 MONTHS	
574	Bridge Gauge	E-0595-13-1	73.64 / 73.35 mm	RT PRIMARY	FS FI	28-Mar-23	28-Apr-23	1 MONTHS	
575	Bridge Gauge	E-0596-9-1	41.15 / 40.85 mm	RT SECONDRY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
576	Bridge Gauge	E-0701-4-5	63. 72 / 63.88 mm	22 PRIMARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
577	Bridge Gauge	E-0703-6-11	63.88 / 63.72 mm	NISSON A SEC	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
578	Bridge Gauge	E-0703-6-12	63.88/63.72 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	17-Feb-23	17-Mar-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
579	Bridge Gauge	E-0703-6-2	63.88 / 63.72 mm	YIK (Ø19.05) PRIMARY	FS CELL	13-Jan-24	13-Feb-24	1 MONTHS	
580	Bridge Gauge	E-0707-13-3	66.85 / 67.15 mm	TATA PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
581	Bridge Gauge	E-0707-18-2	67.30 / 66.70 mm	TATA PRIMARY	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
582	Bridge Gauge	E-0708-4-3	43.18 / 43.02 mm	TATA SEC	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
583	Bridge Gauge	E-0708-4-5	43.18 / 43.02 mm	TATA SECONDRY	REJECTION BOX	3-Nov-22	3-Dec-22	1 MONTHS	
584	Bridge Gauge	E-0708-7-2	43.20 / 43.00 mm	TATA SEC	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
585	Bridge Gauge	E-0709-10-1	69.80 / 69.20 mm	K2 PRIMARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
586	Bridge Gauge	E-0709-8-2	69.65 / 69.35 mm	K2 PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
587	Bridge Gauge	E-0709-8-4	69.65 / 69.35 mm	K2 SECONDARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
588	Bridge Gauge	E-0710-6-4	39.18 / 39.02 mm	K2 SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
589	Bridge Gauge	E-0710-6-5	39.18 / 39.02 mm	K2 SECONDARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
590	Bridge Gauge	E-0710-9-4	39.20 / 39.00 mm	K2 SECONDARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
591	Bridge Gauge	E-0711-14-1	117.45 / 117.05 mm	Plunger 1014	RAJASARATHY	19-Jan-24	19-Apr-24	3 MONTHS	
592	Bridge Gauge	E-0711-21-1	117.46 / 117.00 mm	Plunger 1014	BOSCH FI	10-Oct-23	10-Jan-24	3 MONTHS	
593	Bridge Gauge	E-0712-15-3	69.65 / 69.35 mm	S101 PRIMARY	PV ENGINEERING	3-Nov-22	3-Dec-22	1 MONTHS	
594	Bridge Gauge	E-0712-15-4	69.65 / 69.35 mm	S101 PRIMARY	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
595	Bridge Gauge	E-0712-21-3	69.80 / 69.20 mm	S101 PRIMARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
596	Bridge Gauge	E-0713-9-1	39.00 / 39.20 mm	S101 SECONDARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
597	Bridge Gauge	E-0716-19-2	110.12 / 109.88 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
598	Bridge Gauge	E-0716-19-4	110.12 / 109.88 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
599	Bridge Gauge	E-0716-20-2	- mm	WABCO PIPE	WABCO FI	7-Sep-23	7-Oct-23	1 MONTHS	
600	Bridge Gauge	E-0716-20-3	110.15 / 109.85 mm	WABCO PIPE	WABCO FI	7-Jun-23	7-Jul-23	1 MONTHS	
601	Bridge Gauge	E-0720-6-1	126.50 / 126.00 mm	PISTON 1468	BOSCH FI	13-Apr-23	13-Jul-23	3 MONTHS	
602	Bridge Gauge	E-0726-13-1	67.92 / 67.72 mm	ZETS / BOLD PRIMARY	FS FI	5-Feb-24	5-Mar-24	1 MONTHS	
603	Bridge Gauge	E-0726-8-1	67.90 / 67.74 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
604	Bridge Gauge	E-0726-8-2	67.90 / 67.74 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	16-Sep-23	16-Oct-23	1 MONTHS	
605	Bridge Gauge	E-0727-10-1	40.15 / 39.85 mm		FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
606	Bridge Gauge	E-0728-8-1	133.05 / 133.35 mm	PISTON 1468	BOSCH FI	5-Jan-24	5-Apr-24	3 MONTHS	
607	Bridge Gauge	E-0728-8-2	133.05/133.35 mm	Plunger 1014	RAJASARATHY	19-Jan-24	19-Apr-24	1 MONTHS	
608	Bridge Gauge	E-0731-3-1	71.58 / 71.42 mm	W109 PRIMARY	PV ENGINEERING	24-Jan-24	24-Feb-24	1 MONTHS	
609	Bridge Gauge	E-0731-3-2	71.42 /71.58 mm	W109 PRIMARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
610	Bridge Gauge	E-0731-8-1	71.40 / 71.60 mm	W109 PRIMARY	FS FI	22-Jan-24	22-Feb-24	1 MONTHS	
611	Bridge Gauge	E-0732-1-2	37.55 /37.45 mm	W109 SECONDARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
612	Bridge Gauge	E-0732-4-1	37.65 / 37.35 mm	W109 SECONDARY	FS FI	25-Nov-23	25-Dec-23	1 MONTHS	
613	Bridge Gauge	E-0738-1-2	112.12 / 111.88 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
614	Bridge Gauge	E-0738-2-1	112.15 / 111.85 mm	WABCO PIPE	WABCO FI	5-Sep-23	5-Oct-23	1 MONTHS	
615	Bridge Gauge	E-0739-1-1	112.12 / 111.88 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
616	Bridge Gauge	E-0739-2-1	- mm	WABCO PIPE	WABCO FI	7-Jul-23	7-Aug-23	1 MONTHS	
617	Bridge Gauge	E-0739-2-2	111.15 / 110.85 mm	WABCO PIPE	WABCO FI	7-Sep-23	7-Oct-23	1 MONTHS	
618	Bridge Gauge	E-0740-1-1	103.62 / 103.38 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
619	Bridge Gauge	E-0740-2-1	103.65 / 103.35 mm	WABCO PIPE	WABCO FI	7-Sep-23	7-Oct-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
620	Bridge Gauge	E-0741-1-1	115.12 / 114.88 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
621	Bridge Gauge	E-0741-2-1	115.15 / 114.85 mm	WABCO PIPE	WABCO FI	5-Sep-23	5-Oct-23	1 MONTHS	
622	Bridge Gauge	E-0742-1-1	108.62 / 108.38 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
623	Bridge Gauge	E-0742-2-1	108.65 / 108.35 mm	WABCO PIPE	WABCO FI	7-Sep-23	7-Oct-23	1 MONTHS	
624	Bridge Gauge	E-0743-3-2	- mm	X601 PRIMAERY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
625	Bridge Gauge	E-0746-1-1	- mm	WABCO PIPE	WABCO CELL	24-Jan-24	24-Feb-24	1 MONTHS	
626	Bridge Gauge	E-0747-1-1	114.32 / 114.08 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
627	Bridge Gauge	E-0747-2-1	114.05 / 114.35 mm	WABCO PIPE	WABCO FI	5-Sep-23	5-Oct-23	1 MONTHS	
628	Bridge Gauge	E-0754-10-1	63.90/63.74 mm	BOLERO PRIMARY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
629	Bridge Gauge	E-0754-17-1	63.92 / 63.72 mm	BOLERO PRIMARY	FS FI	22-Jan-24	22-Feb-24	1 MONTHS	
630	Bridge Gauge	E-0759-13-1	80.80 / 80.60 mm	VW MQB PRIMARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
631	Bridge Gauge	E-0759-21-1	80.90 / 80.50 mm	VW MQB PRIMARY	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
632	Bridge Gauge	E-0764-15-1	74.85 / 74.55 mm	FCA PRIMARY -23.810	NEWTECH INDIA	13-Jan-24	13-Feb-24	1 MONTHS	
633	Bridge Gauge	E-0764-15-2	74.85 / 74.55 mm	FCA PRIMARY -23.810	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
634	Bridge Gauge	E-0764-18-1	74.90 / 74.50 mm	23 DIA SEC / PRIMARY	FS FI	24-Jan-24	24-Feb-24	1 MONTHS	
635	Bridge Gauge	E-0765-8-1	37.68 / 37.52 mm	FCA SECONDARY -23.81 Ø	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
636	Bridge Gauge	E-0765-8-2	37.68 / 37.52 mm	FCA SECONDARY -23.81 Ø	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
637	Bridge Gauge	E-0775-13-1	83.10 / 82.90 mm	W501 PRIMARY	FS FI	8-Jan-24	8-Feb-24	1 MONTHS	
638	Bridge Gauge	E-0775-9-2	83.08 / 82.92 mm	W501 PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
639	Bridge Gauge	E-0776-19-1	37.35 / 37.65 mm	W501 SECONDARY	FS FI	24-Nov-23	24-Dec-23	1 MONTHS	
640	Bridge Gauge	E-0777-12-1	85.10 /84.90 mm	MQB PRIMARY	FS FI	7-Jan-24	7-Feb-24	1 MONTHS	
641	Bridge Gauge	E-0783-13-1-0	mm	Z101 PRIMARY	FS FI	26-Dec-23	26-Jan-24	1 MONTHS	
642	Bridge Gauge	E-0784-12-1	42.15 / 41.95 mm	Z101 SECONDSRY	FS FI	26-Dec-23	26-Jan-24	1 MONTHS	
643	Bridge Gauge	E-0785-3-1	70.90 / 70.74 mm	W601 PRIMARY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
644	Bridge Gauge	E-0787-16-1	65.85 / 65.55 mm	KANGER PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
645	Bridge Gauge	E-0787-18-1	66.00 / 65.40 mm	KANGER PRIMARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
646	Bridge Gauge	E-0788-7-1	43.45 / 43.35 mm	KANGER SECONDARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
647	Bridge Gauge	E-1038-28-2	2.79 / 2.41 mm		RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
648	Bridge Gauge	E-1038-30-3	50.49 / 50.09 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	13-Feb-24	13-Mar-24	1 MONTHS	
649	Bridge Gauge	E-1038-30-4	50.09 / 50.49 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	6-Feb-24	6-Mar-24	1 MONTHS	
650	Bridge Gauge	E-1053-34-25	98.80 / 98.30 mm	CAP ACCUMULATOR	BOSCH FI	9-Jan-24	9-Feb-24	1 MONTHS	
651	Bridge Gauge	E-1053-46-1	98.65 / 98.45 mm	CAP ACCUMULATOR	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
652	Bridge Gauge	E-1089-19-2	210.54 / 210.38 mm	HYDROMAX PISTON	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
653	Bridge Gauge	E-1089-19-3	210.54 / 210.38 mm	HYDROMAX PISTON	RECEIVING INSPECTION	10-Jan-24	10-Apr-24	3 MONTHS	
654	Bridge Gauge	E-1089-44-6	210.59 / 210.33 mm	HYDROMAX PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
655	Bridge Gauge	E-1268-2-1	64.95/64.35 mm		BASKARA INDUSTRIES	18-Dec-22	18-Mar-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
656	Bridge Gauge	E-1307-25-2-1	86.70 / 86.30 mm	CONNECTOR CONTAHT 6736	KOTTAIYUR ENGG NA	17-Sep-22	17-Dec-22	3 MONTHS	
657	Bridge Gauge	E-1308-35-2-1	57.20 / 86.80 mm		FORGING	21-Oct-22	21-Nov-22	3 MONTHS	
658	Bridge Gauge	E-90806-3-1	- mm	FML PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
659	Bridge Gauge	E-90806-4-1	85.70/85.30 mm	FML PRIMARY	TRW FI	23-Jan-24	23-Feb-24	1 MONTHS	
660	Bridge Gauge	E-90807-1-1	- mm	FML SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
661	Bridge Gauge	E-90807-1-2	- mm	FML SECONDARY	RECEIVING INSPECTION	24-Jul-23	24-Aug-23	1 MONTHS	
662	Bridge Gauge	E-90807-4-1	- mm	FML SECONDARY	TRW FI	24-Jan-24	24-Feb-24	1 MONTHS	
663	CONTOUR MASTER BALL	EMC-S34-A	mm		CMM ROOM	20-Feb-20	20-Feb-23	36 MONTHS	
664	Snap Gauge-Std	F-0214-1-4	20.80 / 20.70 mm	INGINO SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
665	Snap Gauge-Std	F-0214-2-3	19.88 / 17.72 mm	INGINO SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
666	Snap Gauge-Std	F-0215-17-3	8.57 / 8.45 mm	MANDO PRIMARY	TRW FI	1-Feb-24	1-May-24	3 MONTHS	
667	Snap Gauge-Std	F-0216-FG-12-2	51.65 / 51.50 mm		FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
668	Snap Gauge-Std	F-0217-10-1	53.00/52.80 mm	EPB PISTON 57Ø	RECEIVING INSPECTION	19-Dec-24	19-Mar-24	3 MONTHS	
669	Snap Gauge-Std	F-0217-20-1	53.00 / 52.80 mm	EPB PISTON 57Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
670	Snap Gauge-Std	F-0217-21-1	56.10 / 5.90 mm	EPB PISTON 57Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
671	Snap Gauge-Std	F-0217-9-1	56.00/55.80 mm	EPB PISTON 57Ø	RECEIVING INSPECTION	19-Dec-24	19-Mar-24	3 MONTHS	
672	Snap Gauge-Std	F-0218-14-1	44.40 / 43.80 mm	EPB PISTON Ø 45	STEELCALIPER FI	17-Feb-24	17-Feb-24	1 MONTHS	
673	Snap Gauge-Std	F-0218-16-1	40.80 / 40.60 mm	EPB PISTON Ø 45	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
674	Snap Gauge-Std	F-0218-7-1	44.10/43.90 mm	EPB PISTON Ø 45	NITRO FI	6-Dec-23	6-Jan-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
675	Snap Gauge-Std	F-0218-7-3	44.10 / 43.90 mm	EPB PISTON Ø 45	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
676	Snap Gauge-Std	F-0218-8-1	40.75 / 40.65 mm	EPB PISTON Ø 45	NITRO FI	27-Jan-24	27-Feb-24	1 MONTHS	1
677	Snap Gauge-Std	F-0219-14-1	42.95 / 42.35 mm	EPB PISTON 44Ø	STEELCALIPER FI	17-Jan-24	17-Feb-24	1 MONTHS	
678	Snap Gauge-Std	F-0219-16-1	37.10 / 36.50 mm	EPB PISTON 44Ø	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	
679	Snap Gauge-Std	F-0219-24-2	44.125 / 44.025 mm	EPB PISTON 44Ø	NANDISHWARA ENGINEERING	20-Jan-24	20-Feb-24	1 MONTHS	
680	Snap Gauge-Std	F-0219-24-3	44.125 / 44.025 mm	EPB PISTON 44Ø	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
681	Snap Gauge-Std	F-0219-7-1	42.65 / 421.45 mm	EPB PISTON 44Ø	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
682	Snap Gauge-Std	F-0219-8-1	- mm	EPB PISTON 44Ø	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
683	Snap Gauge-Std	F-0221-16-1	37.10 / 36.50 mm	EPB PISTON 42Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
684	Snap Gauge-Std	F-0221-17-1	41.10 / 40.50 mm	EPB PISTON 42Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
685	Snap Gauge-Std	F-0221-24-2	42.15 / 42.05 mm	EPB PISTON 42Ø	STEELCALIPER LINE	20-Dec-23	20-Jan-24	1 MONTHS	
686	Snap Gauge-Std	F-0221-8-4	40.80 /40.60 mm	EPB PISTON 42Ø	NANDISHWARA ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
687	Snap Gauge-Std	F-0221-8-5	40.80 / 40.50 mm	EPB PISTON Ø 43	NANDISHWARA ENGINEERING	13-Feb-24	13-Mar-24	1 MONTHS	
688	Snap Gauge-Std	F-0221-9-1	36.90/36.70 mm	EPB PISTON 42Ø	NANDISHWARA ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
689	Snap Gauge-Std	F-0221-9-2	36.90 / 36.70 mm	EPB PISTON 42Ø	NANDISHWARA ENGINEERING	20-Oct-23	20-Nov-23	1 MONTHS	1
690	Snap Gauge-Std	F-0221-9-3	36.90 / 36.70 mm	EPB PISTON 42Ø	STEELCALIPER LINE	20-Dec-23	20-Jan-24	1 MONTHS	1
691	Snap Gauge-Std	F-0224-16-1	50.30 / 49.70 mm	EPB PISTON 57Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	1
692	Snap Gauge-Std	F-0224-17-1	46.90 / 46.70 mm	EPB PISTON Ø 51	STEELCALIPER FI	13-Jan-24	13-Feb-24	1 MONTHS	
693	Snap Gauge-Std	F-0224-6-1	mm	EPB PISTON Ø 51	STEELCALIPER LINE	16-Jun-23	23-Jul-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
694	Snap Gauge-Std	F-0224-7-3	50.00 / 49.80 mm	EPB PISTON Ø 51	SRI VISHNU ENGINEERING	28-Jan-24	28-Feb-24	1 MONTHS	
695	Snap Gauge-Std	F-0224-7-5	50 / 49.80 mm	EPB PISTON Ø 51	SRI VISHNU ENGINEERING	14-Oct-23	14-Nov-23	1 MONTHS	
696	Snap Gauge-Std	F-0225-16-1	47.20 / 16.80 mm	EPB PISTON Ø 48	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
697	Snap Gauge-Std	F-0225-17-1	- mm	EPB PISTON Ø 48	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
698	Snap Gauge-Std	F-0225-2-3	18.495 / 18.362 mm	V229 PRIMARY	TRW FI	6-Jan-24	6-Feb-24	1 MONTHS	
699	Snap Gauge-Std	F-0225-6-1	48.30 / 48.20 mm	EPB PISTON Ø 48	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
700	Snap Gauge-Std	F-0225-6-2	- mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Jan-24	29-Feb-24	1 MONTHS	
701	Snap Gauge-Std	F-0225-7-1	47.00 / 46.80 mm	EPB PISTON Ø 48	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
702	Snap Gauge-Std	F-0225-7-2	- mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Jan-24	29-Feb-24	1 MONTHS	
703	Snap Gauge-Std	F-0226-14-1	37.55 / 36.95 mm	EPB PISTON Ø 38	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	
704	Snap Gauge-Std	F-0226-15-1	34.20 / 33.60 mm	EPB PISTON Ø 38	STEELCALIPER FI	10-May-23	10-Jun-23	1 MONTHS	
705	Snap Gauge-Std	F-0226-6-2	37.250 / 37.050 mm	EPB PISTON Ø 38	STEELCALIPER LINE	23-May-23	23-Jun-23	1 MONTHS	
706	Snap Gauge-Std	F-0226-6-3	37.250 /37.050 mm	EPB PISTON Ø 38	STEELCALIPER LINE	23-May-23	23-Jun-23	1 MONTHS	
707	Snap Gauge-Std	F-0226-7-2	26.28 / 26.08 mm	V229 PRIMARY	FS CELL	12-Jan-24	12-Feb-24	1 MONTHS	
708	Snap Gauge-Std	F-0226-FG-9-1	28.40 / 28.20 mm	V229 PRIMARY	FORGING	22-Nov-23	22-Feb-24	3 MONTHS	
709	Snap Gauge-Std	F-0227-14-1	31.80 / 31.20 mm	EPB PISTON 34Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
710	Snap Gauge-Std	F-0227-15-2	29.20 / 28.80 mm	EPB PISTON 34Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
711	Snap Gauge-Std	F-0227-16-5	18.45 / 18.37 mm	V229 SECONDARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
712	Snap Gauge-Std	F-0227-16-7	18.489 / 18.362 mm	V229 SECONDARY	TRW FI	30-Dec-23	9-Jan-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
713	Snap Gauge-Std	F-0227-23-1	26.28 / 26.08 mm	V229 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
714	Snap Gauge-Std	F-0228-1-1	36.25 / 36.15 mm	EPB PIUSTON 36 Ø	RECEIVING INSPECTION	20-Jan-24	20-Apr-24	1 MONTHS	
715	Snap Gauge-Std	F-0228-2-1	31.20 / 31.00 mm	EPB PIUSTON 36 Ø	RECEIVING INSPECTION	20-Jan-24	20-Apr-24	1 MONTHS	
716	Snap Gauge-Std	F-0228-3-1	35.25 / 35.05 mm	EPB PIUSTON 36 Ø	RECEIVING INSPECTION	20-Jan-24	20-Apr-24	1 MONTHS	
717	Snap Gauge-Std	F-0228-4-1	35.55 / 34.95 mm	EPB PIUSTON 36 Ø	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	
718	Snap Gauge-Std	F-0228-5-1	31.35 / 30.85 mm	EPB PIUSTON 36 Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
719	Snap Gauge-Std	F-0251-18-2	29.579 / 29.446 mm	DT PRIMARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
720	Snap Gauge-Std	F-0251-4-1	26.10 / 25.90 mm	DS SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
721	Snap Gauge-Std	F-0252-8-2	38.65 / 38.45 mm	EPB PISTON Ø 43	NITRO FI	27-Jan-24	27-Feb-24	1 MONTHS	
722	Snap Gauge-Std	F-0252-8-3	40.90 / 40.70 mm	EPB PISTON Ø 43	STEELCALIPER FI	8-Feb-24	8-Mar-24	1 MONTHS	
723	Snap Gauge-Std	F-0261-7-2	13.06 / 12.94 mm	V229 PRIMARY	FS CELL	10-Feb-24	10-Mar-24	1 MONTHS	
724	Snap Gauge-Std	F-0261-7-3	- mm	FML PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
725	Snap Gauge-Std	F-0262-11-2	13.580 / 13.420 mm	FML SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
726	Snap Gauge-Std	F-0276-18-8	14.38 / 14.24 mm	E70 SECONDARY	TRW FI	21-Jan-24	21-Feb-24	1 MONTHS	
727	Snap Gauge-Std	F-0276-2-23	21.48 / 21.32 mm	U387 SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
728	Snap Gauge-Std	F-0276-2-24	21.48 / 21.32 mm	E70 SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
729	Snap Gauge-Std	F-0282-6-4	19.00 / 18.96 mm	DS PRIMARY	RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
730	Snap Gauge-Std	F-0282-8-2	19.00 / 18.96 mm	DS PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
731	Snap Gauge-Std	F-0291-2-3	26.08 / 26.28 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
732	Snap Gauge-Std	F-0291-2-7	26.28 / 26.08 mm	E70 PRIMARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
733	Snap Gauge-Std	F-0291-4-4	13.90 / 13.86 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
734	Snap Gauge-Std	F-0291-4-9	13.90 / 13.68 mm	E70 PRIMARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
735	Snap Gauge-Std	F-0541-17-4	23.95 / 23.90 mm	NISSAN B SECONDARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
736	Snap Gauge-Std	F-0541-17-6	23.95 / 23.90 mm	NISSAN B SECONDARY	FS CELL	8-Jan-24	8-Feb-24	1 MONTHS	
737	Snap Gauge-Std	F-0543-2-1	37.32 / 37.18 mm	HD PRIMARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
738	Snap Gauge-Std	F-0543-2-3	37.32 / 37.18 mm	HD PRIMARY	RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
739	Snap Gauge-Std	F-0543-25-2	31.69 / 31.49 mm	HD PRIMARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	
740	Snap Gauge-Std	F-0544-1-4	37.33 / 37.18 mm	HD PRIMARY	RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
741	Snap Gauge-Std	F-0544-1-5	37.33 / 37.18 mm	T1XX HD SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
742	Snap Gauge-Std	F-0544-15-5	29.579 / 29.446 mm	HD SECONDARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	
743	Snap Gauge-Std	F-0544-2-3	37.70 / 37.50 mm	HD SECONDARY	RECEIVING INSPECTION	18-Nov-23	18-Feb-24	3 MONTHS	
744	Snap Gauge-Std	F-0544-2-4	37.70 / 37.50 mm	T1XX HD SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
745	Snap Gauge-Std	F-0544-3-3	19.10 /18.90 mm	T1XX HD SECONDARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
746	Snap Gauge-Std	F-0544-4-3	30.10 / 29.10 mm	HD PRIMARY	RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
747	Snap Gauge-Std	F-0544-4-4	30.10 / 29.90 mm	TIXX HD SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
748	Snap Gauge-Std	F-0544-7-3	19.10 / 18.90 mm	T1XX HD SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
749	Snap Gauge-Std	F-0551-21-10	22.35 / 22.30 mm	23 DIA SEC / PRIMARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
750	Snap Gauge-Std	F-0551-21-12	22.30 / 22.35 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
751	Snap Gauge-Std	F-0551-21-13	22.35 / 22.30 mm	VW MQB PRIMARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
752	Snap Gauge-Std	F-0551-21-14	22.35 / 22.30 mm	NISSON A SEC	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
753	Snap Gauge-Std	F-0551-21-15	22.35 / 22.30 mm	22 PRIMARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
754	Snap Gauge-Std	F-0551-21-9	22.35 / 22.30 mm	S101 PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
755	Snap Gauge-Std	F-0551-2-7	22.35 /22.30 mm	22 PRIMARY	RECEIVING INSPECTION	22-Nov-23	22-Feb-24	3 MONTHS	
756	Snap Gauge-Std	F-0567-12-1	16.10 / 15.90 mm	DS SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
757	Snap Gauge-Std	F-0567-20-7	23.229 / 23.096 mm	DS SECONDARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
758	Snap Gauge-Std	F-0567-2-1	30.98 / 30.82 mm	DS SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
759	Snap Gauge-Std	F-0567-2-3	30.98 / 30.82 mm	DS PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
760	Snap Gauge-Std	F-0567-2-4	30.98 / 30.82 mm	DT SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
761	Snap Gauge-Std	F-0567-2-5	30.98 / 30.82 mm	DS PRIMARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
762	Snap Gauge-Std	F-0567-4-1	21.90 / 21.70 mm	DS SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
763	Snap Gauge-Std	F-0567-4-2	21.90 / 21.70 mm	DS SECONDARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
764	Snap Gauge-Std	F-0571-21-1	20.80 / 20.75 mm		GAUGE STORAGE ROOM	2-Sep-22	2-Dec-22	3 MONTHS	
765	Snap Gauge-Std	F-0571-21-10	20.80 / 20.75 mm	ZETS / BOLD PRIMARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
766	Snap Gauge-Std	F-0571-21-6	20.80 / 20.75 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
767	Snap Gauge-Std	F-0571-21-8	20.80 / 2.75 mm	ZETS / BOLD PRIMARY	REJECTION BOX	20-Oct-22	20-Nov-22	1 MONTHS	
768	Snap Gauge-Std	F-0571-21-9	20.80 / 20.75 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	21-Jan-24	21-Feb-24	1 MONTHS	
769	Snap Gauge-Std	F-0575-23-1	27.15 / 27.10 mm	W109 PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
770	Snap Gauge-Std	F-0575-23-4	27.15 / 27.10 mm	W109 SECONDARY	PV ENGINEERING	8-Feb-24	8-Mar-24	1 MONTHS	
771	Snap Gauge-Std	F-0575-23-6	27.15 / 27.10 mm	W109 SECONDARY	GAUGE STORAGE ROOM	29-Sep-22	29-Oct-22	1 MONTHS	
772	Snap Gauge-Std	F-0575-23-7	27.15 / 27.10 mm	W109 PRIMARY	FS CELL	17-Jan-24	17-Feb-24	1 MONTHS	
773	Snap Gauge-Std	F-0581-17-2	60.60 / 60.40 mm	CALIPER PISTON 0581	CALIPER LINE	19-Jan-24	19-Feb-24	1 MONTHS	
774	Snap Gauge-Std	F-0581-17-3	60.60 / 60.40 mm	CALIPER PISTON 0581	CALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
775	Snap Gauge-Std	F-0581-18-1	56.80 / 56.60 mm	CALIPER PISTON 0581	CALIPER LINE	12-Jan-24	12-Feb-24	1 MONTHS	
776	Snap Gauge-Std	F-0581-18-2	56.80 / 56.60 mm	CALIPER PISTON 0581	CALIPER LINE	4-Jan-24	4-Feb-24	1 MONTHS	
777	Snap Gauge-Std	F-0585-13-1	10.57 / 10.50 mm	U202 PRIMARY	RECEIVING INSPECTION	28-Mar-23	28-Jun-23	3 MONTHS	
778	Snap Gauge-Std	F-0585-20-2	14.37 / 14.22 mm	U202 PRIMARY	TRW FI	21-Jan-24	21-Feb-24	1 MONTHS	
779	Snap Gauge-Std	F-0586-21-3	14.366 / 14.233 mm	U202 SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
780	Snap Gauge-Std	F-0586-2-3	21.48 / 21.42 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
781	Snap Gauge-Std	F-0586-3-2	17.70 / 17.50 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
782	Snap Gauge-Std	F-0586-5-1	12.07 / 11.92 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
783	Snap Gauge-Std	F-0586-5-3	22.35 / 22.30 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
784	Snap Gauge-Std	F-0587-10-1	19.078 / 19.013 mm	PISTON PRIMARY 2595	BOSCH FI	13-Jan-24	13-Apr-24	3 MONTHS	
785	Snap Gauge-Std	F-0587-14-1	44.678 / 44.577 mm	PISTON PRIMARY 2595	BOSCH FI	13-Jan-24	13-Apr-24	3 MONTHS	
786	Snap Gauge-Std	F-0587-15-1	50.72 / 50.659 mm	PISTON PRIMARY 2595	BOSCH FI	13-Jan-24	13-Apr-24	3 MONTHS	
787	Snap Gauge-Std	F-0591-4-3	28.70 / 28.65 mm	BR166 SECONDARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
788	Snap Gauge-Std	F-0591-4-4	28.70 / 28.65 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
789	Snap Gauge-Std	F-0591-4-5	28.70 / 28.65 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
790	Snap Gauge-Std	F-0591-4-6	28.70 / 25.65 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
791	Snap Gauge-Std	F-0621-11-1	103.10 / 102.90 mm	AB YOKE	YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
792	Snap Gauge-Std	F-0621-11-4	103.10 / 102.90 mm	AB YOKE	YOKE FI	6-Jan-24	6-Feb-24	1 MONTHS	
793	Snap Gauge-Std	F-0628-13-1	102.40 / 101.40 mm	TUBE YOKE 3535	YOKE FI	21-Dec-23	21-Mar-24	3 MONTHS	
794	Snap Gauge-Std	F-0657-4-1	115.80 / 115.60 mm	KTIG - BA YOKE	YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
795	Snap Gauge-Std	F-0672-5-2	128.50 / 128.30 mm	BA JOKE	YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
796	Snap Gauge-Std	F-0682-12-1	97.97 / 97.87 mm	TUBE YOKE 3535	YOKE FI	22-Jun-23	22-Jul-23	1 MONTHS	
797	Snap Gauge-Std	F-0700-3-1	128.50 / 128.30 mm		YOKE FI	6-Feb-24	6-Mar-24	1 MONTHS	
798	Snap Gauge-Std	F-0701-FG-1-1	21.65 / 21.45 mm	HA/ RBI PRIMARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
799	Snap Gauge-Std	F-0701-FG-9-2	21.75 / 21.45 mm		FORGING FI	21-Jan-24	21-Apr-24	3 MONTHS	
800	Snap Gauge-Std	F-0701-FG-9-3	21.75 / 21.45 mm	HA/ RBI PRIMARY	FORGING FI	23-Jan-24	23-Apr-24	3 MONTHS	
801	Snap Gauge-Std	F-0701-FG-9-4-0	21.750 / 21.450 mm		FORGING	9-Feb-24	9-May-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
802	Snap Gauge-Std	F-0707-FG-1-1	22.00 / 21.90 mm	TATA PRIMARY	FORGING	22-Nov-23	22-Feb-24	3 MONTHS	
803	Snap Gauge-Std	F-0711-10-1	18.95 / 18.85 mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
804	Snap Gauge-Std	F-0711-10-2	18.95 / 18.85 mm		RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
805	Snap Gauge-Std	F-0711-12-1	22.35 / 21.75 mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
806	Snap Gauge-Std	F-0711-12-2	22.35 / 21.75 mm	Plunger 1014	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
807	Snap Gauge-Std	F-0711-17-1	16.684 / 16.60 mm	Plunger 1014	BOSCH FI	19-Jan-24	19-Apr-24	3 MONTHS	
808	Snap Gauge-Std	F-0711-FG-1-1	27.70 / 27.50 mm	Plunger 1014	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
809	Snap Gauge-Std	F-0711-FG-3-1	28.00 / 27.70 mm	Plunger 1014	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
810	Snap Gauge-Std	F-0711-FG-4-1	7420 / 73.80 mm	Plunger 1014	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
811	Snap Gauge-Std	F-0712-FG-1-1	23.50 / 23.40 mm	S101 PRI / SEC	FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
812	Snap Gauge-Std	F-0716-8-3	37.65 / 37.35 mm	WABCO PIPE	REJECTION BOX	11-Aug-22	11-Sep-22	1 MONTHS	
813	Snap Gauge-Std	F-0716-8-4	37.65 /37.45 mm	WABCO PIPE	REJECTION BOX	6-Oct-22	6-Nov-22	1 MONTHS	
814	Snap Gauge-Std	F-0716-8-5	37.650 / 37.350 mm	WABCO PIPE	WABCO CELL	24-Jan-24	24-Feb-24	1 MONTHS	
815	Snap Gauge-Std	F-0718-FG-1-1	59.75 / 59.25 mm	INLET VALVE -C55	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
816	Snap Gauge-Std	F-0718-FG-2-1	7.80 / 7.50 mm	INLET VALVE -C55	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
817	Snap Gauge-Std	F-0718-FG-3-1	12.20 / 11.90 mm	INLET VALVE -C55	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
818	Snap Gauge-Std	F-0728-10-1	75.20 / 75.10 mm	PISTON 1468	BOSCH FI	19-Jan-24	19-Apr-24	3 MONTHS	
819	Snap Gauge-Std	F-0728-11-1	72.50 / 72.40 mm	PISTON 1468	BOSCH FI	12-Jan-24	12-Apr-24	3 MONTHS	
820	Snap Gauge-Std	F-0728-12-1	64.00 / 63.90 mm	PISTON 1468	BOSCH FI	2-Nov-23	2-Feb-24	3 MONTHS	
821	Snap Gauge-Std	F-0735-3-1	24.845 / 24.712 mm	DT PRIMARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
822	Snap Gauge-Std	F-0736-10-3	24.845 / 24.712 mm	DT SECONDARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
823	Snap Gauge-Std	F-0736-10-4	24.845 / 24.712 mm	DT PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
824	Snap Gauge-Std	F-0736-8-1	32.596 / 32.436 mm	DT SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
825	Snap Gauge-Std	F-0736-8-3	32.596 / 32.436 mm		RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
826	Snap Gauge-Std	F-0736-8-4	32.596 / 32.436 mm	DT PRIMARY	PV ENGINEERING	27-Jan-24	27-Apr-24	3 MONTHS	
827	Snap Gauge-Std	F-0754-5-1	25.55 / 25.50 mm	BOLERO SECONDRY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
828	Snap Gauge-Std	F-0754-5-3	25.55 / 25.50 mm	Z101 SECONDSRY	CHENNAI AUTOMOTIVE	28-Jul-23	28-Aug-23	1 MONTHS	
829	Snap Gauge-Std	F-0764-9-1	23.95 / 23.90 mm	FCA SECONDARY -23.81 Ø	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
830	Snap Gauge-Std	F-0764-9-2	23.95 / 23.90 mm		RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
831	Snap Gauge-Std	F-0764-FG-2-1	25.00 / 24.80 mm	FCA PRIMARY -23.810	FORGING	22-Nov-23	22-Feb-24	3 MONTHS	
832	Snap Gauge-Std	F-0764-FG-3-1	17.85 / 18.05 mm	FCA PRIMARY -23.810	FORGING	9-Feb-24	9-May-24	3 MONTHS	
833	Snap Gauge-Std	F-0767-10-1	19.25 / 19.20 mm	YIK (Ø 19.05) SECONDRY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
834	Snap Gauge-Std	F-0767-10-2	19.25 / 19.20 mm	YIK (Ø19.05) PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
835	Snap Gauge-Std	F-0784-fg-12-1	26.950 / 26.750 mm	Z101 PRIMARY	FORGING	2-Feb-24	2-May-24	1 MONTHS	
836	Snap Gauge-Std	F-0807-7-1	44.130 /47.880 mm	END YOKE	NON AUTO FI	8-Jan-24	8-Feb-24	1 MONTHS	
837	Snap Gauge-Std	F-1038-21-5	36.10 / 35.92 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	12-Feb-24	12-Mar-24	1 MONTHS	
838	Snap Gauge-Std	F-1038-22-12	32.005 / 31.877 mm	PISTON ACCUMULATOR	BOSCH FI	10-Jan-24	10-Feb-24	1 MONTHS	
839	Snap Gauge-Std	F-1038-FG-1-1	38.60 / 38.50 mm	PISTON ACCUMULATOR	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
840	Snap Gauge-Std	F-1038-FG-32-1	39.00 / 38.80 mm	PISTON ACCUMULATOR	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
841	Snap Gauge-Std	F-1038-FG-32-2-0	39.00 / 38.80 mm	PISTON ACCUMULATOR	FORGING	29-Dec-23	29-Mar-24	3 MONTHS	
842	Snap Gauge-Std	F-1053-21-33	43.24 / 43.08 mm	CAP ACCUMULATOR	BOSCH FI	9-Jan-24	9-Feb-24	1 MONTHS	
843	Snap Gauge-Std	F-1053-26-2	47.49 / 47.53 mm	CAP ACCUMULATOR	BASKARA INDUSTRIES	16-Dec-23	16-Mar-24	3 MONTHS	
844	Snap Gauge-Std	F-1053-41-3	44.58 / 44.50 mm	CAP ACCUMULATOR	BOSCH FI	9-Jan-24	9-Feb-24	1 MONTHS	
845	Snap Gauge-Std	F-1053-45-33	47.55 / 47.49 mm	CAP ACCUMULATOR	BOSCH FI	9-Jan-24	9-Feb-24	1 MONTHS	
846	Snap Gauge-Std	F-1053-4-8	44.57 / 44.50 mm	CAP ACCUMULATOR	RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
847	Snap Gauge-Std	F-1053-FG-52-3	45.90 / 45.70 mm	CAP ACCUMULATOR	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
848	Snap Gauge-Std	F-1053-FG-52-4	45.90 / 45.70 mm	CAP ACCUMULATOR	FORGING	2-Feb-24	2-May-24	3 MONTHS	
849	Snap Gauge-Std	F-1063-10-13	10.05 /9.85 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
850	Snap Gauge-Std	F-1063-10-14	10.05 / 9.85 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
851	Snap Gauge-Std	F-1063-11-22	7.70 / 7.50 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
852	Snap Gauge-Std	F-1063-12-26	5.30 /5.10 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
853	Snap Gauge-Std	F-1063-14-10	10.90 / 10.70 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
854	Snap Gauge-Std	F-1063-23-13	7.10 / 6.90 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
855	Snap Gauge-Std	F-1063-9-16	8.60 / 8.40 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
856	Snap Gauge-Std	F-1063-FG-2-7	12.80 /12.60 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
857	Snap Gauge-Std	F-1063-FG-2-8	12.80 /12.60 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
858	Snap Gauge-Std	F-1068-20-16	6.60 / 6.40 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
859	Snap Gauge-Std	F-1071-11-86	2.95 /2.85 mm	INPUT ROD	GAUGE STORAGE ROOM	19-Dec-22	19-Jan-23	1 MONTHS	
860	Snap Gauge-Std	F-1087-10-5	50.85 / 50.80 mm	PISTON SECONDARY	RECEIVING INSPECTION	8-Jan-24	8-Apr-24	3 MONTHS	
861	Snap Gauge-Std	F-1087-18-3	44.68 /44.58 mm	PISTON SECONDARY	BOSCH FI	13-Jan-24	13-Apr-24	3 MONTHS	
862	Snap Gauge-Std	F-1087-41-1	42.14 / 41.94 mm	PISTON SECONDARY	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
863	Snap Gauge-Std	F-1087-41-2	42.14 / 41.94 mm	PISTON SECONDARY	RECEIVING INSPECTION	7-Jan-24	7-Apr-24	3 MONTHS	
864	Snap Gauge-Std	F-1087-7-6	8171 / 81.61 mm	HYDROMAX PISTON	RECEIVING INSPECTION	18-Nov-23	18-Feb-24	3 MONTHS	
865	Snap Gauge-Std	F-1087-FG-31-1	52.20 / 52.00 mm	PISTON SECONDARY	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
866	Snap Gauge-Std	F-1087-FG-32-1	51.76 / 51.56 mm	PISTON SECONDARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
867	Snap Gauge-Std	F-1089-12-3	19.50 / 19.35 mm	HYDROMAX PISTON	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
868	Snap Gauge-Std	F-1089-14-3	31.80 / 31.75 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
869	Snap Gauge-Std	F-1089-14-4	31.82 / 31.75 mm	DS PRIMARY	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
870	Snap Gauge-Std	F-1089-31-3	81.74 / 84.60 mm	HYDROMAX PISTON	BOSCH FI	3-Nov-23	3-Feb-24	3 MONTHS	
871	Snap Gauge-Std	F-1089-34-2	76.16 / 75.90 mm	HYDROMAX PISTON	BOSCH FI	10-Jan-24	10-Apr-24	3 MONTHS	
872	Snap Gauge-Std	F-1089-35-2	19.55 / 19.31 mm	HYDROMAX PISTON	BOSCH FI	23-Jan-24	23-Feb-24	3 MONTHS	
873	Snap Gauge-Std	F-1089-45-1	20.64 / 20.55 mm	HYDROMAX PISTON	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
874	Snap Gauge-Std	F-1089-45-2	20.65 / 20.55 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
875	Snap Gauge-Std	F-1089-62-1	31.30 / 31.10 mm	HYDROMAX PISTON	BOSCH FI	19-Jan-24	19-Apr-24	3 MONTHS	
876	Snap Gauge-Std	F-1089-7-5	81.71 / 81.61 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
877	Snap Gauge-Std	F-1089-8-1	76.11 / 75.96 mm	HYDROMAX PISTON	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
878	Snap Gauge-Std	F-1089-9-2	22.36 / 22.30 mm	HYDROMAX PISTON	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
879	Snap Gauge-Std	F-1308-35-1-1	90.20 / 89.80 mm	CONNECTOR CONTAHT 6736	KOTTAIYUR ENGINEERING	23-Sep-22	23-Dec-22	3 MONTHS	
880	Snap Gauge-Std	F-1317-48-1-1	90.20 / 89.80 mm	UPPER TERMINAL 3121/3154	NON AUTO LINE	4-Oct-22	4-Jan-23	3 MONTHS	
881	Snap Gauge-Std	F-1318-48-1-1	44.980 / 44.940 mm	UPPER TERMINAL 3121/3154	NON AUTO FI	19-Dec-23	19-Mar-24	3 MONTHS	
882	Snap Gauge-Std	F-1323-38-10-1	115.00 / 114.90 mm	CONTACT TUBE 6532	SRI VISHNU ENGINEERING	11-Jun-23	11-Oct-23	3 MONTHS	
883	Snap Gauge-Std	F-1323-46-1-1	89.90 / 89.80 mm	CONTACT TUBE 6532	SRI VISHNU ENGINEERING	17-Jun-23	17-Oct-23	3 MONTHS	
884	Snap Gauge-Std	F-1350-22-1-1	54.95 / 54.80 mm	CONTACT PART ABOVE 8051	KOTTAIYUR ENGG NA	7-Nov-22	7-Dec-22	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
885	Snap Gauge-Std	F-1355-35-4-1	30.20 / 29.80 mm	CONNECTING PART 3981	SRI VISHNU ENGINEERING	11-Nov-22	11-Feb-23	3 MONTHS	
886	Snap Gauge-Std	F-1355-35-7-1	28.20 /27.80 mm	CONNECTING PART 3981	SRI VISHNU ENGINEERING	4-May-23	4-Aug-23	3 MONTHS	
887	Snap Gauge-Std	F-1357-2-1	45.00 / 44.80 mm	CONNECTING PART 3981	SRI VISHNU ENGINEERING	8-Oct-23	8-Jan-24	4 MONTHS	
888	Snap Gauge-Std	F-1394-40-3-2	10.00 / 99.90 mm		SRI VISHNU ENGINEERING	12-Oct-23	12-Jan-24	1 MONTHS	
889	Snap Gauge-Std	F-2103-60-3-1	136.70/136.40 mm		S.K.R Ind	10-Nov-23	10-Feb-24	3 MONTHS	
890	Snap Gauge-Std	F-2103-70-1-1	143.90/143.80 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Oct-23	12-Jan-24	1 MONTHS	
891	Snap Gauge-Std	F-2103-70-6-1	145.65/145.35 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Oct-23	12-Jan-24	1 MONTHS	
892	Snap Gauge-Std	F-2103-75-1-1	135.40/135.30 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Apr-24	3 MONTHS	
893	Snap Gauge-Std	F-2103-75-5-1	5.60/5.40 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Apr-24	3 MONTHS	
894	Snap Gauge-Std	F-4136-5-1	25.00 / 24.80 mm	SWIVEL FLANE 125	NON AUTO FI	2-Feb-24	2-Mar-24	1 MONTHS	
895	Snap Gauge-H Type	H-0226-6-3	37.25 /37.05 mm	EPB PISTON Ø 38	STEELCALIPER LINE	24-May-23	24-Jun-23	1 MONTHS	
896	Snap Gauge-H Type	H-0543-6-3	4.08 / 3.90 mm	HD PRIMARY	RECEIVING INSPECTION	8-Jan-24	8-Apr-24	3 MONTHS	
897	Snap Gauge-H Type	H-0587-11-1	16.10 / 15.60 mm	PISTON PRIMARY 2595	BOSCH FI	13-Jan-24	13-Apr-24	3 MONTHS	
898	Snap Gauge-H Type	H-0587-3-1	19.00 / 19.10 mm	PISTON PRIMARY 2595	PRECICOM	25-Nov-23	25-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
899	Snap Gauge-H Type	H-0587-4-1	7.15 / 7.00 mm	HYDROMAX PISTON	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
900	Snap Gauge-H Type	H-0587-9-1	15.95 / 15.75 mm	PISTON PRIMARY 2595	PRECICOM	25-Nov-23	25-Feb-24	3 MONTHS	
901	Snap Gauge-H Type	H-0641-4-1	16.10 / 15.90 mm	BRACKET LH/ RH	BRACKET LINE	17-Jan-24	17-Feb-24	1 MONTHS	
902	Snap Gauge-H Type	H-0641-4-2	16.10 /15.90 mm	BRACKET LH/ RH	BRACKET FI	17-Apr-23	17-May-23	1 MONTHS	
903	Snap Gauge-H Type	H-0641-4-4	- mm	BRACKET LH/ RH	BRACKET LINE	18-Jan-24	18-Feb-24	1 MONTHS	
904	Snap Gauge-H Type	H-0711-10-1	18.95 / 18.85 mm	Plunger 1014	RAJASARATHY	28-Sep-22	28-Dec-22	3 MONTHS	
905	Snap Gauge-H Type	H-0711-15-1	18.95 / 18.55 mm		RAJASARATHY	18-Jan-24	18-Feb-24	3 MONTHS	
906	Snap Gauge-H Type	H-0711-15-2	18.95 / 18.55 mm	Plunger 1014	RAJASARATHY	2-Mar-23	2-Jun-23	3 MONTHS	
907	Snap Gauge-H Type	H-0711-20-1	19.00 / 18.50 mm	Plunger 1014	BOSCH FI	19-Jan-24	19-Apr-24	3 MONTHS	
908	Snap Gauge-H Type	H-0711-24-1	5.97 / 5.83 mm	Plunger 1014	RAJASARATHY	18-Jan-24	18-Apr-24	3 MONTHS	
909	Snap Gauge-H Type	H-0711-24-2	5.97 / 5.83 mm	Plunger 1014	RECEIVING INSPECTION	28-Nov-23	28-Feb-24	3 MONTHS	
910	Snap Gauge-H Type	H-0711-25-1	3.05 / 2.95 mm	Plunger 1014	RAJASARATHY	19-Dec-23	19-Mar-24	3 MONTHS	
911	Snap Gauge-H Type	H-0711-8-1	20.00 / 19.50 mm	Plunger 1014	RAJASARATHY	18-Jan-24	18-Apr-24	3 MONTHS	
912	Snap Gauge-H Type	H-0728-5-1	4.78 / 4.62 mm	Plunger 1014	RAJASARATHY	20-Nov-23	20-Feb-24	3 MONTHS	
913	Snap Gauge-H Type	H-0728-6-1	20.50 / 20.00 mm	Plunger 1014	RAJASARATHY	18-Jan-24	18-Apr-24	3 MONTHS	
914	Snap Gauge-H Type	H-1040-FG-4-1	9.95 / 9.60 mm	POWER PISTON	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
915	Snap Gauge-H Type	H-1087-9-1	2.99 / 3.11 mm		PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
916	Snap Gauge-H Type	H-4135-2-2	10.30 / 9.70 mm	SWIVEL FLANGE	NON AUTO LINE	10-Nov-23	10-Feb-24	3 MONTHS	
917	Snap Gauge-H Type	H-4135-3-1	18.00 / 17.80 mm	SWIVEL FLANGE	NON AUTO FI	10-Jan-24	10-Apr-24	3 MONTHS	
918	Snap Gauge-H Type	H-4136-5-1	25.00 /24.80 mm	SWIVEL FLANE 125	S.K.R Ind	15-Nov-23	15-Feb-24	1 MONTHS	
919	Snap Gauge-H Type	H-4147-3-1	- mm	SWIVEL FLANGE 63	S.K.R Ind	29-Oct-23	29-Jan-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
920	Snap Gauge-H Type	H-4147-3-3	15.00 / 14.80 mm		NON AUTO FI	7-Jul-23	7-Oct-23	3 MONTHS	
921	Snap Gauge-H Type	H-4148-3-1-0	mm	SWIVEL FLANGE	FS CELL	6-Dec-23	6-Mar-24	1 MONTHS	
922	CMM	I-CMM-1			CMM ROOM	18-Oct-23	17-Oct-24	12 MONTHS	
923	CMM	I-CMM-2			CMM ROOM	16-Mar-23	16-Mar-24	12 MONTHS	
924	Cast Iron Surface Plate	I-CS-1-T-12-0	mm		YOKE CELL	14-Mar-23	14-Mar-26	36 MONTHS	
925	Dial Caliper Gauge	I-DC-60-2	60-80 mm		GAUGE STORAGE ROOM	29-Jun-22	29-Sep-22	3 MONTHS	
926	Dial Calibration Tester	I-DCT-1-1			CMM ROOM	12-Jan-24	11-Jan-25	12 MONTHS	
927	Microhite	I-DI-0.8-10-0	min		FS CELL	21-Mar-23	21-Mar-24	12 MONTHS	
928	Digital Micrometer-I	I-DM-50-1	min		NON AUTO LINE	29-Nov-23	29-Jan-24	2 MONTHS	
929	Slip Gauge	I-GB-88-1	0.5-100 mm		CMM ROOM	8-Nov-23	8-Nov-25	24 MONTHS	
930	Granite Surface Plate	I-GSP-630-1	630 X 630 mm		CMM ROOM	2-Dec-20	2-Dec-22	24 MONTHS	
931	Granite Surface Plate	I-GSP-630-2	630 X 630 mm		STEEL CALIPER	3-Dec-20	3-Dec-22	24 MONTHS	
932	Granite Surface Plate	I-GSP-630-3	630 X 630 mm		TRW CELL	3-Dec-20	3-Dec-22	24 MONTHS	
933	Granite Surface Plate	I-GSP-630-5	630 X 630 mm		RECEIVING INSPECTION	2-Dec-20	2-Dec-22	24 MONTHS	
934	Granite Surface Plate	I-GST-1000-1	1000 X 1000 mm		FS CELL	26-Jun-21	26-Jun-23	24 MONTHS	
935	Granite Surface Plate	I-GST-1000-3	1000 X 630 mm		YOKE CELL	26-Jun-21	26-Jun-23	24 MONTHS	
936	Granite Surface Plate	I-GST-1200-1	1200 X 600 mm		FS NC	26-Jun-21	26-Jun-23	24 MONTHS	
937	Granite Surface Plate	I-GST-1200-2	1200 X 630 mm		TRW CELL	26-Jun-21	26-Jun-23	24 MONTHS	
938	Granite Surface Plate	I-GST-1200-4			Precise Testing & Calibration	11-Jul-22	11-Jul-24	24 MONTHS	
939	Granite Surface Plate	I-GST-1200-5	1200 X 600 mm		CALIPER LINE	2-Dec-20	2-Dec-22	24 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
940	Granite Surface Plate	I-GST-630-2	630 X 630 mm		STEEL PLANT	2-Dec-20	2-Dec-22	24 MONTHS	
941	Granite Surface Plate	I-GST-630-4	630 X 630 mm		YOKE CELL	3-Dec-20	3-Dec-22	24 MONTHS	
942	Granite Surface Plate	I-GST-NA-1000-1	1000 X 1000 mm		NON AUTO LINE	11-Jul-22	11-Jul-24	24 MONTHS	
943	Comparator Stand	III-CS-01-69	- mm	WABCO PIPE	WABCO FI	9-Feb-24	9-May-24	3 MONTHS	
944	Comparator Stand	III-CS-01-83	- mm		TRW FI	8-Nov-23	8-Feb-24	3 MONTHS	
945	Comparator Stand	III-CS-01-84	- mm		TRW FI	10-Feb-24	10-May-24	3 MONTHS	
946	Comparator Stand	III-CS-1-19	0.02Max mm		WABCO FI	19-Dec-23	19-Mar-24	3 MONTHS	
947	Comparator Stand	III-CS-1-2	150 X 100 MM mm		FORGING	6-Jan-24	6-Apr-24	3 MONTHS	
948	Comparator Stand	III-CS-1-20	150 X 100 mm		FORGING	18-Jan-24	18-Apr-24	3 MONTHS	
949	Comparator Stand	III-CS-1-22	150 X 100 mm		FS CELL	21-Oct-23	21-Jan-24	3 MONTHS	
950	Comparator Stand	III-CS-1-25	150 X 100 mm		STEELCALIPER FI	7-Dec-23	7-Mar-24	3 MONTHS	
951	Comparator Stand	III-CS-1-26	0.02 Max mm		STEELCALIPER GRIND	14-Dec-23	14-Mar-24	3 MONTHS	
952	Comparator Stand	III-CS-1-28	150 X 100 mm		FORGING	18-Jan-24	18-Apr-24	3 MONTHS	
953	Comparator Stand	III-CS-1-30	150 X 100 mm		STEELCALIPER LINE	4-Nov-23	4-Feb-24	3 MONTHS	
954	Comparator Stand	III-CS-1-36-0	0.02 Max mm		FS CELL	7-Nov-23	7-Feb-24	3 MONTHS	
955	Comparator Stand	III-CS-1-4	150 X 100 mm		FS CELL	7-Nov-23	7-Feb-24	3 MONTHS	
956	Comparator Stand	III-CS-1-44-0	mm		YOKE FI	19-Nov-23	19-Feb-24	3 MONTHS	
957	Comparator Stand	III-CS-1-45	150 X 100 mm		FS CELL	10-Nov-23	10-Feb-24	3 MONTHS	
958	Comparator Stand	III-CS-1-46	150 X 100 mm		STEELCALIPER FI	21-Dec-23	21-Mar-24	3 MONTHS	
959	Comparator Stand	III-CS-1-49	150 X 100 mm		WABCO CELL	22-Nov-23	22-Feb-24	3 MONTHS	
960	Comparator Stand	III-CS-1-50	150 X 100 mm		STEELCALIPER LINE	9-Nov-23	9-Feb-24	3 MONTHS	
961	Comparator Stand	III-CS-1-57	150 X 100 mm		STEELCALIPER LINE	24-Nov-23	24-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
962	Comparator Stand	III-CS-1-65	0.02 Max mm		STEELCALIPER GRIND	14-Dec-23	14-Mar-24	3 MONTHS	
963	Comparator Stand	III-CS-1-66	0.02 Max mm		STEELCALIPER GRIND	14-Dec-23	14-Mar-24	3 MONTHS	
964	Comparator Stand	III-CS-1-67	150 X 100 mm		STEELCALIPER LINE	24-Nov-23	24-Feb-24	3 MONTHS	
965	Comparator Stand	III-CS-1-68	150 X 100 mm		FS CELL	9-Dec-23	9-Mar-24	3 MONTHS	
966	Comparator Stand	III-CS-1-69	150 X 100 mm		WABCO FI	9-May-23	9-Aug-23	3 MONTHS	
967	Comparator Stand	III-CS-1-7	150 X 100 mm		FS CELL	7-Dec-23	7-Mar-24	3 MONTHS	
968	Comparator Stand	III-CS-1-70	150 X 100 mm		FS FI	11-Dec-23	11-Mar-24	3 MONTHS	
969	Comparator Stand	III-CS-1-71	150 X 100 mm		FS FI	9-Dec-24	9-Mar-24	3 MONTHS	
970	Comparator Stand	III-CS-1-72	150 X 100 mm		FS FI	18-Dec-23	18-Mar-24	3 MONTHS	
971	Comparator Stand	III-CS-1-73	150 X 100 mm		FS FI	9-Dec-23	9-Mar-24	3 MONTHS	
972	Comparator Stand	III-CS-1-74	150 X 100 mm		FS FI	21-Dec-23	21-Mar-24	3 MONTHS	
973	Comparator Stand	III-CS-1-76	150 X 100 mm		FS CELL	21-Jan-24	21-Apr-24	3 MONTHS	
974	Comparator Stand	III-CS-1-77	150 X 100 mm		STEELCALIPER LINE	2-Dec-23	2-Mar-24	3 MONTHS	
975	Comparator Stand	III-CS-1-78	150 X 100 mm		FS FI	3-Nov-23	3-Feb-24	3 MONTHS	
976	Comparator Stand	III-CS-1-79	150 X 100 mm		STEELCALIPER GRIND	20-Dec-23	20-Mar-24	3 MONTHS	
977	Comparator Stand	III-CS-1-80	150 X 100 mm		STEELCALIPER LINE	1-Dec-23	1-Mar-24	3 MONTHS	
978	Comparator Stand	III-CS-1-81	150 X 100 mm		STEELCALIPER LINE	16-Nov-23	16-Feb-24	3 MONTHS	
979	Comparator Stand	III-CS-1-83	150 X 100 mm		TRW FI	8-Feb-24	8-May-24	3 MONTHS	
980	Comparator Stand	III-CS-1-84	150 X 100 mm		TRW FI	10-May-23	10-Aug-23	3 MONTHS	
981	Comparator Stand	III-CS-1-85	150 X 100 mm		TRW FI	6-Jan-24	6-Apr-24	3 MONTHS	
982	Comparator Stand	III-CS-1-86	150 X 100 mm		TRW FI	21-Dec-23	21-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
983	Comparator Stand	III-CS-1-87-0	mm		CHROME PLATING	4-Jan-24	4-Apr-24	3 MONTHS	
984	Comparator Stand	III-CS-1-88	150 X 100 Mm mm		CALIPER LINE	21-Jan-24	21-Apr-24	3 MONTHS	
985	Comparator Stand	III-CS-1-89	150 X 100 Mm mm		STEELCALIPER FI	4-Nov-23	4-Feb-24	3 MONTHS	
986	Comparator Stand	III-CS-1-9	150 X 100 mm		WABCO FI	5-Jan-24	5-Apr-24	3 MONTHS	
987	Comparator Stand	III-CS-1-90	150 X 100 Mm mm		NITRO FI	8-Dec-23	8-Mar-24	3 MONTHS	
988	Comparator Stand	III-CS-1-91	150 X 100 Mm mm		NITRO FI	8-Feb-24	8-May-24	3 MONTHS	
989	Comparator Stand	III-CS-1-92	150 X 100 Mm mm		NITRO FI	7-Nov-23	7-Feb-24	3 MONTHS	
990	Comparator Stand	III-CS-1-93	- mm		FS CELL	23-Jan-24	23-Apr-24	3 MONTHS	
991	Comparator Stand	III-cs-1-94	- mm		FS CELL	2-Feb-24	2-May-24	3 MONTHS	
992	Comparator Stand	III-CS-1-T-12	mm		YOKE CELL	14-Sep-23	14-Dec-23	3 MONTHS	
993	Comparator Stand	III-CS-1-T-15	150 X 100 mm		FORGING	9-Dec-23	9-Mar-24	3 MONTHS	
994	Comparator Stand	III-CS-1-T-16	150X 100 mm		FS CELL	7-Feb-24	7-May-24	3 MONTHS	
995	Comparator Stand	III-CS-1-T-19	150 X 100 mm		FS CELL	18-Dec-23	18-Mar-24	3 MONTHS	
996	Comparator Stand	III-CS-1-T-60	150 X 100 mm		STEELCALIPER LINE	17-Jan-24	17-Apr-24	3 MONTHS	
997	Comparator Stand	III-CS-1-T-63	150 X 100 mm		YOKE CELL	18-Jan-24	18-Apr-24	3 MONTHS	
998	Comparator Stand	III-CS-1-T-64	150 X 100 mm		FS CELL	7-Nov-23	7-Feb-24	3 MONTHS	
999	Comparator Stand	III-CS-1-T-65	150 X 100 mm		FS CELL	27-Jan-24	27-Apr-24	3 MONTHS	
1,000	Comparator Stand	III-CS-1-T-66	150 X 100 mm		FS CELL	7-Nov-23	7-Feb-24	3 MONTHS	
1,001	Comparator Stand	III-CS-1-T-74	150 X 100 mm		YOKE CELL	11-Mar-23	11-Jun-23	3 MONTHS	
1,002	Comparator Stand	III-CS-T-1	200 X 250 Mm mm		GAUGE STORAGE ROOM	9-Dec-22	9-Mar-23	3 MONTHS	
1,003	Comparator Stand	III-CS-T-13	150 X 100 mm		WABCO FI	6-Dec-23	6-Mar-24	3 MONTHS	
1,004	Comparator Stand	III-CS-T-16	150 X 100 mm		FORGING	7-Dec-23	7-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,005	Comparator Stand	III-CS-T-2	150 X 100 mm	-	FS CELL	11-Dec-23	11-Mar-24	3 MONTHS	
1,006	Comparator Stand	III-CS-T-3	150 X 100 mm		STEELCALIPER LINE	17-Jan-24	17-Apr-24	3 MONTHS	
1,007	Comparator Stand	III-CS-T-4	150 X 100 mm		FORGING	28-Jan-24	28-Apr-24	3 MONTHS	
1,008	Comparator Stand	III-CS-T-5	150 X 100 mm		FS CELL	9-Jan-24	9-Apr-24	3 MONTHS	
1,009	Comparator Stand	III-CS-T-6	150 X 100 mm		FORGING	30-Jan-24	30-Apr-24	3 MONTHS	
1,010	Comparator Stand	III-CS-T-61	150 X 100 Mm mm		STEELCALIPER LINE	19-Jan-24	19-Apr-24	3 MONTHS	
1,011	Comparator Stand	III-CS-T-62	150 X 100 mm		FS CELL	7-Nov-23	7-Feb-24	3 MONTHS	
1,012	Comparator Stand	III-CS-T-71	150 X 100 mm		FS CELL	7-Dec-23	7-Mar-24	3 MONTHS	
1,013	Comparator Stand	III-CS-TM-1	150 X 100 mm		FS CELL	14-Nov-23	14-Feb-24	3 MONTHS	
1,014	Comparator Stand	III-CS-TM-15	150 X 100 mm		FS CELL	7-Feb-24	7-May-24	3 MONTHS	
1,015	Comparator Stand	III-CS-TM-21	150 X 100 Mm mm		FS FI	24-Nov-23	24-Feb-24	3 MONTHS	
1,016	Comparator Stand	III-CS-TM-22	150 X 100 Mm mm		FORGING	3-Feb-24	3-May-24	3 MONTHS	
1,017	Comparator Stand	III-CS-TM-23	150 X 100 mm		STEELCALIPER FI	8-Dec-23	8-Mar-24	3 MONTHS	
1,018	Comparator Stand	III-CS-TM-25	150 X 100 Mm mm		YOKE FI	21-Nov-23	21-Feb-24	3 MONTHS	
1,019	Comparator Stand	III-CS-TM-26	150 X 100 mm		FS CELL	12-Dec-23	12-Mar-24	3 MONTHS	
1,020	Comparator Stand	III-CS-TM-28	150 X 100 mm		HEAT TREATMENT	2-Feb-24	2-May-24	3 MONTHS	
1,021	Comparator Stand	III-CS-TM-3	150 X 100 mm		STEELCALIPER LINE	2-Sep-23	2-Dec-23	3 MONTHS	
1,022	Comparator Stand	III-CS-TM-31	150 X 100 mm		YOKE FI	12-Dec-23	12-Mar-24	3 MONTHS	
1,023	Comparator Stand	III-CS-TM-33	150 X 100 mm		FS CELL	28-Jan-24	28-Apr-24	3 MONTHS	
1,024	Comparator Stand	III-CS-TM-39	150 X 100 mm		YOKE FI	17-Nov-23	17-Feb-24	3 MONTHS	
1,025	Comparator Stand	III-CS-TM-4	150 X 100 mm		FS CELL	27-Nov-23	27-Feb-24	3 MONTHS	
1,026	Comparator Stand	III-CS-TM-40	150 X 100 mm		FORGING	20-Jan-24	20-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,027	Comparator Stand	III-CS-TM-5	150 X 100 mm		FS CELL	22-Jan-24	22-Apr-24	3 MONTHS	
1,028	Digimatic Indicator	III-DDD-50-6			FS FI	30-Nov-23	30-Jan-24	2 MONTHS	
1,029	Digimatic Indicator	III-DDI-50-1	0-50 mm		WABCO CELL	21-Nov-23	21-Jan-24	2 MONTHS	
1,030	Digimatic Indicator	III-DDI-50-2	0-50 mm		FS CELL	28-Dec-23	28-Feb-24	2 MONTHS	
1,031	Digimatic Indicator	III-DDI-50-3	0-50 mm		CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,032	Digimatic Indicator	III-DDI-50-4	0-50 mm		FS FI	18-Oct-23	18-Dec-23	2 MONTHS	
1,033	Digimatic Indicator	III-DDI-50-5			STEELCALIPER FI	6-Dec-23	6-Feb-24	2 MONTHS	
1,034	Digimatic Indicator	III-DDI-50-6			FS FI	21-Nov-23	21-Jan-24	2 MONTHS	
1,035	Digimatic Indicator	III-DDI-75-2	min		BRACKET LINE	4-Jan-24	4-Mar-24	2 MONTHS	
1,036	Plunger Dial	III-DI-0.08-1	min		STEELCALIPER LINE	6-Jan-24	6-Mar-24	2 MONTHS	
1,037	Plunger Dial	III-DI-0.08-10	0-0.08 mm		FS CELL	6-Dec-23	6-Feb-24	2 MONTHS	
1,038	Plunger Dial	III-DI-0.08-11	0-0.08 mm		FS CELL	30-Jan-24	30-Mar-24	2 MONTHS	
1,039	Plunger Dial	III-DI-0.08-12	0-0.08 mm		FS CELL	6-Dec-23	6-Feb-24	2 MONTHS	
1,040	Plunger Dial	III-DI-0.08-13			FS CELL	14-Jan-24	14-Mar-24	2 MONTHS	
1,041	Plunger Dial	III-DI-0.08-14			FS CELL	6-Dec-23	6-Feb-24	2 MONTHS	
1,042	Plunger Dial	III-DI-0.08-15	0-0.08 mm		YOKE CELL	6-Feb-24	6-Apr-24	2 MONTHS	
1,043	Plunger Dial	III-DI-0.08-16	0-0.08 mm		FS CELL	24-Jan-24	24-Mar-24	2 MONTHS	
1,044	Plunger Dial	III-DI-0.08-17	0-0.08 mm		FS CELL	10-Jan-24	10-Jan-25	12 MONTHS	
1,045	Plunger Dial	III-DI-0.08-19			FS CELL	25-Nov-23	25-Jan-24	2 MONTHS	
1,046	Plunger Dial	III-DI-0.08-2	0-0.08 mm		RECEIVING INSPECTION	28-Jan-24	28-Mar-24	2 MONTHS	
1,047	Plunger Dial	III-DI-0.08-20	0-0.08 mm		YOKE CELL	10-Feb-24	10-Apr-24	2 MONTHS	
1,048	Plunger Dial	III-DI-0.08-21			CHROME PLATING	19-Dec-23	19-Feb-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,049	Plunger Dial	III-DI-0.08-22	0-0.16 mm		FS CELL	2-Dec-23	2-Feb-24	2 MONTHS	
1,050	Plunger Dial	III-DI-0.08-23	0 - 0.08 mm		STEELCALIPER LINE	27-Dec-23	27-Feb-24	2 MONTHS	
1,051	Plunger Dial	III-DI-0.08-24	0 - 0.08 mm		YOKE CELL	18-Jan-24	18-Mar-24	2 MONTHS	
1,052	Plunger Dial	III-DI-0.08-25	0-0.08 mm		BOSCH CELL	5-Feb-24	5-Apr-24	2 MONTHS	
1,053	Plunger Dial	III-DI-0.08-26	min		YOKE CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,054	Plunger Dial	III-DI-0.08-27			NON AUTO FI	9-Jan-24	9-Mar-24	2 MONTHS	
1,055	Plunger Dial	III-DI-0.08-29	0-0.08 mm		STEELCALIPER LINE	17-Dec-23	17-Feb-24	2 MONTHS	
1,056	Plunger Dial	III-DI-0.08-3	0.08 Mm		STEELCALIPER GRIND	14-Jan-24	14-Mar-24	2 MONTHS	
1,057	Plunger Dial	III-DI-0.08-31	0 - 0.08 mm		BOSCH CELL	2-Jan-24	2-Mar-24	2 MONTHS	
1,058	Plunger Dial	III-DI-0.08-32	0-0.08 mm		GAUGE STORAGE ROOM	7-Oct-22	7-Dec-22	2 MONTHS	
1,059	Plunger Dial	III-DI-0.08-33	0-0.08 mm		RECEIVING INSPECTION	9-Jan-24	9-Mar-24	2 MONTHS	
1,060	Plunger Dial	III-DI-0.08-34	0-0.08 mm		BOSCH FI	6-Oct-23	6-Dec-23	2 MONTHS	
1,061	Plunger Dial	III-DI-0.08-35			NITRO FI	8-Dec-23	8-Feb-24	2 MONTHS	
1,062	Plunger Dial	III-DI-0.08-36	0-0.08 mm		FS CELL	9-Jan-24	9-Mar-24	2 MONTHS	
1,063	Plunger Dial	III-DI-0.08-38	0-0.08 mm		FS CELL	25-Oct-23	25-Dec-23	2 MONTHS	
1,064	Plunger Dial	III-DI-0.08-39	0-0.08 mm		FS CELL	7-Jan-24	7-Mar-24	2 MONTHS	
1,065	Plunger Dial	III-DI-0.08-4	0-0.08 mm		STEELCALIPER GRIND	19-Dec-23	19-Feb-24	2 MONTHS	
1,066	Plunger Dial	III-DI-0.08-40	min		STEELCALIPER GRIND	2-Jan-24	2-Mar-24	2 MONTHS	
1,067	Plunger Dial	III-DI-0.08-41	0-0.08 mm		BOSCH CELL	6-Dec-23	6-Feb-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,068	Plunger Dial	III-DI-0.08-42	0-0.08 mm		GAUGE STORAGE ROOM	4-Sep-22	4-Nov-22	2 MONTHS	
1,069	Plunger Dial	III-DI-0.08-43			CHROME PLATING	7-Feb-24	7-Apr-24	2 MONTHS	
1,070	Plunger Dial	III-di-0.08-44			FS CELL	10-Jan-24	10-Mar-24	2 MONTHS	
1,071	Plunger Dial	III-di-0.08-45			YOKE FI	9-Jan-24	9-Mar-24	2 MONTHS	
1,072	Plunger Dial	III-DI-0.08-46			CMM ROOM	12-Jan-24	11-Jan-25	12 MONTHS	
1,073	Plunger Dial	III-DI-0.08-6	0-0.8 mm		FS CELL	6-Feb-24	6-Apr-24	2 MONTHS	
1,074	Plunger Dial	III-DI-0.08-7			FS CELL	13-Dec-23	13-Feb-24	2 MONTHS	
1,075	Plunger Dial	III-DI-0.16-23	0-0.16 mm		YOKE CELL	23-Jan-24	23-Mar-24	2 MONTHS	
1,076	Plunger Dial	III-DI-0.16-24	0-0.16 mm		BOSCH FI	27-Nov-23	27-Jan-24	2 MONTHS	
1,077	Plunger Dial	III-DI-0.16-25	0-0.16 mm		FS CELL	19-Dec-23	19-Feb-24	2 MONTHS	
1,078	Plunger Dial	III-DI-0.16-28	0- 0.16 mm		FS CELL	6-Feb-24	6-Apr-24	2 MONTHS	
1,079	Plunger Dial	III-DI-0.16-29			YOKE CELL	7-Dec-23	7-Feb-24	2 MONTHS	
1,080	Plunger Dial	III-DI-0.16-31	0-0.16 mm		YOKE CELL	8-Aug-23	8-Oct-23	2 MONTHS	
1,081	Plunger Dial	III-DI-0.16-34	0-0.16 mm		YOKE CELL	9-Feb-24	9-Apr-24	2 MONTHS	
1,082	Plunger Dial	III-DI-0.16-36	0-0.16 mm		CALIPER LINE	20-Jan-24	20-Mar-24	2 MONTHS	
1,083	Plunger Dial	III-DI-0.16-37	0-0.16 mm		TRW FI	29-Nov-23	29-Jan-24	2 MONTHS	
1,084	Plunger Dial	III-DI-0.16-38	0-0.16 mm		TRW FI	2-Nov-23	2-Jan-24	2 MONTHS	
1,085	Plunger Dial	III-DI-0.16-40	0-0.16 mm	,	RECEIVING INSPECTION	6-Feb-24	6-Apr-24	2 MONTHS	
1,086	Plunger Dial	III-DI-0.16-41	0-0.16 mm		CMM ROOM	18-Jan-23	18-Jan-24	12 MONTHS	
1,087	Plunger Dial	III-DI-0.16-42	0-0.16 mm		RECEIVING INSPECTION	13-Jan-24	13-Mar-24	2 MONTHS	
1,088	Plunger Dial	III-DI-0.16-44	0-0.16 mm		YOKE CELL	7-Dec-23	7-Feb-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,089	Plunger Dial	III-DI-0.16-45			YOKE CELL	18-Jan-24	18-Mar-24	2 MONTHS	
1,090	Plunger Dial	III-DI-0.16-46	0-0.16 mm		YOKE CELL	6-Dec-23	6-Feb-24	2 MONTHS	
1,091	Plunger Dial	III-DI-0.16-47	min		YOKE CELL	18-Jan-24	18-Mar-24	2 MONTHS	
1,092	Plunger Dial	III-DI-0.16-48	0-0.16 mm		YOKE CELL	20-Dec-23	20-Feb-24	2 MONTHS	
1,093	Plunger Dial	III-DI-0.16-49	0-0.16 mm		TRW FI	8-Nov-23	8-Jan-24	2 MONTHS	
1,094	Plunger Dial	III-DI-0.16-50	0-0.16 mm		BASKARA INDUSTRIES	13-Jan-24	13-Mar-24	2 MONTHS	
1,095	Plunger Dial	III-DI-0.16-51	0-0.16 mm		YOKE CELL	7-Feb-24	7-Apr-24	2 MONTHS	
1,096	Plunger Dial	III-DI-0.16-52	min		GAUGE STORAGE ROOM	29-Sep-22	29-Nov-22	2 MONTHS	
1,097	Plunger Dial	III-DI-0.16-53	min		YOKE CELL	6-Jun-23	6-Aug-23	2 MONTHS	
1,098	Plunger Dial	III-DI-0.16-54	min		FS CELL	23-Jan-24	23-Mar-24	2 MONTHS	
1,099	Plunger Dial	III-DI-0.16-55	min		YOKE CELL	7-Dec-23	7-Feb-24	2 MONTHS	
1,100	Plunger Dial	III-di-0.16-56			YOKE CELL	5-Sep-23	5-Nov-23	2 MONTHS	
1,101	Plunger Dial	III-DI-0.16-57			YOKE CELL	4-Jan-24	4-Mar-24	2 MONTHS	
1,102	Plunger Dial	III-di-0.16-58			YOKE CELL	15-Jun-23	15-Aug-23	2 MONTHS	
1,103	Plunger Dial	III-DI-0.16-59			YOKE FI	27-Aug-23	27-Oct-23	2 MONTHS	
1,104	Plunger Dial	III-DI-0.16-60			YOKE FI	27-Dec-23	27-Feb-24	2 MONTHS	
1,105	Plunger Dial	III-DI-0.16-61			YOKE CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,106	Plunger Dial	III-DI-0.16-62			CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,107	Plunger Dial	III-DI-0.80-142			YOKE CELL	5-Aug-23	5-Oct-23	2 MONTHS	
1,108	Plunger Dial	III-di-0.80-164			YOKE CELL	8-Mar-23	8-May-23	2 MONTHS	
1,109	Plunger Dial	III-di-0.8-1			FS CELL	6-Feb-24	6-Apr-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,110	Plunger Dial	III-DI-0.8-10			FS CELL	21-Jan-24	21-Mar-24	2 MONTHS	
1,111	Plunger Dial	III-DI-0.8-100	0-0.8 mm	,	YOKE CELL	4-Jan-24	4-Mar-24	2 MONTHS	
1,112	Plunger Dial	III-DI-0.8-101			STEELCALIPER FI	2-Feb-24	2-Apr-24	2 MONTHS	
1,113	Plunger Dial	III-DI-0.8-102	0-0.8 mm		STEELCALIPER GRIND	2-Feb-24	2-Apr-24	2 MONTHS	
1,114	Plunger Dial	III-DI-0.8-103	0-0.8 mm		FS CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,115	Plunger Dial	III-DI-0.8-105		END YOKE	NON AUTO LINE	6-Dec-23	6-Feb-24	2 MONTHS	
1,116	Plunger Dial	III-DI-0.8-106	0-0.8 mm		YOKE CELL	10-Jun-23	10-Aug-23	2 MONTHS	
1,117	Plunger Dial	III-DI-0.8-107	0-0.8 mm		YOKE CELL	9-Jan-24	9-Mar-24	2 MONTHS	
1,118	Plunger Dial	III-DI-0.8-109	0-0.8 mm		FS CELL	12-Aug-23	12-Oct-23	2 MONTHS	
1,119	Plunger Dial	III-DI-0.8-111	0-0.8 mm		STEELCALIPER LINE	8-Jan-24	8-Mar-24	2 MONTHS	
1,120	Plunger Dial	III-DI-0.8-119	0-0.8 mm		STEELCALIPER FI	18-Dec-23	18-Feb-24	2 MONTHS	
1,121	Plunger Dial	III-DI-0.8-123	0-0.8 mm		STEELCALIPER FI	28-Dec-23	28-Feb-24	2 MONTHS	
1,122	Plunger Dial	III-DI-0.8-124	0-0.8 mm		STEELCALIPER FI	28-Jan-24	28-Mar-24	2 MONTHS	
1,123	Plunger Dial	III-DI-0.8-125	0-0.8 mm		STEELCALIPER FI	16-Dec-23	16-Feb-24	2 MONTHS	
1,124	Plunger Dial	III-DI-0.8-126	0-0.8 mm		RECEIVING INSPECTION	8-Jan-24	8-Mar-24	2 MONTHS	
1,125	Plunger Dial	III-DI-0.8-128	0-0.8 mm		FS CELL	5-Feb-24	5-Apr-24	2 MONTHS	
1,126	Plunger Dial	III-DI-0.8-129	0-0.8 mm		BOSCH FI	25-Jan-24	25-Mar-24	2 MONTHS	
1,127	Plunger Dial	III-DI-0.8-131	0-0.8 mm		BOSCH FI	21-Dec-23	21-Feb-24	2 MONTHS	
1,128	Plunger Dial	III-DI-0.8-132	0-0.8 mm		STEELCALIPER LINE	24-Jan-24	24-Mar-24	2 MONTHS	
1,129	Plunger Dial	III-DI-0.8-133	0-0.8 mm		STEELCALIPER LINE	1-Feb-24	1-Apr-24	2 MONTHS	
1,130	Plunger Dial	III-di-0.8-134			FS FI	21-Jan-24	21-Mar-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,131	Plunger Dial	III-DI-0.8-135	0-0.08 mm		FS CELL	20-Dec-23	20-Feb-24	2 MONTHS	
1,132	Plunger Dial	III-DI-0.8-137	0-0.8 mm		STEELCALIPER LINE	28-Dec-23	28-Feb-24	2 MONTHS	
1,133	Plunger Dial	III-DI-0.8-138	0-0.8 mm		FS FI	2-Jan-24	2-Mar-24	2 MONTHS	
1,134	Plunger Dial	III-DI-0.8-139	0-0.8 mm		FS FI	24-Dec-23	24-Feb-24	2 MONTHS	
1,135	Plunger Dial	III-DI-0.8-140	0-0.8 mm		FS FI	17-Dec-23	17-Feb-24	2 MONTHS	
1,136	Plunger Dial	III-DI-0.8-142	0-0.8 mm		YOKE CELL	2-Dec-23	2-Feb-24	2 MONTHS	
1,137	Plunger Dial	III-DI-0.8-143	0-0.8 mm		STEELCALIPER FI	26-Dec-23	26-Feb-24	2 MONTHS	
1,138	Plunger Dial	III-DI-0.8-144	min		YOKE CELL	2-Feb-24	2-Apr-24	2 MONTHS	
1,139	Plunger Dial	III-DI-0.8-145	0-0.8 mm		YOKE CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,140	Plunger Dial	III-DI-0.8-146	0-0.8 mm		YOKE CELL	4-Jan-24	4-Mar-24	2 MONTHS	
1,141	Plunger Dial	III-DI-0.8-147	0-0.8 mm		STEELCALIPER FI	27-Jan-24	27-Apr-24	2 MONTHS	
1,142	Plunger Dial	III-DI-0.8-148	0-0.8 mm		BOSCH FI	8-Dec-23	8-Feb-24	2 MONTHS	
1,143	Plunger Dial	III-DI-0.8-149	0-0.8 mm		YOKE CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,144	Plunger Dial	III-DI-0.8-150	0-0.8 mm		YOKE CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,145	Plunger Dial	III-DI-0.8-151			STEELCALIPER LINE	10-Feb-23	10-Apr-23	2 MONTHS	
1,146	Plunger Dial	III-DI-0.8-155	0-0.8 mm		STEELCALIPER FI	8-Dec-23	8-Feb-24	2 MONTHS	
1,147	Plunger Dial	III-DI-0.8-158	0-0.8 mm		YOKE CELL	25-Jan-24	25-Mar-24	2 MONTHS	
1,148	Plunger Dial	III-DI-0.8-159	0-0.8 mm		STEELCALIPER FI	18-Dec-23	18-Feb-24	2 MONTHS	
1,149	Plunger Dial	III-DI-0.8-160	0-0.8 mm		STEELCALIPER FI	18-Dec-23	18-Feb-24	2 MONTHS	
1,150	Plunger Dial	III-DI-0.8-161	0-0.8 mm		STEELCALIPER FI	28-Dec-23	28-Feb-24	2 MONTHS	
1,151	Plunger Dial	III-DI-0.8-162	0-0.80 mm		YOKE CELL	18-Jan-24	18-Mar-24	2 MONTHS	
1,152	Plunger Dial	III-DI-0.8-163	0-0.8 mm		YOKE CELL	6-Feb-24	6-Apr-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,153	Plunger Dial	III-DI-0.8-164	0-0.8 mm		YOKE CELL	4-Jan-24	4-Mar-24	2 MONTHS	
1,154	Plunger Dial	III-DI-0.8-166			TRW FI	11-Dec-23	11-Feb-24	2 MONTHS	
1,155	Plunger Dial	III-DI-0.8-167			YOKE CELL	18-Jan-24	18-Mar-24	2 MONTHS	
1,156	Plunger Dial	III-DI-0.8-168			NITRO FI	8-Dec-23	8-Feb-24	2 MONTHS	
1,157	Plunger Dial	III-DI-0.8-169			YOKE CELL	18-Dec-23	18-Feb-24	2 MONTHS	
1,158	Plunger Dial	III-DI-0.8-170-0			YOKE CELL	16-Dec-23	16-Feb-24	2 MONTHS	
1,159	Plunger Dial	III-DI-0.8-9	0-0.8 mm		YOKE CELL	7-Dec-23	7-Feb-24	2 MONTHS	
1,160	Plunger Dial	III-DI-0.8-T-1	0-0.8 mm		FS CELL	8-Apr-23	8-Jun-23	2 MONTHS	
1,161	Plunger Dial	III-DI-0.8-T-10	0-0.8 mm		FS CELL	21-Jun-23	21-Aug-23	2 MONTHS	
1,162	Plunger Dial	III-DI-0.8-T-16	0-0.8 mm		FS CELL	25-Jan-24	25-Mar-24	2 MONTHS	
1,163	Plunger Dial	III-DI-0.8-T-2	0-0.8 mm		YOKE FI	15-Sep-23	15-Nov-23	2 MONTHS	
1,164	Plunger Dial	III-DI-0.8-T-20	0-0.8 mm		YOKE FI	3-May-23	3-Jul-23	2 MONTHS	
1,165	Plunger Dial	III-DI-0.8-T-22	0-0.8 mm		FS CELL	17-Dec-23	17-Feb-24	2 MONTHS	
1,166	Plunger Dial	III-DI-0.8-T-24	min		BOSCH FI	18-Dec-23	18-Feb-24	2 MONTHS	
1,167	Plunger Dial	III-DI-1.0-13			YOKE CELL	16-Aug-23	16-Oct-23	2 MONTHS	
1,168	Plunger Dial	III-DI-1.60-1	0-1.6 mm		STEELCALIPER LINE	9-Jan-24	9-Mar-24	2 MONTHS	
1,169	Plunger Dial	III-di-1.60-31	min		WABCO FI	6-Jan-24	6-Mar-24	2 MONTHS	
1,170	Plunger Dial	III-DI-1.60-34			YOKE FI	28-Dec-23	28-Feb-24	2 MONTHS	
1,171	Plunger Dial	III-DI-1.60-35	0-1.6 mm		WABCO FI	10-Oct-23	10-Dec-23	2 MONTHS	
1,172	Plunger Dial	III-DI-1.60-40	0-1.6 mm		FORGING	28-Jan-24	28-Mar-24	2 MONTHS	
1,173	Plunger Dial	III-DI-1.60-41	0-1.6 mm		FORGING	28-Jan-24	28-Mar-24	2 MONTHS	
1,174	Plunger Dial	III-DI-1.60-42	0-1.6 mm		FORGING	28-Jan-24	28-Mar-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,175	Plunger Dial	III-DI-1.60-43	0-1.6 mm		FORGING	28-Jan-24	28-Mar-24	2 MONTHS	
1,176	Plunger Dial	III-DI-1.60-45	min		FORGING	28-Dec-23	28-Feb-24	2 MONTHS	
1,177	Plunger Dial	III-DI-1.60-46			CMM ROOM	12-Jan-24	11-Feb-25	1 MONTHS	
1,178	Plunger Dial	III-DI-1.6-2	0-0.16 mm		FORGING	28-Dec-23	28-Feb-24	2 MONTHS	
1,179	Plunger Dial	III-DI-1.6-3	0-1.6 mm		WABCO FI	13-Dec-23	13-Feb-24	2 MONTHS	
1,180	Plunger Dial	III-DI-1.6-33	0-1.6 mm		WABCO FI	6-Sep-23	6-Nov-23	2 MONTHS	
1,181	Plunger Dial	III-DI-1.6-36	0-1.6 mm		CMM ROOM	18-Jan-23	18-Jan-24	12 MONTHS	
1,182	Plunger Dial	III-DI-1.6-37			STEELCALIPER FI	3-Feb-24	3-Apr-24	2 MONTHS	
1,183	Plunger Dial	III-DI-1.6-38			STEELCALIPER FI	2-Dec-23	2-Feb-24	2 MONTHS	
1,184	Plunger Dial	III-DI-1.6-44	0-1.60 mm		CALIPER LINE	9-Jan-24	9-Mar-24	2 MONTHS	
1,185	Plunger Dial	III-DI-10-45			STEELCALIPER GRIND	30-Nov-23	30-Jan-24	2 MONTHS	
1,186	Plunger Dial	III-DI-10-48	0-10 mm		STEELCALIPER GRIND	24-Oct-23	24-Dec-23	2 MONTHS	
1,187	Plunger Dial	III-di-10-60			HEAT TREATMENT	10-Dec-23	10-Feb-24	2 MONTHS	
1,188	Plunger Dial	III-DI-10-62	0-10 mm		STEELCALIPER GRIND	18-Dec-23	18-Feb-24	2 MONTHS	
1,189	Plunger Dial	III-DI-10-64	0-10 mm		TOOL ROOM	17-Jan-24	17-Mar-24	2 MONTHS	
1,190	Plunger Dial	III-DI-10-7			STEELCALIPER GRIND	15-Nov-23	15-Jan-24	2 MONTHS	
1,191	Plunger Dial	III-DI-10-72			STEELCALIPER GRIND	10-Dec-23	10-Feb-24	2 MONTHS	
1,192	Plunger Dial	III-DI-10-79			STEELCALIPER GRIND	29-Nov-23	29-Jan-24	2 MONTHS	
1,193	Plunger Dial	III-DI-10-85	0-10 mm		STEELCALIPER GRIND	10-Oct-23	10-Dec-23	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,194	Plunger Dial	III-DI-10-9	0-10 mm		FORGING	6-Feb-24	6-Apr-24	2 MONTHS	
1,195	Plunger Dial	III-DI-10-92			STEELCALIPER GRIND	25-Nov-23	25-Jan-24	2 MONTHS	
1,196	Plunger Dial	III-di-10-93			FORGING	29-Jan-24	29-Mar-24	2 MONTHS	
1,197	Plunger Dial	III-DI-10-94			FORGING	18-Dec-23	18-Feb-24	2 MONTHS	
1,198	Plunger Dial	III-DI-1-100			GAUGE STORAGE ROOM	16-Aug-23	16-Oct-23	2 MONTHS	
1,199	Plunger Dial	III-DI-1-101	0-0.8 mm		STEELCALIPER LINE	12-Jun-23	12-Aug-23	2 MONTHS	
1,200	Plunger Dial	III-di-1-102			FS CELL	3-Nov-23	3-Jan-24	2 MONTHS	
1,201	Plunger Dial	III-DI-1-103			FS CELL	29-Nov-23	29-Jan-24	2 MONTHS	
1,202	Plunger Dial	III-DI-1-104			FS CELL	29-Nov-23	29-Jan-24	2 MONTHS	
1,203	Plunger Dial	III-DI-1-105	0-1 mm		FS CELL	4-Apr-23	4-Jun-23	2 MONTHS	
1,204	Plunger Dial	III-DI-1-107			TRW CELL	7-Nov-23	7-Jan-24	2 MONTHS	
1,205	Plunger Dial	III-DI-1-108			TRW CELL	12-Dec-23	12-Feb-24	2 MONTHS	
1,206	Plunger Dial	III-DI-1-109			FS CELL	1-Dec-23	1-Feb-24	2 MONTHS	
1,207	Plunger Dial	III-DI-1-13	0-0.8 mm		GAUGE STORAGE ROOM	10-Nov-22	10-Jan-23	2 MONTHS	
1,208	Plunger Dial	III-DI-1-49			FS CELL	7-Nov-23	7-Jan-24	2 MONTHS	
1,209	Plunger Dial	III-DI-1-50			FS CELL	8-Oct-23	8-Dec-23	2 MONTHS	
1,210	Plunger Dial	III-DI-1-65	0-0.8 mm		STEELCALIPER LINE	24-Jan-24	24-Mar-24	2 MONTHS	
1,211	Plunger Dial	III-DI-1-66	0-0.8 mm		YOKE CELL	20-Dec-23	20-Feb-24	2 MONTHS	
1,212	Plunger Dial	III-DI-1-67	0-0.8 mm		WABCO CELL	24-Jan-24	24-Mar-24	2 MONTHS	
1,213	Plunger Dial	III-DI-1-69	min		STEELCALIPER LINE	28-Dec-23	28-Feb-24	2 MONTHS	
1,214	Plunger Dial	III-di-1-7			FS CELL	12-Dec-23	12-Feb-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,215	Plunger Dial	III-DI-1-70	0-0.8 mm		YOKE CELL	11-Dec-23	11-Feb-24	2 MONTHS	
1,216	Plunger Dial	III-DI-1-73	0-0.8 mm		FS CELL	10-Feb-23	10-Apr-23	2 MONTHS	
1,217	Plunger Dial	III-DI-1-74	0-0.8 mm		FS CELL	28-Dec-23	28-Feb-24	2 MONTHS	
1,218	Plunger Dial	III-DI-1-75	0-0.8 mm		YOKE CELL	7-Dec-23	7-Feb-24	2 MONTHS	
1,219	Plunger Dial	III-DI-1-76	0-0.8 mm		FS CELL	6-Feb-24	6-Apr-24	2 MONTHS	
1,220	Plunger Dial	III-DI-1-78	0-0.8 mm		CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,221	Plunger Dial	III-DI-1-79	0-0.8 mm		FS CELL	1-Mar-23	1-May-23	2 MONTHS	
1,222	Plunger Dial	III-DI-1-80			FS CELL	25-Dec-23	25-Feb-24	2 MONTHS	
1,223	Plunger Dial	III-DI-1-82-0			FS CELL	29-Sep-23	29-Nov-23	2 MONTHS	
1,224	Plunger Dial	III-DI-1-84			FS FI	5-Jan-24	5-Mar-24	2 MONTHS	
1,225	Plunger Dial	III-DI-1-85	0-0.8 mm		YOKE FI	3-Jul-22	3-Sep-22	2 MONTHS	
1,226	Plunger Dial	III-DI-1-86	0-0.8 mm		FS CELL	7-Feb-24	7-Apr-24	2 MONTHS	
1,227	Plunger Dial	III-DI-1-87	0- 0.8 mm		WABCO FI	19-Dec-23	19-Feb-24	2 MONTHS	
1,228	Plunger Dial	III-DI-1-92		END YOKE	NON AUTO LINE	8-Nov-23	8-Jan-24	2 MONTHS	
1,229	Plunger Dial	III-DI-1-93	0-0.08 mm		CALIPER LINE	16-Dec-23	16-Feb-24	2 MONTHS	
1,230	Plunger Dial	III-DI-1-95	0-0.8 mm		CALIPER LINE	18-Dec-23	18-Feb-24	2 MONTHS	
1,231	Plunger Dial	III-DI-1-96			NON AUTO LINE	18-Jan-24	18-Mar-24	2 MONTHS	
1,232	Plunger Dial	III-DI-1-97	0-0.8 mm		TRW FI	8-Dec-23	8-Feb-24	2 MONTHS	
1,233	Plunger Dial	III-DI-1-98	min		STEELCALIPER LINE	21-Jan-24	21-Mar-24	2 MONTHS	
1,234	Plunger Dial	III-DI-1-T-31	0-0.8 mm		FS CELL	7-Dec-23	7-Feb-24	2 MONTHS	
1,235	Plunger Dial	III-DI-1-T-37			YOKE CELL	14-Mar-23	14-Apr-23	2 MONTHS	
1,236	Plunger Dial	III-DI-25-12	0-25 mm		TRW FI	8-Jun-22	8-Jun-23	12 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,237	Digital Micrometer-Iii	III-DM-150-1			NON AUTO LINE	4-Jan-24	4-Mar-24	2 MONTHS	
1,238	Digital Micrometer-III	III-DM-150-2	0-150 mm		NON AUTO LINE	12-Jan-22	12-Jan-23	12 MONTHS	
1,239	Digital Micrometer-Iii	III-dm-25-11			NON AUTO LINE	17-Dec-23	17-Feb-24	2 MONTHS	
1,240	Digital Micrometer-Iii	III-dm-25-3			NON AUTO LINE	11-Mar-23	11-May-23	2 MONTHS	
1,241	Digital Micrometer-Iii	III-DM-25-6			BOSCH CELL	28-Nov-22	28-Jan-23	2 MONTHS	
1,242	Digital Micrometer-Iii	III-DM-25-7			BOSCH CELL	13-Oct-23	13-Dec-23	2 MONTHS	
1,243	Digital Micrometer-Iii	III-DM-50-1	25-50 mm		BOSCH CELL	14-Dec-23	14-Feb-24	2 MONTHS	
1,244	Digital Micrometer-Iii	III-DM-50-11			STEELCALIPER LINE	9-Jan-24	9-Mar-24	2 MONTHS	
1,245	Digital Micrometer-Iii	III-DM-50-12	min		BOSCH FI	12-Jul-23	12-Sep-23	2 MONTHS	
1,246	Digital Caliper	III-DM-50-6-0			WABCO CELL	9-Jan-24	9-Mar-24	2 MONTHS	
1,247	Digital Micrometer-III	III-DM-50-8	25-50 mm		STEELCALIPER GRIND	24-Jan-24	24-Mar-24	2 MONTHS	
1,248	Digital Micrometer-Iii	III-dm-75-1			NON AUTO LINE	4-Jan-24	4-Mar-24	2 MONTHS	
1,249	Digital Micrometer-Iii	III-DM-75-2	50-75 mm		STEELCALIPER LINE	28-Dec-23	28-Feb-24	2 MONTHS	
1,250	Digital Tube Micrometer	III-DTU-25-2			YOKE CELL	1-Sep-23	1-Nov-23	2 MONTHS	
1,251	Digital Caliper	III-DV-170-1	20-170 mm		RECEIVING INSPECTION	28-Jan-24	28-Mar-24	2 MONTHS	
1,252	Digital Caliper	III-DV-170-2	20-170 mm		BOSCH FI	3-Dec-23	3-Feb-24	2 MONTHS	
1,253	Digital Caliper	III-DV-170-5	20-170 mm		CALIPER LINE	21-Dec-23	21-Feb-24	2 MONTHS	
1,254	Digital Caliper	III-DV-170-6	20-170 Mm mm		YOKE CELL	18-Jan-24	18-Mar-24	2 MONTHS	
1,255	Digital Micrometer-Iii	III-dv-200-1			CMM ROOM	7-Jan-24	7-Mar-24	2 MONTHS	
1,256	Digital Caliper	III-DV-200-10	0-200 mm		FS CELL	6-Feb-24	6-Apr-24	2 MONTHS	
1,257	Digital Caliper	III-DV-200-14	0-200 mm		FORGING	6-Feb-24	6-Apr-24	2 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,258	Digital Caliper	III-DV-200-16	0-200 mm		YOKE CELL	29-Jan-24	29-Mar-24	2 MONTHS	
1,259	Digital Caliper	III-DV-200-17	0-200 mm		LAB	17-Dec-23	17-Feb-24	2 MONTHS	
1,260	Digital Caliper	III-DV-200-18	0-200 mm		BOSCH CELL	7-Dec-23	7-Feb-24	2 MONTHS	
1,261	Digital Caliper	III-DV-200-19	0-200Mm mm		ENGG	2-Jan-24	2-Mar-24	2 MONTHS	
1,262	Digital Caliper	III-DV-200-20	0-200 mm		NON AUTO LINE	24-Jan-24	24-Mar-24	2 MONTHS	
1,263	Digital Caliper	III-DV-200-21		WABCO PIPE	CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,264	Digital Caliper	III-DV-200-5	0-200 mm		STEELCALIPER LINE	8-Feb-24	8-Apr-24	2 MONTHS	
1,265	Analog Vernier	III-DV-300-3			RECEIVING INSPECTION	29-Jan-24	29-Mar-24	2 MONTHS	
1,266	Digital Caliper	III-DV-300-4	min		TOOL ROOM	27-Jan-24	27-Mar-24	2 MONTHS	
1,267	Comparator Stand	III-GCS-01-05	150 X 100 Mm mm		FS CELL	27-Dec-23	27-Mar-24	3 MONTHS	
1,268	Granite Comparator Stand	III-GCS-01-07	250 X 150 mm		BASKARA INDUSTRIES	9-Dec-23	9-Mar-24	3 MONTHS	
1,269	Granite Comparator Stand	III-GCS-01-08	250 X 150 mm		BOSCH FI	29-Oct-23	29-Jan-24	3 MONTHS	
1,270	Granite Comparator Stand	III-GCS-01-10	250 X 150 mm		BASKARA INDUSTRIES	17-Sep-23	17-Dec-23	3 MONTHS	
1,271	Granite Comparator Stand	III-GCS-01-12	250 X 150 mm		TRW FI	19-Nov-23	19-Feb-24	3 MONTHS	
1,272	Granite Comparator Stand	III-GCS-01-13	250 X 150 mm		STEELCALIPER GRIND	17-Feb-23	17-Nov-23	3 MONTHS	
1,273	Granite Comparator Stand	III-GCS-01-14	150 X 100 mm		BOSCH CELL	22-Jan-24	22-Apr-24	3 MONTHS	
1,274	Comparator Stand	III-GCS-01-15	250 X 150 MM mm		FS CELL	7-Nov-23	7-Feb-24	3 MONTHS	
1,275	Granite Comparator Stand	III-GCS-01-3	150 X 100 mm		FS CELL	9-Jan-24	9-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,276	Granite Comparator Stand	III-GCS-01-4	250 X 150 mm		FS CELL	22-Jul-23	22-Oct-23	3 MONTHS	
1,277	Granite Comparator Stand	III-GCS-01-5	250 X 150 mm		FS CELL	27-Jan-23	27-Apr-23	3 MONTHS	
1,278	Granite Comparator Stand	III-GCS-1-6	250 X 150 mm		RECEIVING INSPECTION	20-Jan-24	20-Apr-24	3 MONTHS	
1,279	Digital Micrometer-Iii	III-GPC-25-2	mm		CALIPER LINE	23-Jan-24	23-Feb-24	2 MONTHS	
1,280	Height Gauge	III-HDV-300-12			CMM ROOM	10-Jan-24	10-Apr-24	3 MONTHS	
1,281	Height Gauge	III-HV-300-3	0-300 mm		FORGING	8-Nov-23	8-Feb-24	3 MONTHS	
1,282	Lever Dial	III-LD-0.14-1	0-0.14 mm		CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,283	Lever Dial	III-LD-0.14-15	0-0.14 mm		STEELCALIPER LINE	8-Nov-23	8-Jan-24	2 MONTHS	
1,284	Lever Dial	III-LD-0.8-14	0-0.80 Mm mm		FORGING	15-Oct-23	15-Dec-23	2 MONTHS	
1,285	Lever Dial	III-ld-0.8-15	0-0.8Mm mm		FS CELL	2-Dec-23	2-Feb-24	2 MONTHS	
1,286	Lever Dial	III-LD-0.8-18	min		CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,287	Lever Dial	III-LD-0.8-20	0-1.60 Mm mm		FORGING	8-Jan-24	8-Mar-24	2 MONTHS	
1,288	Lever Dial	III-LD-0.8-22	0-0.8 mm		RECEIVING INSPECTION	28-Mar-23	28-May-23	2 MONTHS	
1,289	Lever Dial	III-ld-0.8-23-0	mm		STEELCALIPER LINE	24-Jan-24	24-Mar-24	2 MONTHS	
1,290	Lever Dial	III-LD-0.8-Y-6	min		FORGING	8-Jan-24	8-Mar-24	2 MONTHS	
1,291	Analog Mircrometer	III-M-25-35	0-25 mm		FORGING	6-Jan-24	6-Mar-24	2 MONTHS	
1,292	Analog Mircrometer	III-M-50-6	25-50 mm		FORGING	25-Dec-23	25-Feb-24	2 MONTHS	
1,293	Analog Mircrometer	III-M-75-8	50-75 mm		FORGING	18-Jan-24	18-Mar-24	2 MONTHS	
1,294	Magnetic V Block	III-MVB-75-10	75 X 60 mm		FORGING	30-Mar-23	30-Jun-23	3 MONTHS	
1,295	Magnetic V Block	III-MVB-75-11	80 X 60 X 60 mm		FORGING	29-Dec-23	29-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,296	Magnetic V Block	III-MVB-75-12	75 X 60 X 60 mm		YOKE CELL	1-Dec-23	1-Mar-24	3 MONTHS	
1,297	V Block	III-VB-100-2	100 X 80 X 80 mm		CMM ROOM	24-Dec-23	24-Mar-24	3 MONTHS	
1,298	V Block	III-VB-120-1	65 X 80 X 80 mm		CMM ROOM	7-Jan-24	7-Apr-24	3 MONTHS	
1,299	V Block	III-VB-120-15	80 X 60 X 60 mm		FS CELL	14-Feb-24	14-May-24	3 MONTHS	
1,300	V Block	III-VB-120-16	60 X 80 X 80 mm		FS CELL	24-Nov-23	24-Feb-24	3 MONTHS	
1,301	V Block	III-VB-120-17	75 X 60 X 60 mm		FS CELL	18-Nov-23	18-Feb-24	3 MONTHS	
1,302	V Block	III-VB-120-18	80 X 80 X 63 Mm mm		NON AUTO LINE	4-Jan-24	4-Apr-24	3 MONTHS	
1,303	V Block	III-VB-120-19	80*60*60 mm		STEELCALIPER GRIND	13-Dec-23	31-Mar-24	3 MONTHS	
1,304	V Block	III-VB-120-6	75 X 60 X 60 mm		STEELCALIPER GRIND	6-Oct-23	6-Jan-24	3 MONTHS	
1,305	V Block	III-VB-150-4	150 X 50 Mm mm		YOKE CELL	10-Feb-23	10-May-23	3 MONTHS	
1,306	V Block	III-VB-40-3	50 X 40 X 40 mm		FS CELL	2-Dec-23	2-Mar-24	3 MONTHS	
1,307	V Block	III-VB-80-10	80 X 60 X 60 mm		CMM ROOM	4-Oct-23	4-Jan-24	3 MONTHS	
1,308	V Block	III-VB-80-11	50 X 40 X 40 mm		FORGING	29-Dec-23	29-Mar-24	3 MONTHS	
1,309	V Block	III-VB-80-13	80X 60 X60 mm		YOKE CELL	10-Jan-24	10-Apr-24	3 MONTHS	
1,310	V Block	III-VB-80-14	mm		RECEIVING INSPECTION	17-Jan-24	17-Apr-24	3 MONTHS	
1,311	V Block	III-VB-80-16	80*60*60 mm		FS CELL	1-Dec-23	1-Mar-24	3 MONTHS	
1,312	V Block	III-VB-80-17	80 X 60 X 60 mm		FS CELL	11-Nov-23	11-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,313	V Block	III-VB-80-19-0	80 X 60 X60 mm		STEELCALIPER LINE	6-Jan-24	6-Apr-24	3 MONTHS	
1,314	V Block	III-VB-80-20	80 X 60 X 60 mm		STEELCALIPER LINE	29-Nov-23	29-Feb-24	3 MONTHS	
1,315	V Block	III-VB-80-21	80*60*60 mm		FS CELL	13-Dec-23	13-Mar-24	3 MONTHS	
1,316	V Block	III-VB-80-3	80 X 65 X 65 mm		TRW FI	8-Oct-23	8-Jan-24	3 MONTHS	
1,317	V Block	III-VB-80-6	80 X 65 X 65 mm		STEELCALIPER GRIND	13-Dec-23	13-Mar-24	3 MONTHS	
1,318	V Block	III-VB-80-9	75 X 65 X 65 mm		CHROME PLATING	6-Jan-24	6-Apr-24	3 MONTHS	
1,319	Analog Vernier	III-VC-200-9	0-200 mm		FORGING	9-Jan-24	9-Mar-24	2 MONTHS	
1,320	Analog Vernier	III-VC-450-1			NON AUTO LINE	15-Dec-22	15-Feb-23	2 MONTHS	
1,321	Digital Micrometer-I	I-M-DM-150-2	min		CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,322	Digital Micrometer-I	I-M-DM-25-10			CMM ROOM	12-Jan-24	12-Jan-25	12 MONTHS	
1,323	Digital Micrometer-I	I-M-DM-25-5	0-25 mm		RECEIVING INSPECTION	28-Jan-24	28-Mar-24	2 MONTHS	
1,324	Digital Micrometer-I	I-M-DM-50-5	25-50 mm		RECEIVING INSPECTION	28-Jan-24	28-Mar-24	2 MONTHS	
1,325	Digital Micrometer-I	I-M-DM-50-6	min		CMM ROOM	12-Jan-24	11-Jan-25	12 MONTHS	
1,326	Digital Micrometer-I	I-M-DM-75-3			CMM ROOM	12-Jan-24	11-Jan-25	12 MONTHS	
1,327	Microhite	I-MH-600-1	min		RECEIVING INSPECTION	18-Aug-22	18-Aug-24	24 MONTHS	
1,328	Microhite	I-MH-600-2	0-600 mm		FS CELL	27-Jun-22	27-Jun-23	12 MONTHS	
1,329	Microhite	I-MH-600-3	0-600 mm		STEEL CALIPER	27-Jun-22	27-Jun-23	12 MONTHS	
1,330	Microhite	I-MH-600-4	0-600 mm		NON AUTO LINE	27-Jun-22	27-Jun-23	12 MONTHS	
1,331	Profile Projector	I-PP-360-1	0-360 mm		STEEL CALIPER	24-Jun-22	24-Jun-23	12 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,332	Profile Projector	I-PP-400-1	400X400 mm		STEEL PLANT	10-Feb-22	10-Feb-23	12 MONTHS	
1,333	Profile Projector	I-PP-450-1			FS NC	10-Feb-23	10-Feb-24	12 MONTHS	
1,334	Runout Gauge	I-R-35-1	10-35 Mm mm		FORGING	24-Jul-23	24-Oct-23	3 MONTHS	
1,335	Runout Gauge	I-R-35-2	0-35 mm		RECEIVING INSPECTION	2-Sep-23	2-Dec-23	3 MONTHS	
1,336	Runout Gauge	I-R-70-1	35-70 mm		FORGING	28-Jan-24	28-Apr-24	3 MONTHS	
1,337	Runout Gauge	I-R-70-2	35-70 mm		STEELCALIPER LINE	10-Jan-24	10-Apr-24	3 MONTHS	
1,338	Cast Iron Surface Plate	I-SP-5	940 X 630 mm		Precise Testing & Calibration	15-Oct-22	14-Oct-24	36 MONTHS	
1,339	Cast Iron Surface Plate	I-SP-6	1200 X 630 mm		FORGING	15-Oct-22	15-Oct-25	36 MONTHS	
1,340	Cast Iron Surface Plate	I-SP-7	940 X 600 mm		FORGING	15-Oct-22	14-Oct-24	36 MONTHS	
1,341	Microhite	I-Test	0-600 mm		TMC	6-Oct-23	6-Oct-24	12 MONTHS	
1,342	Wear Check Ring Gauge	I-WCR-1			CMM ROOM	9-Jan-24	18-Jan-24	12 MONTHS	
1,343	Flush Pin Gauge	K-0216-20-1	172.65 / 173.15 mm	LV CAP ACCUMULATOR	BASKARA INDUSTRIES	15-Dec-23	15-Mar-24	3 MONTHS	
1,344	Flush Pin Gauge	K-0216-2-1	130.15 / 129.85 mm	LV CAP ACCUMULATOR	BASKARA INDUSTRIES	15-Dec-23	15-Mar-24	3 MONTHS	
1,345	Flush Pin Gauge	K-0226-1-2	11.375 / 11.425 mm	V229 PRIMARY	FS CELL	11-Dec-23	11-Mar-24	3 MONTHS	
1,346	Flush Pin Gauge	K-0226-1-3	- mm	FML PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	3 MONTHS	
1,347	Flush Pin Gauge	K-0227-21-1	6.58/6.52 mm	FML SECONDARY	NEWTECH INDIA	25-Jul-23	25-Oct-23	3 MONTHS	
1,348	Flush Pin Gauge	K-0227-21-2	6.58/6.52 mm	FML SECONDARY	RECEIVING INSPECTION	24-Dec-23	24-Mar-24	3 MONTHS	
1,349	Flush Pin Gauge	K-0227-5-1	- mm	FML SECONDARY	RECEIVING INSPECTION	24-Dec-23	24-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,350	Flush Pin Gauge	K-0227-5-2	- mm	FML SECONDARY	NEWTECH INDIA	24-Jun-23	24-Sep-23	3 MONTHS	
1,351	Flush Pin Gauge	K-0262-11-1	6.58 / 6.520 mm	FML SECONDARY	NEWTECH INDIA	24-Jan-24	24-Apr-24	3 MONTHS	
1,352	Flush Pin Gauge	K-0541-5-1	8.20 / 8.50 mm	ZETS / BOLD PRIMARY	FS CELL	21-Dec-23	21-Mar-24	3 MONTHS	
1,353	Flush Pin Gauge	K-0541-5-2	mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	26-Dec-23	26-Mar-24	3 MONTHS	
1,354	Flush Pin Gauge	K-0541-5-3	8.50 / 8.20 mm	ZETS / BOLD PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
1,355	Flush Pin Gauge	K-0544-21-1	0.90 / 1.10 mm	HD SECONDARY	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
1,356	Flush Pin Gauge	K-0544-21-4	1.10 / 0.90 mm	T1XX HD SECONDARY	NEWTECH INDIA	2-Feb-24	2-May-24	3 MONTHS	
1,357	Flush Pin Gauge	K-0551-7-2	- mm	X601 PRIMAERY	FS CELL	16-Sep-23	16-Dec-23	3 MONTHS	
1,358	Flush Pin Gauge	K-0551-7-3	8.50 / 8.20 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	17-Jul-23	17-Oct-23	3 MONTHS	
1,359	Flush Pin Gauge	K-0567-6-1	4.30 / 4.00 mm	DS SECONDARY	RECEIVING INSPECTION	10-Aug-22	10-Nov-22	3 MONTHS	
1,360	Flush Pin Gauge	K-0572-5-2	8.60 / 9.00 mm		GAUGE STORAGE ROOM	28-Jul-22	28-Oct-22	3 MONTHS	
1,361	Flush Pin Gauge	K-0575-8-3	8.35 / 8.55 mm	W109 PRIMARY	PV ENGINEERING	17-Dec-23	17-Mar-24	3 MONTHS	
1,362	Flush Pin Gauge	K-0575-8-4	8.55 / 8.35 mm	W109 PRIMARY	FS CELL	28-Dec-23	28-Mar-24	3 MONTHS	
1,363	Flush Pin Gauge	K-0576-4-2	9.10 / 8.70 mm	W109 SECONDARY	PV ENGINEERING	8-Jan-24	8-Apr-24	3 MONTHS	
1,364	Flush Pin Gauge	K-0576-4-3	8.70 /9.10 mm	W109 SECONDARY	RECEIVING INSPECTION	17-Nov-23	17-Feb-24	3 MONTHS	
1,365	Flush Pin Gauge	K-0576-4-4	9.10 / 8.70 mm	W109 SECONDARY	FS CELL	5-Feb-24	5-May-24	3 MONTHS	
1,366	Flush Pin Gauge	K-0582-4-2	9.10 / 8.70 mm	NISSON Ø 23 SECONDARY	FS CELL	21-Dec-23	21-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,367	Flush Pin Gauge	K-0584-2-2	8.70 / 9.10 mm	HYUNDAI SECONDARY	FS CELL	8-Jan-24	8-Apr-24	3 MONTHS	
1,368	Flush Pin Gauge	K-0584-2-3	8.70 / 9.10 mm	BMW SECONDARY	PV ENGINEERING	27-Dec-23	27-Mar-24	3 MONTHS	
1,369	Flush Pin Gauge	K-0584-2-5	9.10 / 8.70 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Apr-24	3 MONTHS	
1,370	Flush Pin Gauge	K-0584-2-6	9.10/8.70 mm	X601 secondary	CHENNAI AUTOMOTIVE	12-Jan-24	12-Apr-24	3 MONTHS	
1,371	Flush Pin Gauge	K-0584-2-6-0	mm	X601 secondary	FS CELL	21-Dec-23	21-Jan-24	01 MONTHS	
1,372	Flush Pin Gauge	K-0584-3-6	8.70 / 9.10 mm	22 DIA PRIMARY	CHENNAI AUTOMOTIVE	19-Jun-23	19-Jul-23	3 MONTHS	
1,373	Flush Pin Gauge	K-0587-16-1	14.40 / 14.30 mm	PISTON PRIMARY 2595	PRECICOM	9-Dec-23	9-Jan-24	1 MONTHS	
1,374	Flush Pin Gauge	K-0590-8-2	8.35 / 8.55 mm	BR166 PRIMARY	RECEIVING INSPECTION	8-Nov-23	8-Feb-24	3 MONTHS	
1,375	Flush Pin Gauge	K-0590-8-3	8.55 / 8.35 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	12-Jan-24	12-Apr-24	3 MONTHS	
1,376	Flush Pin Gauge	K-0590-8-4	8.55 / 8.35 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	12-Jan-24	12-Apr-24	3 MONTHS	
1,377	Flush Pin Gauge	K-0591-6-3	9.10 / 8.70 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-May-24	3 MONTHS	
1,378	Flush Pin Gauge	K-0591-6-4	9.10 / 8.70 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	12-Jan-24	12-Apr-24	3 MONTHS	
1,379	Flush Pin Gauge	K-0593-8-1	8.20 / 8.50 mm	HYUNDAI PRIMARY	FS CELL	4-Jan-24	4-Apr-24	3 MONTHS	
1,380	Flush Pin Gauge	K-0701-2-1	8.50 / 8.20 mm	W601 PRIMARY	FS CELL	4-Jan-24	4-Apr-24	3 MONTHS	
1,381	Flush Pin Gauge	K-0701-2-3	8.20 / 8.50 mm		GAUGE STORAGE ROOM	28-Jul-22	28-Oct-22	3 MONTHS	
1,382	Flush Pin Gauge	K-0707-10-1	2.72 / 2.88 mm	TATA SEC	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
1,383	Flush Pin Gauge	K-0707-10-2	2.72 / 2.88 mm	TATA SECONDRY	PV ENGINEERING	8-Jan-24	8-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,384	Flush Pin Gauge	K-0708-5-2	25.40 / 25.20 mm	TATA SECONDRY	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
1,385	Flush Pin Gauge	K-0708-5-3	25.40 / 25.20 mm	TATA SECONDRY	PV ENGINEERING	4-Oct-23	4-Jan-24	1 MONTHS	
1,386	Flush Pin Gauge	K-0711-27-1-0	mm	Plunger 1014	RAJASARATHY	19-Dec-23	19-Mar-24	3 MONTHS	
1,387	Flush Pin Gauge	K-0711-27-3	1.60 / 1.90 mm	Plunger 1014	RAJASARATHY	17-Jan-24	17-Apr-24	3 MONTHS	
1,388	Flush Pin Gauge	K-0711-28-2	- mm	Plunger 1014	RAJASARATHY	19-Jan-24	19-Apr-24	3 MONTHS	
1,389	Flush Pin Gauge	K-0716-FG-18-1	18.25 / 17.75 mm	WABCO PIPE	FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
1,390	Flush Pin Gauge	K-0727-5-1	9.00 / 8.60 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	26-Dec-23	26-Mar-24	1 MONTHS	
1,391	Flush Pin Gauge	K-0727-5-2	9.00 / 8.60 mm	ZEST / BOLD SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
1,392	Flush Pin Gauge	K-0754-6-1	8.70 / 9.10 mm	BOLERO SECONDRY	PV ENGINEERING	4-Jan-24	4-Apr-24	3 MONTHS	
1,393	Flush Pin Gauge	K-0754-7-1	8.50 / 8.20 mm	BOLERO PRIMARY	PV ENGINEERING	3-Jan-24	3-Apr-24	3 MONTHS	
1,394	Flush Pin Gauge	K-0765-14-1	4.60 / 5.40 mm	FCA SECONDARY -23.81 Ø	FS FI	4-Nov-23	4-Feb-24	3 MONTHS	
1,395	Flush Pin Gauge	K-0766-3-1	8.50 / 8.20 mm	YIK (Ø 19.05) SECONDRY	FS CELL	5-Feb-24	5-May-24	3 MONTHS	
1,396	Flush Pin Gauge	K-0767-4-1	9.10 / 8.70 mm	YIK (Ø 19.05) SECONDRY	FS CELL	24-Nov-23	24-Feb-24	3 MONTHS	
1,397	Flush Pin Gauge	K-0775-7-1	8.50 / 8.20 mm	MQB PRIMARY	FS CELL	16-Dec-23	16-Mar-24	3 MONTHS	
1,398	Flush Pin Gauge	K-0783-11-1	3.20 / 3.00 mm	Z101 PRIMARY	CHENNAI AUTOMOTIVE	28-Jul-23	28-Oct-23	3 MONTHS	
1,399	Flush Pin Gauge	K-0783-26-1	3.30 / 2.90 mm	Z101 SECONDSRY	FS FI	7-Nov-23	7-Feb-24	3 MONTHS	
1,400	Flush Pin Gauge	K-0783-9-1	41.40 / 41.60 mm	Z101 PRIMARY	CHENNAI AUTOMOTIVE	28-Aug-23	28-Nov-23	3 MONTHS	
1,401	Flush Pin Gauge	K-0784-7-1	6.60 / 6.40 mm	Z101 SECONDSRY	CHENNAI AUTOMOTIVE	4-May-23	4-Aug-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,402	Flush Pin Gauge	K-1039-2-1	24.5 / 24.8 mm	POWER PISTON	BASKARA INDUSTRIES	18-Jan-24	18-Apr-24	3 MONTHS	
1,403	Flush Pin Gauge	K-1053-30-1	90.93 / 90.43 mm	CAP ACCUMULATOR	RECEIVING INSPECTION	17-Dec-23	17-Mar-24	3 MONTHS	
1,404	Flush Pin Gauge	K-1053-30-4	90.930 / 90.430 mm	CAP ACCUMULATOR	BASKARA INDUSTRIES	16-Nov-23	16-Feb-24	3 MONTHS	
1,405	Flush Pin Gauge	K-1068-7-1	49.90 / 49.60 mm	INPUT ROD-3748	INPUT ROD FI	19-Nov-22	19-Feb-23	3 MONTHS	
1,406	Flush Pin Gauge	K-1068-7-3	49.90 / 49.60 mm	INPUT ROD	GAUGE STORAGE ROOM	1-Oct-22	1-Dec-22	3 MONTHS	
1,407	Flush Pin Gauge	K-1076-23-1	13.75/13.25 mm	INPUT ROD	BASKARA INDUSTRIES	15-Sep-23	15-Dec-23	3 MONTHS	
1,408	Flush Pin Gauge	K-1084-3-1	56.40 / 56.20 mm	INPUT ROD	GAUGE STORAGE ROOM	27-Oct-22	27-Jan-23	3 MONTHS	
1,409	Flush Pin Gauge	K-1087-13-1	44.58 / 44.68 mm	PISTON SECONDARY	PRECICOM	25-Dec-23	25-Mar-24	3 MONTHS	
1,410	Flush Pin Gauge	K-1087-13-2	44.68 / 44.58 mm	PISTON SECONDARY	PRECICOM	9-Dec-23	9-Mar-24	3 MONTHS	
1,411	Flush Pin Gauge	K-1087-21-1	44.750 / 44.580 mm	PISTON SECONDARY	BOSCH FI	11-Nov-23	11-Feb-24	3 MONTHS	
1,412	Flush Pin Gauge	K-1089-23-1	115.55 / 115.35 mm	HYDROMAX PISTON	PRECICOM	9-Dec-23	9-Mar-24	3 MONTHS	
1,413	Flush Pin Gauge	K-1089-23-2	115.55 / 115.35 mm	HYDROMAX PISTON	PRECICOM	25-Nov-23	25-Feb-24	3 MONTHS	
1,414	Flush Pin Gauge	K-1089-23-3	115.55 / 115.35 mm	HYDROMAX PISTON	RECEIVING INSPECTION	3-Apr-23	3-Jul-23	3 MONTHS	
1,415	Flush Pin Gauge	K-1089-24-1	35.46 / 35.81 mm	HYDROMAX PISTON	PRECICOM	25-Nov-23	25-Feb-24	3 MONTHS	
1,416	Flush Pin Gauge	K-1089-24-2	35.46 / 35.81 mm	HYDROMAX PISTON	PRECICOM	9-Dec-23	9-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,417	Flush Pin Gauge	K-1089-26-4-0	110.15 / 111.15 mm	HYDROMAX PISTON	BOSCH CELL	16-Nov-23	16-Feb-24	3 MONTHS	
1,418	Flush Pin Gauge	K-1089-38-1	115.31 / 115.570 mm	HYDROMAX PISTON	BOSCH FI	4-Jan-24	4-Apr-24	3 MONTHS	
1,419	Flush Pin Gauge	K-1089-57-3	91.32 / 91.56 mm	HYDROMAX PISTON	PRECICOM	25-Dec-23	25-Mar-24	3 MONTHS	
1,420	Flush Pin Gauge	K-1089-57-4	91.56 / 91.32 mm	HYDROMAX PISTON	RECEIVING INSPECTION	29-Dec-23	29-Mar-24	3 MONTHS	
1,421	Flush Pin Gauge	K-1089-7-2	41.40 / 41.20 mm	VALVE ROD	GAUGE STORAGE ROOM	27-Oct-22	27-Jan-23	3 MONTHS	
1,422	Flush Pin Gauge	K-1307-20-1-1	mm	CONNECTOR CONTAHT 6736	KOTTAIYUR ENGG NA	27-Sep-22	27-Dec-22	3 MONTHS	
1,423	Flush Pin Gauge	K-1308-30-2-1	60.20 / 59.80 mm		KOTTAIYUR ENGG NA	21-Oct-22	21-Jan-23	3 MONTHS	
1,424	Flush Pin Gauge	K-1383-40-2-1	- mm	CONTACT 266	KOTTAIYUR ENGINEERING	21-Dec-23	21-Mar-24	3 MONTHS	
1,425	MASTER RING	KCP-14431-1	62 mm		CMM ROOM	18-Jan-23	18-Jan-24	12 MONTHS	
1,426	MASTER RING	KCP-14432-1	70 mm		CMM ROOM	18-Jan-23	18-Jan-24	12 MONTHS	
1,427	MASTER RING	KCP-14433-1			CMM ROOM	18-Jan-23	18-Jan-24	12 MONTHS	
1,428	Master Ring	KCP-2103-75-3-1	74.00/74.50 mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Apr-24	3 MONTHS	
1,429	Master Ring	KCP-DI-0.08-19-0			FS CELL	1-Feb-23	1-Feb-24	12 MONTHS	
1,430	Thread Plug Gauge	L-0807-10-1	M8 X 1.25 -6 G mm	END YOKE	NON AUTO FI	7-Nov-23	7-Dec-23	1 MONTHS	
1,431	Thread Plug Gauge	L-0807-10-2	- mm	END YOKE	NON AUTO LINE	24-Jan-24	24-Feb-24	3 MONTHS	
1,432	Thread Plug Gauge	L-1087-17-11	1 / 4 X 28 UNF-3B mm		PRECICOM	14-Aug-23	14-Sep-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,433	Thread Plug Gauge	L-1087-17-12	1/4 X 28 UNF- 2B mm		BOSCH FI	6-Apr-23	6-Jul-23	3 MONTHS	
1,434	Thread Plug Gauge	L-1087-17-13	- mm	PISTON SECONDARY	PRECICOM	8-Jan-24	8-Apr-24	3 MONTHS	
1,435	Thread Plug Gauge	L-1087-17-3	- mm	PISTON SECONDARY	PRECICOM	15-Jul-23	15-Aug-23	3 MONTHS	
1,436	Thread Plug Gauge	L-1087-17-5	mm	PISTON SECONDARY	BOSCH FI	6-Dec-23	6-Jan-24	1 MONTHS	
1,437	Thread Plug Gauge	L-1089-21-27	M28 X 2 - 6G mm		PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
1,438	Thread Plug Gauge	L-1089-21-28	M28 X 2-6G mm		PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
1,439	Thread Plug Gauge	L-1089-21-30	M28 X 26-6H mm		BOSCH FI	3-Jan-23	3-Apr-23	3 MONTHS	
1,440	Thread Plug Gauge	L-1089-21-31	M28 X 2 - 6H mm	HYDROMAX PISTON	BOSCH FI	7-Nov-23	7-Feb-24	3 MONTHS	
1,441	Thread Plug Gauge	L-M10-50	M10 X 1.6 -6G mm		NON AUTO FI	14-Aug-23	14-Sep-23	1 MONTHS	
1,442	Thread Plug Gauge	L-M10-52	M10x1.25-6H mm		NON AUTO FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,443	Thread Plug Gauge	L-M10-53	M10 X 1.6-6G mm		SRI VISHNU ENGINEERING	19-Jan-24	19-Feb-24	1 MONTHS	
1,444	Thread Plug Gauge	L-M10-54	M10*1.55-6G mm		HIMECH CNC	31-Dec-22	31-Jan-23	1 MONTHS	
1,445	Thread Plug Gauge	L-M10-57	M10 X 1.5 - 6G mm		RECEIVING INSPECTION	23-Nov-23	23-Feb-24	3 MONTHS	
1,446	Thread Plug Gauge	L-M12-1-3	M12 X1.75 -6G		RECEIVING INSPECTION	23-Nov-23	23-Dec-23	1 MONTHS	
1,447	Thread Plug Gauge	L-M12-19	M12 X1.75-6H mm		NON AUTO FI	11-Jan-24	11-Feb-24	1 MONTHS	
1,448	Thread Plug Gauge	L-M12-52	M12 X 1.75-6G mm		SRI VISHNU ENGINEERING	19-Jan-24	19-Feb-24	1 MONTHS	
1,449	Thread Plug Gauge	L-M12-57-0	mm		RECEIVING INSPECTION	13-Jan-24	13-Apr-24	3 MONTHS	
1,450	Thread Plug Gauge	L-M12-59	M12*1.5-6G mm		NON AUTO FI	24-Jan-24	24-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,451	Thread Plug Gauge	L-M12-61	M12*1.75-6G mm		S.K.R Ind	4-Jan-24	4-Feb-24	1 MONTHS	
1,452	Thread Plug Gauge	L-M129-1-1	M129*1-50-6H mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	27-Dec-22	27-Jun-23	6 MONTHS	
1,453	Thread Plug Gauge	L-m129-1-2	M129*1.5-6H mm	CONTACT CYLINDER BODY 4247	NON AUTO LINE	12-Jan-24	12-Jul-24	6 MONTHS	
1,454	Thread Plug Gauge	L-M16*1.0-5	M16 mm	KANGER PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
1,455	Thread Plug Gauge	L-m16*1.0-6	M16*1.0 mm	KANGER PRIMARY	FS FI	30-Dec-23	30-Jan-24	1 MONTHS	
1,456	Thread Plug Gauge	L-M16X1.0-2	M16 X 1.0-6G mm		GAUGE STORAGE ROOM	23-Sep-22	23-Dec-22	3 MONTHS	
1,457	Thread Plug Gauge	L-M16X1.0-4	M16 X 1.0 -6H mm		GAUGE STORAGE ROOM	23-Jun-22	23-Sep-22	3 MONTHS	
1,458	Thread Plug Gauge	L-M8-57	M8 X 1.25-6G mm		NON AUTO FI	2-Jan-24	2-Feb-24	1 MONTHS	
1,459	Thread Plug Gauge	L-M8-59	M8*1.25-6G mm		S.K.R Ind	4-Jan-24	4-Feb-24	1 MONTHS	
1,460	Thread Ring Gauge	M-0716-11-10	M40x1.5 Spez mm	WABCO PIPE	WABCO CELL	6-Jan-24	6-Mar-24	2 MONTHS	
1,461	Thread Ring Gauge	M-0716-11-11	M40 X 1.5 Spez mm	WABCO PIPE	WABCO CELL	17-Dec-23	17-Jan-24	1 MONTHS	
1,462	Thread Ring Gauge	M-0716-11-7	M40 X 1.5 Spez mm		REJECTION BOX	6-Dec-22	6-Jan-23	1 MONTHS	
1,463	Thread Ring Gauge	M-0716-11-8	M40 X 1.5 Spez mm		WABCO FI	18-Jan-24	18-Feb-24	1 MONTHS	
1,464	Thread Ring Gauge	M-0716-11-9	M40 X 1.5 Spez mm	WABCO PIPE	WABCO CELL	24-Jan-24	24-Feb-24	1 MONTHS	
1,465	Internal Caliper	N-0621-23-2	10-30 Mm mm		RAJASARATHY	18-Dec-23	18-Mar-24	3 MONTHS	
1,466	Internal Caliper	N-LD-0.8-15-0			FORGING	16-Aug-23	16-Sep-23	3 MONTHS	
1,467	Depth Plug Gauge	Q-0215-FG-22-1	48.00Min mm	MANDO PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,468	Depth Plug Gauge	Q-0216-17-1	12.60 MAX mm	LV CAP ACCUMULATOR	BASKARA INDUSTRIES	16-Nov-23	16-Feb-24	3 MONTHS	
1,469	Depth Plug Gauge	Q-0216-FG-7-1	77.00 MIN mm	LV CAP ACCUMULATOR	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
1,470	Depth Plug Gauge	Q-0216-FG-8-1	114.00 MIN mm	CAP ACCUMULATOR	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
1,471	Depth Plug Gauge	Q-0224-FG-35-1	53.00 MIN mm	P356 PRIMARY	FORGING	21-Dec-23	21-Mar-24	3 MONTHS	
1,472	Depth Plug Gauge	Q-0224-fg-38-1	- mm	FML PRIMARY	FORGING	24-Dec-23	24-Mar-24	3 MONTHS	
1,473	Depth Plug Gauge	Q-0504-FG-13-1	53.00 / 64.00 mm	E70 PRIMARY	FORGING	9-Feb-24	9-May-24	3 MONTHS	
1,474	Depth Plug Gauge	Q-0526-FG-23-1	mm		FORGING	22-Nov-23	22-Feb-24	3 MONTHS	
1,475	Depth Plug Gauge	Q-0541-FG-2-1	31.50 MIN mm	BMW PRIMARY	FORGING	14-Nov-23	14-Feb-24	3 MONTHS	
1,476	Depth Plug Gauge	Q-0551-FG-3-1	32.00 MIN mm	22 DIA PRIMARY	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
1,477	Depth Plug Gauge	Q-0566-FG-5-1	50.00 / 45.00 mm		FORGING	9-Feb-24	9-May-24	3 MONTHS	
1,478	Depth Plug Gauge	Q-0575-FG-4-1	44.50 / 50.00 mm		FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,479	Depth Plug Gauge	Q-0585-FG-4-1	56.00/66.00 mm	U202 PRIMARY	FORGING	2-Aug-23	2-Nov-23	3 MONTHS	
1,480	Depth Plug Gauge	Q-0590-FG-3-1	36.50 MIN mm	BR166 PRIMARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,481	Depth Plug Gauge	Q-0590-FG-4-1	44.50 MIN mm	BR166 PRIMARY	FORGING	16-Aug-23	16-Nov-23	3 MONTHS	
1,482	Depth Plug Gauge	Q-0593-FG-3-1	36.50 MIN mm	HYUNDAI PRIMARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,483	Depth Plug Gauge	Q-0593-FG-4-1	39.50 / 40.50 mm	HYUNDAI PRIMARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,484	Depth Plug Gauge	Q-0594-FG-10-1	mm	HYUNDAI SECONDARY	FORGING	17-Dec-23	17-Mar-24	3 MONTHS	
1,485	Depth Plug Gauge	Q-0701-FG-11-2	26.80 Min mm	HA/ RBI PRIMARY	FORGING FI	27-Oct-23	27-Jan-24	3 MONTHS	
1,486	Depth Plug Gauge	Q-0701-FG-11-3	26.80Min mm	HA/ RBI PRIMARY	FORGING FI	21-Jan-24	21-Apr-24	3 MONTHS	
1,487	Depth Plug Gauge	Q-0701-FG-3-1	28.00 Min mm	HA/ RBI PRIMARY	FORGING	27-Jan-24	27-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,488	Depth Plug Gauge	Q-0701-FG-5-1	35.00Min mm	HA/ RBI PRIMARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,489	Depth Plug Gauge	Q-0702-FG-3-2	28.00 MIN mm	HA/ RBI SECONDARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,490	Depth Plug Gauge	Q-0707-FG-5-1	27.10 / ,27.05 mm	TATA PRIMARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,491	Depth Plug Gauge	Q-0707-FG-6-1	37.10 MIN mm	TATA PRIMARY	FORGING	21-Jan-24	21-Apr-24	3 MONTHS	
1,492	Depth Plug Gauge	Q-0709-fg-2-1	28.00 Min mm	K2 PRIMARY	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
1,493	Depth Plug Gauge	Q-0709-FG-3-1	40.00 Min mm	K2 PRIMARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
1,494	Depth Plug Gauge	Q-0710-FG-2-2	27.00 MIN mm		FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
1,495	Depth Plug Gauge	Q-0712-FG-5-1	40.00Min mm	S101 PRIMARY	FORGING	14-Nov-23	14-Feb-24	3 MONTHS	
1,496	Depth Plug Gauge	Q-0712-FG-6-1	28.00 MIN mm	S101 PRIMARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
1,497	Depth Plug Gauge	Q-0756-fg-3-1	- mm	FCA SECONDARY -23.81 Ø	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
1,498	Depth Plug Gauge	Q-0760-FG-3-1	33.50 MIN mm	VW MQB SECONDARY	FORGING	8-Dec-23	8-Mar-24	3 MONTHS	
1,499	Depth Plug Gauge	Q-0764-FG-7-1	27.50 MIN mm	FCA PRIMARY -23.810	FORGING	25-Jan-24	25-Apr-24	3 MONTHS	
1,500	Depth Plug Gauge	Q-0764-FG-8-1	44.00 MIN mm	FCA PRIMARY -23.810	FORGING	10-Feb-24	10-May-24	3 MONTHS	
1,501	Depth Plug Gauge	Q-0765-fg-3-1	- min	FCA SECONDARY -23.81 Ø	FORGING	21-Nov-23	21-Feb-24	3 MONTHS	
1,502	Depth Plug Gauge	Q-0783-FG-3-1	45.00 / 42.00 mm	Z101 PRIMARY	FORGING	2-Feb-24	2-May-24	3 MONTHS	
1,503	Depth Plug Gauge	Q-1037-FG-21-2	58.00 MIN mm	PISTON ACCUMULATOR	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,504	Depth Plug Gauge	Q-1038-FG-31-1	44.50 MIN mm	PISTON ACCUMULATOR	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,505	Depth Plug Gauge	Q-1038-FG-40-1	20.00Min mm	PISTON ACCUMULATOR	FORGING	14-Nov-23	14-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,506	Depth Plug Gauge	Q-1040-FG-31-2	28.00 MIN mm	POWER PISTON	FORGING	18-Sep-23	18-Dec-23	3 MONTHS	
1,507	Depth Plug Gauge	Q-1053-FG-9-1	94.00 MIN mm	CAP ACCUMULATOR	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
1,508	Depth Plug Gauge	Q-1087-FG-2-2	54.00 MIN mm	PISTON SECONDARY	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
1,509	Depth Plug Gauge	Q-1087-FG-30-1	41.00 MIN mm	PISTON SECONDARY	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
1,510	Depth Plug Gauge	Q-1087-FG-33-1	13.50 MIN mm	PISTON SECONDARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
1,511	Symmntry Gage	R0219-23-1	- mm	EPB PISTON 44Ø	STEELCALIPER FI	18-Jul-23	18-Oct-23	3 MONTHS	
1,512	Symmntry Gage	R0221-23-1	- mm	EPB PISTON 42Ø	STEELCALIPER FI	18-Jul-23	18-Oct-23	3 MONTHS	
1,513	Cylindricity Gauge	R-0212-2-1-0	22.15 /22.25 mm	HYDROMAX PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
1,514	Receiver Gauge	R-0214-15-2	20.587 / 20.532 mm	INGINO SECONDARY	TRW FI	3-Jan-24	3-Feb-24	1 MONTHS	
1,515	Receiver Gauge	R-0225-9-1	7.82 / 7.98 mm		CMM ROOM	30-Aug-22	30-Sep-22	1 MONTHS	
1,516	Receiver Gauge	R-0226-2-6	7.375 / 7.225 mm	V229 PRIMARY	FS CELL	7-Feb-24	7-May-24	3 MONTHS	
1,517	Receiver Gauge	R-0226-40-2	26.952 / 26.897 mm	V229 SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,518	Cylindricity Gauge	R-0226-40-3-0	mm	V229 PRIMARY	TRW FI	6-Jan-24	6-Feb-24	1 MONTHS	
1,519	Receiver Gauge	R-0282-4-7-0	13.68 / 13.58 mm	DS PRIMARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	
1,520	Receiver Gauge	R-0282-5-2	8.05 / 7.95 mm	FML PRIMARY	PV ENGINEERING	30-Nov-23	30-Dec-23	1 MONTHS	
1,521	Receiver Gauge	R-0282-5-7	13.58/13.68 mm	DS PRIMARY	CHENNAI AUTOMOTIVE	15-Sep-23	15-Dec-23	3 MONTHS	
1,522	Receiver Gauge	R-0291-4-1	4.15 / 4.05 mm		KOTTAIYUR ENGINEERING	2-Jan-24	2-Apr-24	3 MONTHS	
1,523	Receiver Gauge	R-0504-5-7	4.15 / 4.25 mm	E70 PRIMARY	TRW FI	16-Dec-23	16-Mar-24	1 MONTHS	
1,524	Cylindricity Gauge	R-0504-6-4-0	22.172 /22.117 mm	U387 PRIMARY	TRW FI	27-Jan-24	27-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,525	Cylindricity Gauge	R-0524-15-11-0	mm	22 DIA PRIMARY	FS FI	11-Apr-23	11-May-23	1 MONTHS	
1,526	Cylindricity Gauge	R-0543-26-1-0	mm	T1XX HD SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,527	Cylindricity Gauge	R-0566-3-1-0	mm	DT PRIMARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,528	Cylindricity Gauge	R-0566-3-5	mm	DS PRIMARY	TRW FI	5-Jan-24	5-Feb-24	1 MONTHS	
1,529	Cylindricity Gauge	R-0567-22-2-0	mm	DS SECONDARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,530	Cylindricity Gauge	R-0581-22-6-0	mm	CALIPER PISTON 0581	CALIPER FI	8-Apr-23	8-May-23	1 MONTHS	
1,531	Cylindricity Gauge	R-0585-25-3-0	mm	U202 PRIMARY	TRW FI	6-Jan-24	6-Feb-24	1 MONTHS	
1,532	Cylindricity Gauge	R-0586-23-4	22.172 / 22.117 mm	U202 SECONDARY	TRW FI	21-Jan-24	21-Feb-24	1 MONTHS	
1,533	Receiver Gauge	R-0592-9-1	7.98 / 7.82 mm		SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,534	Receiver Gauge	R-0621-10-1	37.20 DIST mm	AB YOKE	YOKE CELL	9-Mar-23	9-Jun-23	3 MONTHS	
1,535	Receiver Gauge	R-0621-22-3	5.08 Min mm	AB YOKE (COMMON)	YOKE FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,536	Receiver Gauge	R-0621-22-4	5.08 MIN mm	FL3W- CA YOKE	YOKE FI	9-Nov-23	9-Dec-23	1 MONTHS	
1,537	Receiver Gauge	R-0621-22-5	5.08 MIN mm	AB YOKE (COMMON)	YOKE CELL	24-Jan-24	24-Feb-24	1 MONTHS	
1,538	Receiver Gauge	R-0621-22-6	5.08 Min mm	AB YOKE	YOKE CELL	18-Jan-24	18-Feb-24	1 MONTHS	
1,539	Receiver Gauge	R-0621-22-7	5.08 Min mm	AB YOKE	YOKE CELL	21-Jan-24	21-Feb-24	1 MONTHS	
1,540	Receiver Gauge	R-0623-29-1	6.20 Min mm	JA YOKE	YOKE CELL	18-Jan-24	18-Feb-24	3 MONTHS	
1,541	Receiver Gauge	R-0623-29-10	6.10 MIN mm	KTIG- AA YOKE	YOKE FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,542	Receiver Gauge	R-0623-29-11	- mm	KTIG- AA YOKE	YOKE CELL	21-Jan-24	21-Feb-24	1 MONTHS	
1,543	Receiver Gauge	R-0623-29-12	- mm	YOKE	YOKE CELL	18-Jan-24	18-Feb-24	3 MONTHS	
1,544	Receiver Gauge	R-0623-29-13	6.10Min mm	YOKE	YOKE CELL	18-Jan-24	18-Feb-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,545	Receiver Gauge	R-0623-29-14	- mm	YOKE	YOKE CELL	18-Jan-24	18-Feb-24	3 MONTHS	
1,546	Receiver Gauge	R-0623-29-15	- mm	YOKE	YOKE CELL	21-Jan-24	21-Feb-24	1 MONTHS	
1,547	Receiver Gauge	R-0623-29-16	6.10Min mm	SDA YOKE	YOKE FI	23-Jan-24	23-Feb-24	3 MONTHS	
1,548	Receiver Gauge	R-0623-29-7	6.10 MIN mm	KTIG- AA YOKE	YOKE FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,549	Receiver Gauge	R-0623-29-9	6.10 MIN mm	KTIG- AA YOKE	YOKE CELL	21-Jan-24	21-Feb-24	1 MONTHS	
1,550	Receiver Gauge	R-0624-1-4	0.08 MAX mm		YOKE CELL	11-Sep-22	11-Dec-22	3 MONTHS	
1,551	Cylindricity Gauge	R-0641-1-1	- mm	BRACKET LH/ RH	BRACKET LINE	3-Oct-23	3-Jan-24	1 MONTHS	
1,552	Receiver Gauge	R-0658-6-1	8.33 /8.53 mm		STANDARDS ROOM	8-Sep-22	8-Oct-22	1 MONTHS	
1,553	Receiver Gauge	R-0659-6-1-0	mm		YOKE CELL	17-Jan-24	17-Feb-24	1 MONTHS	
1,554	Receiver Gauge	R-0659-6-2-0	mm		YOKE CELL	17-Nov-23	17-Dec-23	1 MONTHS	
1,555	Receiver Gauge	R-0660-6-1	mm	TUBE YOKE A41	YOKE CELL	17-Jan-24	17-Feb-24	1 MONTHS	
1,556	Receiver Gauge	R-0661-17-1-0	mm	TUBE YOKE A33	YOKE FI	18-Mar-23	18-Apr-23	1 MONTHS	
1,557	Receiver Gauge	R-0661-6-1	mm	TUBE YOKE A48	YOKE CELL	17-Jan-24	17-Feb-24	3 MONTHS	
1,558	Receiver Gauge	R-0672-4-1	- mm		YOKE CELL	11-Aug-23	11-Nov-23	3 MONTHS	
1,559	Receiver Gauge	R-0682-16-1	5.00 MIN mm	TUBE YOKE 3537	YOKE FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,560	Receiver Gauge	R-0682-16-2	5.00Min mm	Dana Yoke	YOKE FI	22-Nov-23	22-Dec-23	3 MONTHS	
1,561	Receiver Gauge	R-0683-2-1	5.80 MIN mm	TUBE YOKE -0582	YOKE FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,562	Receiver Gauge	R-0691-8-1-0	8.20 Min mm	TUBE YOKE 3535	YOKE FI	21-Jan-24	21-Feb-24	1 MONTHS	
1,563	Receiver Gauge	R-0700-2-1	mm	SFA YOKE	YOKE CELL	6-Jan-24	6-Feb-24	1 MONTHS	
1,564	Receiver Gauge	R-0700-2-2	7.00 min	FCA / SFA YOKE	YOKE CELL	18-Jan-24	18-Feb-24	3 MONTHS	
1,565	Receiver Gauge	R-0700-2-3	7.00Min mm	FCA / SFA YOKE	YOKE CELL	22-Jan-24	22-Feb-24	1 MONTHS	
1,566	Receiver Gauge	R-0700-3-1	7.00 MIN mm	FCA / SFA YOKE	GAUGE STORAGE ROOM	8-Oct-22	8-Nov-22	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,567	Receiver Gauge	R-0701-FG-07-01	- mm	HA/ RBI PRIMARY	FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
1,568	Receiver Gauge	R-0701-FG-16-4	0.3 MAX mm		FORGING	2-Feb-24	2-May-24	3 MONTHS	
1,569	Receiver Gauge	R-0701-FG-7-1	mm	HA/ RBI PRIMARY	FORGING	13-Apr-23	13-Jul-23	3 MONTHS	
1,570	Receiver Gauge	R-0704-2-2	34.15 / 33.85 mm	22 secondary	FS FI	11-Jan-24	11-Apr-24	3 MONTHS	
1,571	Receiver Gauge	R-0704-4-3	8.15 / 7.85 mm		FS CELL	21-Feb-23	21-Mar-23	1 MONTHS	
1,572	Receiver Gauge	R-0704-4-4	8.15 / 7.85 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	20-Apr-23	20-Jul-23	3 MONTHS	
1,573	Receiver Gauge	R-0704-4-5	- mm	22 PRIMARY	FS FI	17-Nov-23	17-Feb-24	3 MONTHS	
1,574	Receiver Gauge	R-0704-4-6	8.15 / 7.85 mm	22 PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
1,575	Receiver Gauge	R-0707-FG-16-1	27.50 / 29.90 mm	HA/ RBI SECONDARY	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
1,576	Cylindricity Gauge	R-0711-16-1-0	mm	Plunger 1014	BOSCH FI	22-Dec-23	22-Mar-24	1 MONTHS	
1,577	Receiver Gauge	R-0720-13-1-0	mm	PISTON 1468	RAJASARATHY	17-Jan-24	17-Feb-24	3 MONTHS	
1,578	Cylindricity Gauge	R-0728-7-3-0	25.388 / 25.372 mm	PISTON 1802	RAJASARATHY	17-Feb-24	17-Mar-24	1 MONTHS	
1,579	Receiver Gauge	R-0736-9-1	33.302 / 33.247 mm	DT PRIMARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	
1,580	Receiver Gauge	R-0764-FG-6-1	30.00 / 25.00 mm	FCA PRIMARY -23.810	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
1,581	Cylindricity Gauge	R-0767-10-1-0	mm	YIK (Ø 19.05) SECONDRY	FS FI	22-Jan-24	22-Feb-24	1 MONTHS	
1,582	Receiver Gauge	R-0807-3-1	121 & 63.00 mm	END YOKE	NON AUTO LINE	9-Oct-23	9-Jan-24	3 MONTHS	
1,583	Receiver Gauge	R-0807-3-2	- mm	SFA YOKE	NON AUTO LINE	6-Jul-23	6-Oct-23	3 MONTHS	
1,584	Receiver Gauge	R-0807-4-1	5.80 MIN mm	INTERNAL TUBE YOKE	NON AUTO LINE	9-Feb-24	9-Mar-24	1 MONTHS	
1,585	Receiver Gauge	R-0807-6-1	5.75 Min mm	END YOKE	NON AUTO FI	17-Jan-24	17-Feb-24	3 MONTHS	
1,586	Receiver Gauge	R-0807-6-2	5.750Min min	END YOKE	NON AUTO FI	17-Jan-24	17-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,587	Receiver Gauge	R-0807-6-3-0	mm	END YOKE	NON AUTO FI	13-Jan-24	13-Feb-24	3 MONTHS	
1,588	Receiver Gauge	R-0808-3-1	71.55 / 71.35 mm		YOKE CELL	6-Jan-24	6-Apr-24	1 MONTHS	
1,589	Receiver Gauge	R-0809-1-1	95.35 / 95.15 mm	INTERNAL TUBE YOKE	YOKE CELL	27-Jan-24	27-Apr-24	3 MONTHS	
1,590	Receiver Gauge	R-0809-2-2	95.50 / 95.00 mm	INTERNAL TUBE YOKE	NON AUTO FI	30-Dec-23	30-Mar-24	3 MONTHS	
1,591	Cylindricity Gauge	R-1038-29-1-0	37.99 /38.05 mm	PISTON ACCUMULATOR	BOSCH FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,592	Receiver Gauge	R-1038-38-1	28.65 / 28.25 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	17-Jan-24	17-Apr-24	3 MONTHS	
1,593	Receiver Gauge	R-1038-38-3	28.25 / 28.65 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	16-Dec-23	16-Mar-24	3 MONTHS	
1,594	Receiver Gauge	R-1040-14-28-0	mm	POWER PISTON	BASKARA INDUSTRIES	22-Jul-23	22-Aug-23	1 MONTHS	
1,595	Receiver Gauge	R-1040-16-3	0.25 Max mm	POWER PISTON	PV ENGINEERING	24-Aug-23	24-Sep-23	1 MONTHS	
1,596	Receiver Gauge	R-1040-16-4	0.26 Max mm	POWER PISTON	BASKARA INDUSTRIES	17-Jan-24	17-Feb-24	1 MONTHS	
1,597	Receiver Gauge	R-1040-16-5	0.26 Max mm	POWER PISTON	BOSCH FI	22-Jan-24	22-Feb-24	1 MONTHS	
1,598	Receiver Gauge	R-1040-16-6	0.26 Position Gauge mm	POWER PISTON	RECEIVING INSPECTION	20-Jan-85	20-Apr-24	3 MONTHS	
1,599	Receiver Gauge	R-1040-46-2	39.575 / 39.581 mm	POWER PISTON	BASKARA INDUSTRIES	27-Jan-24	27-Feb-24	1 MONTHS	
1,600	Cylindricity Gauge	R-1040-46-5-0	mm	POWER PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
1,601	Receiver Gauge	R-1063-20-2	107.85 / 107.35 mm	INPUT ROD-3748	INPUT ROD FI	22-Nov-22	22-Feb-23	3 MONTHS	
1,602	Receiver Gauge	R-1068-15-2	67.00 / 66.50 mm	INPUT ROD	INPUT ROD FI	19-Nov-22	19-Feb-23	3 MONTHS	
1,603	Receiver Gauge	R-1068-20-1	107.85 / 107.35 mm	INPUT ROD	INPUT ROD FI	19-Nov-22	19-Feb-23	3 MONTHS	
1,604	Receiver Gauge	R-1087-2-1	27.74 / 27.64 mm	PISTON SECONDARY	PRECICOM	24-Jan-24	24-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,605	Cylindricity Gauge	R-1087-2-3	27.64 / 27.74 mm	PISTON SECONDARY	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
1,606	Receiver Gauge	R-1087-FG-35-1	9.50 MIN mm	PISTON SECONDARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,607	Receiver Gauge	R-1089-28-1	87.88 / 87.32 mm	HYDROMAX PISTON	BOSCH CELL	10-Jan-24	10-Apr-24	3 MONTHS	
1,608	Cylindricity Gauge	R-1089-63-1	31.680 / 31.630 mm	HYDROMAX PISTON	BOSCH FI	28-Dec-23	28-Jan-24	1 MONTHS	
1,609	Cylindricity Gauge	R-2103-60-6-1	75.55/75.35 mm	CONTACT CYLINDER BODY 4247	S.K.R Ind	10-Nov-23	10-Feb-24	3 MONTHS	
1,610	Cylindricity Gauge	R2103-60-6-1	75.55/75.35 mm		NON AUTO LINE	21-Dec-22	21-Jan-23	1 MONTHS	
1,611	Profile Gauge	S-0807-11-1	17.70 / 17.35 mm	END YOKE	NON AUTO FI	4-Jan-24	4-Apr-24	3 MONTHS	
1,612	Setting Master	SP-0201-1-1	39.52 / 39.54 mm		BOSCH CELL	2-Nov-23	2-Feb-24	3 MONTHS	
1,613	Setting Master	SP-0217-12-1	57.180 / 57.160 mm	EPB PISTON 57Ø	STEELCALIPER GRIND	9-Dec-23	9-Mar-24	3 MONTHS	
1,614	Setting Master	SP-0217-13-1	57.125 / 57.135 mm	EPB PISTON 57Ø	STEELCALIPER GRIND	9-Sep-23	9-Dec-23	3 MONTHS	
1,615	Setting Master	SP-0217-13-2	57.140/57.120 mm	EPB PISTON 57Ø	NITRO FI	9-Dec-23	9-Mar-24	3 MONTHS	
1,616	Setting Master	SP-0217-14-1	57.140 / 57.17 mm	EPB PISTON 57Ø	STEELCALIPER GRIND	7-Dec-23	7-Mar-24	1 MONTHS	
1,617	Setting Master	SP-0217-14-2	57.170 / 57.140 mm	EPB PISTON 57Ø	CHROME PLATING	28-Dec-23	28-Mar-24	3 MONTHS	
1,618	Setting Master	SP-0218-10-1	44.980 / 44.960 mm	EPB PISTON Ø 45	STEELCALIPER GRIND	6-Dec-23	6-Mar-24	3 MONTHS	
1,619	Setting Master	SP-0218-11-1	44.920 / 4.940 mm	EPB PISTON Ø 45	STEELCALIPER GRIND	2-Dec-23	2-Mar-24	3 MONTHS	
1,620	Setting Master	SP-0218-20-2	44.970 / 44.940 mm	EPB PISTON Ø 45	STEELCALIPER GRIND	2-Feb-24	2-May-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,621	Setting Master	SP-0219-10-1	43.955 / 43.935 mm		STEELCALIPER GRIND	6-Dec-23	6-Mar-24	3 MONTHS	
1,622	Setting Master	SP-0219-11-1	43.910 / 43.900 mm	EPB PISTON 44Ø	STEELCALIPER GRIND	9-Nov-23	9-Feb-24	3 MONTHS	
1,623	Setting Master	SP-0219-20-1	43.945 / 43.915 mm	EPB PISTON 44Ø	STEELCALIPER GRIND	30-Jan-24	30-Apr-24	3 MONTHS	
1,624	Setting Master	SP-0219-20-2	43.945 / 43.915 mm	EPB PISTON Ø 43	CHROME PLATING	28-Dec-23	28-Mar-24	3 MONTHS	
1,625	Setting Master	SP-0221-11-1	41.98 / 41.96 mm	EPB PISTON 42Ø	STEELCALIPER GRIND	5-Jan-24	5-Apr-24	3 MONTHS	
1,626	Setting Master	SP-0221-19-1	41.935 / 41.925 mm	EPB PISTON 42Ø	STEELCALIPER GRIND	30-Nov-23	29-Feb-24	3 MONTHS	
1,627	Setting Master	SP-0221-20-2	41.970 / 41.940 mm	EPB PISTON 42Ø	CHROME PLATING	28-Dec-23	28-Mar-24	3 MONTHS	
1,628	Setting Master	SP-0224-11-1	51.095 /51.065 mm	EPB PISTON Ø 51	STEELCALIPER GRIND	9-Dec-23	9-Mar-24	3 MONTHS	
1,629	Setting Master	SP-0224-12-1	51.045 /51.025 mm	EPB PISTON Ø 51	STEELCALIPER GRIND	9-Dec-23	9-Mar-24	3 MONTHS	
1,630	Setting Master	SP-0224-14-1	51.08 / 51.045 mm	EPB PISTON Ø 51	STEELCALIPER GRIND	28-Dec-23	28-Mar-24	3 MONTHS	
1,631	Setting Master	SP-0224-14-2	51.075/51.045 mm	EPB PISTON Ø 51	CHROME PLATING	28-Nov-23	28-Feb-24	3 MONTHS	
1,632	Setting Master	SP-0225-11-1	48.045 / 48.065 mm	EPB PISTON Ø 48	STEELCALIPER GRIND	6-Dec-23	6-Mar-24	3 MONTHS	
1,633	Setting Master	SP-0225-12-1	48.045 / 48.015 mm	EPB PISTON Ø 48	STEELCALIPER GRIND	6-Dec-23	6-Mar-24	3 MONTHS	
1,634	Setting Master	SP-0225-12-2	- mm	EPB PISTON Ø 48	CHROME PLATING	28-Dec-23	28-Mar-24	3 MONTHS	
1,635	Setting Master	SP-0226-10-1	38.095 / 38.115 mm	EPB PISTON Ø 38	STEELCALIPER GRIND	15-Nov-23	15-Feb-24	3 MONTHS	
1,636	Setting Master	SP-0226-12-1	38.145 / 38.115 mm	EPB PISTON Ø 38	STEELCALIPER GRIND	28-Dec-23	28-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,637	Setting Master	SP-0226-9-1	38.165 / 38.135 mm	EPB PISTON Ø 38	STEELCALIPER GRIND	15-Nov-23	15-Feb-24	3 MONTHS	
1,638	Setting Master	SP-0227-10-1	33.895 / 33.885 mm	EPB PISTON 34Ø	STEELCALIPER GRIND	29-Nov-23	29-Feb-24	3 MONTHS	
1,639	Setting Master	SP-0227-10-2	26.920/26.900 mm	V229 SECONDARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,640	Setting Master	SP-0227-12-1	33.930 /33.900 mm	EPB PISTON 34Ø	STEELCALIPER GRIND	6-Dec-23	6-Mar-24	3 MONTHS	
1,641	Setting Master	SP-0227-12-2	33.930 / 33.900 mm	EPB PISTON 34Ø	CHROME PLATING	28-Dec-23	28-Mar-24	3 MONTHS	
1,642	Setting Master	SP-0227-12-3	38.145 / 38.115 mm	EPB PISTON Ø 38	CHROME PLATING	28-Dec-23	28-Mar-24	3 MONTHS	
1,643	Setting Master	SP-0227-9-1	33.940 / 33.920 mm	EPB PISTON 34Ø	STEELCALIPER GRIND	2-Dec-23	2-Mar-24	3 MONTHS	
1,644	Setting Master	SP-0228-10-1	36.055 / 36.035 mm	EPB PIUSTON 36 Ø	STEELCALIPER GRIND	1-Dec-23	1-Mar-24	3 MONTHS	
1,645	Setting Master	SP-0228-12-1	36.09/36.05 mm	EPB PIUSTON 36 Ø	CHROME PLATING	28-Nov-23	28-Feb-24	3 MONTHS	
1,646	Setting Master	SP-0228-9-1	36.110 / 36.080 mm	EPB PIUSTON 36 Ø	STEELCALIPER GRIND	1-Dec-23	1-Mar-24	3 MONTHS	
1,647	Setting Master	SP-0241-15-3	20.565 / 20.535 mm	INGINO SECONDARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,648	Setting Master	SP-0252-10-1	42.830 / 42.810 mm	EPB PISTON Ø 43	STEELCALIPER GRIND	2-Dec-23	2-Mar-24	3 MONTHS	
1,649	Setting Master	SP-0252-12-1	42.785 42.775 mm	EPB PISTON Ø 43	STEELCALIPER GRIND	28-Nov-23	28-Feb-24	3 MONTHS	
1,650	Setting Master	SP-0541-17-1	23.790 / 23.780 mm	23 DIA SEC / PRIMARY	FS CELL	1-Dec-23	1-Mar-24	3 MONTHS	
1,651	Setting Master	SP-0544-14-4	37.99 / 38.02 mm	HD SECONDARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,652	Setting Master	SP-0551-13-1	22.190 / 22.205 mm	22 PRIMARY	FS CELL	8-Jan-24	8-Apr-24	3 MONTHS	
1,653	Setting Master	SP-0567-16-2	31.665 / 31.635 mm	DS SECONDARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,654	Setting Master	SP-0571-13-1	20.615/20.625 mm	ZETS / BOLD PRIMARY	GAUGE STORAGE ROOM	3-Sep-22	3-Dec-22	3 MONTHS	
1,655	Setting Master	SP-0581-23-1	59.94/59.90 mm	CALIPER PISTON 0581	CALIPER LINE	12-Nov-23	12-Feb-24	3 MONTHS	
1,656	Setting Master	SP-0586-18-2	22.160 /22.130 mm	U202 SECONDARY	TRW CELL	17-Jan-24	17-Apr-24	3 MONTHS	
1,657	Setting Master	SP-0590-15-1	28.55 / 28.54 mm	BR166 PRIMARY	FS CELL	1-Dec-23	1-Mar-24	3 MONTHS	
1,658	Setting Master	SP-0590-7-1	53.940 / 53.910 mm		CALIPER LINE	2-Sep-23	2-Dec-23	1 MONTHS	
1,659	Setting Master	SP-0595-11-1	26.975 / 26.965 mm	RT PRIMARY	FS CELL	1-Dec-23	1-Mar-24	3 MONTHS	
1,660	Setting Master	SP-0704-5-1	22.285 / 22.265 mm	MQB PRIMARY	FS CELL	15-Dec-23	15-Mar-24	3 MONTHS	
1,661	Setting Master	SP-0707-15-1	20.625 /20.615 mm	TATA PRIMARY	FS CELL	3-Jan-24	3-Apr-24	3 MONTHS	
1,662	Setting Master	SP-0707-21-1	20.615 / 20.655 mm	K2 SECONDARY	FS CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,663	Setting Master	SP-0716-25-1	39.85 / 39.95 mm	WABCO PIPE	WABCO FI	7-Nov-23	7-Feb-24	3 MONTHS	
1,664	Setting Master	SP-0736-11-1	33.281 / 33.251 mm	DT SECONDARY	TRW CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,665	Setting Master	SP-0754-13-1	25.385 / 25.375 mm	BOLERO PRIMARY	FS CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,666	Setting Master	SP-0764-18-2	mm	VW MQB PRIMARY	FS CELL	18-Jan-24	18-Apr-24	3 MONTHS	
1,667	Setting Master	SP-0765-15-1	19.025 / 19.035 mm	YIK (Ø 19.05) SECONDRY	FS CELL	2-Dec-23	2-Mar-24	3 MONTHS	
1,668	Setting Master	SP-0783-16-1	25.365 / 25.350 mm	Z101 SECONDSRY	FS CELL	4-May-23	4-Aug-23	3 MONTHS	
1,669	Setting Master	SP-1087-23-1	50.67 / 50.70 mm	PISTON SECONDARY	BOSCH CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,670	Setting Master	SP-1087-24-1	50.73/50.66 mm	PISTON SECONDARY	BOSCH FI	9-Jan-24	9-Apr-24	3 MONTHS	
1,671	Setting Master	SP-1089-32-1	22.250 / 22.150 mm	HYDROMAX PISTON	BOSCH FI	6-Dec-23	6-Mar-24	3 MONTHS	
1,672	Y Shift Gauge	V-0624-1-1	mm	AB YOKE (COMMON)	YOKE CELL	2-Feb-23	2-May-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,673	Y Shift Gauge	V-0624-1-2	mm	TUBE YOKE A48	YOKE CELL	29-Jan-24	29-Apr-24	3 MONTHS	
1,674	Y Shift Gauge	V-0624-1-3	mm	AB YOKE (COMMON)	YOKE CELL	11-Dec-23	11-Mar-24	3 MONTHS	
1,675	Y Shift Gauge	V-0624-1-4	0.08Max mm		YOKE CELL	11-Jan-24	11-Apr-24	3 MONTHS	
1,676	Y Shift Gauge	V-0624-1-5	mm		YOKE CELL	29-Jan-24	29-Apr-24	3 MONTHS	
1,677	Y Shift Gauge	V-0624-1-6	- mm	AB YOKE	YOKE CELL	4-Jan-24	4-Apr-24	3 MONTHS	
1,678	Y Shift Gauge	V-0624-1-7	- mm	AB YOKE	YOKE CELL	4-Jan-24	4-Apr-24	3 MONTHS	
1,679	Position Gauge	V-0624-2-1	0.08 MAX mm	AB YOKE (COMMON)	YOKE CELL	8-Nov-23	8-Feb-24	3 MONTHS	
1,680	Y Shift Gauge	V-0624-2-4-0	mm	AB YOKE	YOKE CELL	12-Oct-23	12-Jan-24	3 MONTHS	
1,681	Position Gauge	V-0624-2-5	0.08 Max mm	AB YOKE (COMMON)	YOKE CELL	9-Nov-23	9-Feb-24	3 MONTHS	
1,682	Position Gauge	V-0694-3-1	0.10 MAX mm		YOKE CELL	29-Jul-23	29-Oct-23	3 MONTHS	
1,683	Position Gauge	V-0694-3-2	0.08 Max mm	Dana Yoke	YOKE CELL	11-Dec-23	11-Mar-24	3 MONTHS	
1,684	Y Shift Gauge	V-0694-4-1	0.10 Max mm	Dana Yoke	YOKE CELL	28-Oct-23	28-Jan-24	3 MONTHS	
1,685	Y Shift Gauge	V-0694-4-2	- mm	Dana Yoke	YOKE CELL	20-Dec-23	20-Mar-24	3 MONTHS	
1,686	Y Shift Gauge	V-0699-3-1	mm	SFA YOKE	YOKE CELL	7-Jan-24	7-Apr-24	3 MONTHS	
1,687	Position Gauge	V-0700-10-1	mm	SFA YOKE	YOKE CELL	7-Dec-23	7-Mar-24	3 MONTHS	
1,688	Position Gauge	V-1302-50-1-2	mm	CONNECTING PART 403	KOTTAIYUR ENGINEERING	6-Oct-23	6-Jan-24	3 MONTHS	
1,689	Position Gauge	V-1302-60-1-1	- mm		KOTTAIYUR ENGINEERING	9-Dec-23	9-Mar-24	3 MONTHS	
1,690	Position Gauge	V-1302-60-3-1	DIST 22.00 mm		KOTTAIYUR ENGINEERING	9-Dec-23	9-Mar-24	3 MONTHS	
1,691	Position Gauge	V-1317-44-5-1	11.05 / 10.95 mm		KOTTAIYUR ENGINEERING	18-Dec-23	18-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,692	Position Gauge	V-1323-40-3-1	80.00 & 13.00 mm	CONTACT TUBE 6532	SRI VISHNU ENGINEERING	17-Jun-23	17-Sep-23	3 MONTHS	
1,693	Position Gauge	V-1323-40-4-2	32.30 / 31.70 mm	CONTACT TUBE 6532	SRI VISHNU ENGINEERING	17-Jun-23	17-Sep-23	3 MONTHS	
1,694	Position Gauge	V-1325-45-2-1	0.50 Max mm	CONTACT HOLDER 4685	KOTTAIYUR ENGINEERING	2-Jan-24	2-Apr-24	3 MONTHS	
1,695	Position Gauge	V-1329-45-3-1	190.50 / 189.50 mm		KOTTAIYUR ENGINEERING	22-Nov-23	22-Feb-24	3 MONTHS	
1,696	Position Gauge	V-1355-30-1-2	200.50 / 199.50 mm	CONNECTING PART 4959	SRI VISHNU ENGINEERING	4-May-23	4-Aug-23	3 MONTHS	
1,697	Position Gauge	V-1355-35-3-1	50.30 /49.70 mm		SRI VISHNU ENGINEERING	4-May-23	4-Aug-23	3 MONTHS	
1,698	Position Gauge	V-1383-50-3-1	- mm	CONTACT 266	KOTTAIYUR ENGINEERING	21-Dec-23	21-Mar-24	3 MONTHS	
1,699	Position Gauge	V-1394-10-1	114 / 115 / 130.70 mm		SRI VISHNU ENGINEERING	12-Jan-24	12-Apr-24	3 MONTHS	
1,700	Position Gauge	V-2103-65-2-3	24Deg Ang&90Dia mm		NON AUTO LINE	21-Dec-22	21-Mar-23	3 MONTHS	
1,701	Position Gauge	V-4147-4-1	32.00 mm	SWIVEL FLANGE-80	NON AUTO FI	7-Oct-23	7-Jan-24	3 MONTHS	
1,702	Position Gauge	V-4147-4-2	32.00	SWIVEL FLANGE 63	S.K.R Ind	20-Dec-23	20-Mar-24	3 MONTHS	
1,703	Position Gauge	V-4148-4-2	- mm	SWIVEL FLANGE	S.K.R Ind	5-Jan-24	5-Apr-24	3 MONTHS	
1,704	Wear Check Plug	WCP-0716-25-1	M40 X 1. 5 Spec mm		CMM ROOM	18-Jan-23	18-Jan-24	12 MONTHS	
1,705	Symmetry Gauge	X-0217-23-3	0.3 MAX mm	EPB PISTON 57Ø	STEELCALIPER FI	16-Dec-23	16-Mar-24	3 MONTHS	
1,706	Symmetry Gauge	X-0218-23-2	0.3 Max mm	EPB PISTON Ø 45	STEELCALIPER FI	6-Dec-23	6-Mar-24	3 MONTHS	
1,707	Symmetry Gauge	X-0218-23-3	- mm	EPB PISTON Ø 45	STEELCALIPER LINE	21-Jan-24	21-Apr-24	3 MONTHS	
1,708	Symmetry Gauge	X-0219-23-1	0.3 Max mm	EPB PISTON 44Ø	STEELCALIPER FI	17-Jan-24	17-Apr-24	3 MONTHS	
1,709	Symmetry Gauge	X-0219-23-3	0.3Max mm	EPB PISTON 44Ø	STEELCALIPER FI	9-Jan-24	9-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,710	Symmetry Gauge	X-0221-23-1-0	mm	EPB PISTON 42Ø	STEELCALIPER GRIND	18-Dec-23	18-Mar-24	3 MONTHS	
1,711	Symmetry Gauge	X-0224-13-1	mm	EPB PISTON Ø 51	STEELCALIPER FI	2-Dec-23	2-Mar-24	3 MONTHS	
1,712	Symmetry Gauge	X-0224-3-1	0.1 MAX mm		KOTTAIYUR ENGINEERING	2-Dec-23	2-Mar-24	3 MONTHS	
1,713	Symmetry Gauge	X-0224-3-2	0.1 MAX mm	V229 PRIMARY	PV ENGINEERING	7-Dec-23	7-Mar-24	3 MONTHS	
1,714	Symmetry Gauge	X-0225-13-1	mm	EPB PISTON Ø 48	STEELCALIPER FI	4-Jan-24	4-Apr-24	3 MONTHS	
1,715	Symmetry Gauge	X-0226-11-1	mm	EPB PISTON Ø 38	STEELCALIPER GRIND	30-Nov-23	29-Feb-24	3 MONTHS	
1,716	Symmetry Gauge	X-0226-11-2	- mm	EPB PISTON Ø 38	STEELCALIPER FI	14-Dec-23	14-Mar-24	3 MONTHS	
1,717	Symmetry Gauge	X-0226-11-3	- mm	EPB PIUSTON 36 Ø	STEELCALIPER FI	11-Dec-23	11-Mar-24	3 MONTHS	
1,718	Symmetry Gauge	X-0227-11-1	0.3Max mm		STEELCALIPER GRIND	1-Dec-23	1-Mar-24	3 MONTHS	
1,719	Symmetry Gauge	X-0227-11-2	mm		STEELCALIPER FI	11-Dec-23	11-Mar-24	3 MONTHS	
1,720	Symmetry Gauge	X-0252-13-1	mm	EPB PISTON Ø 43	STEELCALIPER GRIND	4-Jan-24	4-Apr-24	3 MONTHS	
1,721	Symmetry Gauge	X-0282-15-1	0.1 MAX mm	DT PRIMARY	PV ENGINEERING	30-Jan-24	30-Apr-24	3 MONTHS	
1,722	Symmetry Gauge	X-0282-15-2	- mm	P356 PRIMARY	PV ENGINEERING	27-Jan-24	27-Apr-24	3 MONTHS	
1,723	Symmetry Gauge	X-0282-15-3	0.1 Max mm	DS PRIMARY	CHENNAI AUTOMOTIVE	15-Sep-23	15-Dec-23	3 MONTHS	
1,724	Symmetry Gauge	X-0567-15-1	0.1 MAX mm	DT SECONDARY	NEWTECH INDIA	24-Nov-23	24-Feb-24	3 MONTHS	
1,725	Symmetry Gauge	X-0586-16-1	0.10 MAX mm		RECEIVING INSPECTION	9-Feb-23	9-May-23	3 MONTHS	
1,726	Indicative Gauge	Z-00226-5-2	- mm	FML PRIMARY	PV ENGINEERING	2-Dec-23	2-Mar-24	3 MONTHS	
1,727	Indicative Gauge	Z-00226-8-2	- mm	EPB PISTON Ø 38	BASKARA INDUSTRIES	7-Aug-23	7-Nov-23	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,728	Distance Gauge	Z-0214-3-2	12.76 / 12.66 mm	INGINO SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-May-24	3 MONTHS	
1,729	Distance Gauge	Z-0215-7-3	9.975 / 9.905 mm	MANDO PRIMARY	PV ENGINEERING	27-Jan-24	27-Apr-24	3 MONTHS	
1,730	Distance Gauge	Z-0216-3-2	7.35 / 6.85 mm	LV CAP ACCUMULATOR	BASKARA INDUSTRIES	14-Nov-23	14-Feb-24	3 MONTHS	
1,731	Distance Gauge	Z-0216-FG-18-1	8.60 / 8.30 mm	LV CAP ACCUMULATOR	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,732	Distance Gauge	Z-0216-FG-4-2	7.20 / 7.60 mm	LV CAP ACCUMULATOR	FORGING	13-Dec-23	13-Mar-24	3 MONTHS	
1,733	Distance Gauge	Z-0216-FG-6-1	26.00 / 25.00 mm	27 Ø PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
1,734	Distance Gauge	Z-0217-18-1	2.60 / 2.40 mm	EPB PISTON 57Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
1,735	Distance Gauge	Z-0217-6-10	51.90 / 51.70 mm	EPB PISTON Ø 38	BASKARA INDUSTRIES	17-Jan-24	17-Feb-24	1 MONTHS	
1,736	Distance Gauge	Z-0217-6-11	51.70/51.90 mm	EPB PISTON Ø 51	STEELCALIPER LINE	24-Jan-24	24-Feb-24	1 MONTHS	
1,737	Distance Gauge	Z-0217-6-3	51.90 / 51.70 mm	EPB PISTON 57Ø	BASKARA INDUSTRIES	6-Feb-24	6-Mar-24	1 MONTHS	
1,738	Distance Gauge	Z-0217-6-5	51.90 / 51.70 mm		SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,739	Distance Gauge	Z-0217-6-8	51.90 / 51.70 mm		SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,740	Distance Gauge	Z-0217-7-1	7.25 / 7.15 mm	EPB PISTON 57Ø	NANDISHWARA ENGINEERING	6-Jan-24	6-Feb-24	1 MONTHS	
1,741	Distance Gauge	Z-0217-8-1	2.65 / 2.55 mm	EPB PISTON 57Ø	NANDISHWARA ENGINEERING	6-Jan-24	6-Feb-24	1 MONTHS	
1,742	Distance Gauge	Z-0218-15-1	2.70 / 2.50 mm	EPB PISTON Ø 45	STEELCALIPER FI	6-Feb-24	6-Mar-24	1 MONTHS	
1,743	Distance Gauge	Z-0218-5-1	7.12 / 7.28 mm	EPB PISTON Ø 45	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
1,744	Distance Gauge	Z-0218-5-2	7.28 / / 7.12 mm	EPB PISTON Ø 45	NITRO FI	22-May-23	22-Jun-23	1 MONTHS	
1,745	Distance Gauge	Z-0218-5-4	7.28/7.12 mm	EPB PISTON Ø 45	STEELCALIPER LINE	5-Oct-23	5-Nov-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,746	Distance Gauge	Z-0218-6-1	2.68 /2.52 mm	EPB PISTON Ø 45	STEELCALIPER LINE	20-Jan-24	20-Feb-24	1 MONTHS	
1,747	Distance Gauge	Z-0218-6-2	2.42 / 2.58 mm	EPB PISTON Ø 45	CMM ROOM	22-Sep-22	22-Oct-22	1 MONTHS	
1,748	Distance Gauge	Z-0218-6-4	2.68 / 2.52 mm	EPB PISTON Ø 45	STEELCALIPER FI	18-Oct-23	18-Nov-23	1 MONTHS	
1,749	Distance Gauge	Z-0219-15-1	2.50 / 2.70 mm	EPB PISTON Ø 43	STEELCALIPER FI	8-Mar-23	8-Apr-23	1 MONTHS	
1,750	Distance Gauge	Z-0219-15-2	2.70/2.50 mm	EPB PISTON 44Ø	STEELCALIPER FI	12-Feb-24	12-Mar-24	1 MONTHS	
1,751	Distance Gauge	Z-0219-5-1	7.28 / 7.12 mm	EPB PISTON 44Ø	NANDISHWARA ENGINEERING	13-Feb-24	13-Mar-24	1 MONTHS	
1,752	Distance Gauge	Z-0219-5-3	7.12 / 7.28 mm	EPB PISTON 44Ø	NANDISHWARA ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
1,753	Distance Gauge	Z-0219-5-4	7.28 / 7.12 mm	EPB PISTON 44Ø	STEELCALIPER LINE	2-Jan-24	2-Feb-24	1 MONTHS	
1,754	Distance Gauge	Z-0219-6-2	2.68/2.52 mm	EPB PISTON 44Ø	STEELCALIPER LINE	13-Feb-24	13-Mar-24	1 MONTHS	
1,755	Distance Gauge	Z-0219-6-3	2.68 / 2.52 mm	EPB PISTON 44Ø	NANDISHWARA ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
1,756	Distance Gauge	Z-0219-6-5	2.52 / 2.68 mm	EPB PISTON Ø 43	NITRO FI	23-Jan-24	23-Feb-24	1 MONTHS	
1,757	Distance Gauge	Z-0219-6-6	2.68 / 2.52 mm	EPB PISTON 44Ø	STEELCALIPER LINE	2-Jan-24	2-Feb-24	1 MONTHS	
1,758	Distance Gauge	Z-0221-15-1	2.70 / 2.50 mm	EPB PISTON 42Ø	STEELCALIPER FI	10-Jan-24	10-Feb-24	1 MONTHS	
1,759	Distance Gauge	Z-0221-5-1	7.12 / 7.28 mm	EPB PISTON 42Ø	STEELCALIPER LINE	17-Dec-23	17-Jan-24	1 MONTHS	
1,760	Distance Gauge	Z-0221-5-2	7.28 / 7.12 mm	EPB PISTON 42Ø	NANDISHWARA ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
1,761	Distance Gauge	Z-0221-6-2	2.52 / 2.68 mm	EPB PISTON 42Ø	NANDISHWARA ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
1,762	Distance Gauge	Z-0221-6-3	2.68 / 2.52 mm	EPB PISTON 42Ø	STEELCALIPER LINE	18-Dec-23	18-Jan-24	1 MONTHS	
1,763	Distance Gauge	Z-0224-15-2	29.05 / 28.95 mm	V229 PRIMARY	TRW FI	8-Feb-24	8-Mar-24	1 MONTHS	
1,764	Distance Gauge	Z-0224-17-1	-	FML PRIMARY	PV ENGINEERING	3-Aug-23	2-Sep-23	1 MONTHS	
1,765	Distance Gauge	Z-0224-17-2	15.25 / 15.35 mm	V229 PRIMARY	FS CELL	12-Jan-24	12-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,766	Distance Gauge	Z-0224-18-1	2.70 / 2.50 mm	EPB PISTON Ø 51	SRI VISHNU ENGINEERING	7-Feb-24	7-Mar-24	1 MONTHS	
1,767	Distance Gauge	Z-0224-4-3	7.12/7.28 mm	EPB PISTON Ø 51	SRI VISHNU ENGINEERING	16-Aug-23	16-Nov-23	3 MONTHS	
1,768	Distance Gauge	Z-0224-4-4	7.12 / 7.28 mm		SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,769	Distance Gauge	Z-0224-4-5	- mm	EPB PISTON Ø 51	RECEIVING INSPECTION	2-Feb-24	2-May-24	3 MONTHS	
1,770	Distance Gauge	Z-0224-5-2	2.68 / 2.52 mm		SRI VISHNU ENGINEERING	26-Oct-23	26-Nov-23	1 MONTHS	
1,771	Distance Gauge	Z-0224-5-3	- mm	EPB PISTON Ø 51	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,772	Distance Gauge	Z-0224-8-2	46.85 / 46.75 mm		SRI VISHNU ENGINEERING	28-Nov-23	28-Feb-24	1 MONTHS	
1,773	Distance Gauge	Z-0224-8-3	46.85 / 46.75 mm	EPB PISTON Ø 51	STEELCALIPER LINE	16-Sep-23	16-Dec-23	3 MONTHS	
1,774	Distance Gauge	Z-0225-18-1	2.50 / 2.70 mm	EPB PISTON Ø 48	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
1,775	Distance Gauge	Z-0225-4-2	7.28 / 7.12 mm	EPB PISTON Ø 48	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,776	Distance Gauge	Z-0225-4-3	- mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Jan-24	29-Feb-24	1 MONTHS	
1,777	Distance Gauge	Z-0225-5-2	2.68 / 2.52 mm	EPB PISTON Ø 48	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,778	Distance Gauge	Z-0225-5-3	- mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Jan-24	29-Feb-24	1 MONTHS	
1,779	Distance Gauge	Z-0225-8-2	48.85 / 48.75 mm	EPB PISTON Ø 48	SRI VISHNU ENGINEERING	9-Feb-24	9-Mar-24	1 MONTHS	
1,780	Indicative Gauge	Z-0225-8-3	- mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Dec-23	29-Mar-24	3 MONTHS	
1,781	Distance Gauge	Z-0226-16-1	2.70 / 2.50 mm	EPB PISTON Ø 38	STEELCALIPER FI	7-Sep-23	7-Oct-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,782	Distance Gauge	Z-0226-16-2	- mm		STEELCALIPER RI	7-Jul-23	7-Aug-23	1 MONTHS	
1,783	Distance Gauge	Z-0226-16-3	2.70 / 2.50 mm	EPB PISTON Ø 38	STEELCALIPER FI	19-Jan-24	19-Feb-24	1 MONTHS	
1,784	Distance Gauge	Z-0226-19-1	7.12 / 7.28 mm	EPB PISTON Ø 38	BASKARA INDUSTRIES	17-Jan-24	17-Feb-24	1 MONTHS	
1,785	Distance Gauge	Z-0226-3-4	29.05 / 28.95 mm	V229 PRIMARY	FS CELL	12-Jan-24	12-Feb-24	1 MONTHS	
1,786	Distance Gauge	Z-0226-4-3	7.12 / 7.28 mm	EPB PISTON Ø 38	STEELCALIPER LINE	23-May-23	23-Jun-23	1 MONTHS	
1,787	Distance Gauge	Z-0226-4-4	- mm	EPB PISTON Ø 38	RECEIVING INSPECTION	2-Feb-24	2-Mar-24	1 MONTHS	
1,788	Indicative Gauge	Z-0226-5-1	mm	V229 PRIMARY	FS CELL	6-Feb-24	6-May-24	3 MONTHS	
1,789	Distance Gauge	Z-0226-5-2	2.68 / 2.52 mm	EPB PISTON Ø 38	BASKARA INDUSTRIES	20-Jan-24	20-Feb-24	1 MONTHS	
1,790	Distance Gauge	Z-0226-8-1	34.00 / 33.80 mm	EPB PISTON Ø 38	STEELCALIPER LINE	23-Mar-23	23-Jun-23	3 MONTHS	
1,791	Distance Gauge	Z-0226-8-2	34.00 / 33.80 mm	EPB PISTON Ø 38	BASKARA INDUSTRIES	7-Feb-24	7-May-24	3 MONTHS	
1,792	Distance Gauge	Z-0227-16-1	2.70 / 2.50 mm	EPB PISTON 34Ø	STEELCALIPER FI	27-Jan-24	27-Feb-24	1 MONTHS	
1,793	Distance Gauge	Z-0227-17-1	44.75 / 44.55 mm	V229 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
1,794	Distance Gauge	Z-0227-2-2	18.45 / 18.37 mm	V229 PRIMARY	NEWTECH INDIA	4-Jan-24	4-Apr-24	3 MONTHS	
1,795	Distance Gauge	Z-0227-2-3	18.45 / 18.37 mm	V229 PRIMARY	FS CELL	25-Nov-23	25-Feb-24	3 MONTHS	
1,796	Distance Gauge	Z-0227-4-3	7.12 / 7.28 mm	EPB PISTON 34Ø	BASKARA INDUSTRIES	22-Jan-24	22-Feb-24	1 MONTHS	
1,797	Distance Gauge	Z-0227-4-4	7.28 /7.12 mm	EPB PISTON 34Ø	NANDISHWARA ENGINEERING	28-Aug-23	28-Sep-23	1 MONTHS	
1,798	Distance Gauge	Z-0227-4-5	- mm	EPB PISTON 34Ø	RECEIVING INSPECTION	2-Feb-24	2-May-24	3 MONTHS	
1,799	Distance Gauge	Z-0227-5-1	2.68 / 2.52 mm	EPB PISTON 34Ø	BASKARA INDUSTRIES	27-Jan-24	27-Feb-24	1 MONTHS	
1,800	Distance Gauge	Z-0227-5-2	2.68 / 2.52 mm	EPB PISTON 34Ø	STEELCALIPER LINE	28-Sep-23	28-Oct-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,801	Distance Gauge	Z-0227-8-3	29.10 / 28.90 mm	EPB PISTON 34Ø	BASKARA INDUSTRIES	10-Jan-24	10-Apr-24	3 MONTHS	
1,802	Distance Gauge	Z-0228-4-1	- mm	EPB PIUSTON 36 Ø	NANDISHWARA ENGINEERING	30-Sep-23	30-Oct-23	1 MONTHS	
1,803	Distance Gauge	Z-0228-4-2	7.28 / 7.12 mm	EPB PIUSTON 36 Ø	BASKARA INDUSTRIES	6-Feb-24	6-Mar-24	1 MONTHS	
1,804	Distance Gauge	Z-0228-5-1	- mm	EPB PIUSTON 36 Ø	NANDISHWARA ENGINEERING	5-Oct-23	4-Nov-23	1 MONTHS	
1,805	Distance Gauge	Z-0228-5-2	2.68 / 2.52 mm	EPB PIUSTON 36 Ø	BASKARA INDUSTRIES	6-Feb-24	6-Mar-24	1 MONTHS	
1,806	Indicative Gauge	Z-0228-8-1	31.20 / 31.00 mm	EPB PIUSTON 36 Ø	NANDISHWARA ENGINEERING	20-Oct-23	20-Jan-24	3 MONTHS	
1,807	Indicative Gauge	Z-0228-8-2	- mm	EPB PIUSTON 36 Ø	NANDISHWARA ENGINEERING	3-Oct-23	3-Jan-24	3 MONTHS	
1,808	Indicative Gauge	Z-0228-8-3	31.20 / 31.00 mm	EPB PIUSTON 36 Ø	BASKARA INDUSTRIES	6-Dec-23	6-Mar-24	3 MONTHS	
1,809	Distance Gauge	Z-0244-5-3	- mm	EPB PISTON Ø 51	SRI VISHNU ENGINEERING	19-Jul-23	19-Aug-23	1 MONTHS	
1,810	Distance Gauge	Z-0252-8-1	38.65 / 38.45 mm	EPB PISTON Ø 43	NANDISHWARA ENGINEERING	15-Jun-23	15-Sep-23	3 MONTHS	
1,811	Indicative Gauge	Z-0252-8-2	38.65 / 38.45 mm	EPB PISTON Ø 43	NANDISHWARA ENGINEERING	20-Jan-24	20-Apr-24	3 MONTHS	
1,812	Distance Gauge	Z-0253-1-4	29.41 / 29.49 mm	E70 PRIMARY	TRW FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,813	Distance Gauge	Z-0253-4-7	29.425 / 29.475 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
1,814	Distance Gauge	Z-0261-FG-25-1	33.50 / 32.50 mm	V229 PRIMARY	FORGING	19-Dec-23	19-Mar-24	3 MONTHS	
1,815	Distance Gauge	Z-0262-5-2	31.625 / 31.655 mm	DS PRIMARY	PV ENGINEERING	20-Dec-23	20-Mar-24	3 MONTHS	
1,816	Distance Gauge	Z-0276-15-1	11.85 / 12.05 mm	E70 SECONDARY	NEWTECH INDIA	6-Jan-24	6-Apr-24	3 MONTHS	
1,817	Indicative Gauge	Z-0276-3-3	mm	E70 SECONDARY	NEWTECH INDIA	1-Dec-23	1-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,818	Distance Gauge	Z-0276-7-1	41.95 / 41.85 mm	E70 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
1,819	Distance Gauge	Z-0281-1-1	215.48 / 215.18 mm	PUSH ROD DJ -190	BASKARA INDUSTRIES II	21-Sep-22	21-Oct-22	1 MONTHS	
1,820	Distance Gauge	Z-0281-1-2	215.48 / 215.18 mm	PUSH ROD DJ -190	GAUGE STORAGE ROOM	27-Nov-22	27-Dec-22	1 MONTHS	
1,821	Distance Gauge	Z-0282-3-1	23.22 / 23.28 mm	DT PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
1,822	Distance Gauge	Z-0282-3-2	23.20 / 23.30 mm	DS PRIMARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
1,823	Distance Gauge	Z-0282-4-11	36.925 / 36.975 mm	DT PRIMARY	TRW FI	2-Feb-24	2-Mar-24	1 MONTHS	
1,824	Distance Gauge	Z-0282-4-9	36.925 / 39.975 mm	DT PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
1,825	Distance Gauge	Z-0282-7-1	36.925 / 36.975 mm	DS PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
1,826	Distance Gauge	Z-0282-FG-37-1	38.00 MIN mm	DS PRIMARY	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
1,827	Distance Gauge	Z-0291-1-5	26.93 / 26.89 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Dec-23	2-Mar-24	3 MONTHS	
1,828	Distance Gauge	Z-0291-3-5	18.45 / 18.37 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Dec-23	2-Mar-24	1 MONTHS	
1,829	Indicative Gauge	Z-0504-1-3-0	mm		KOTTAIYUR ENGINEERING	2-Dec-23	2-Mar-24	3 MONTHS	
1,830	Indicative Gauge	Z-0504-3-4	mm	U387 PRIMARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
1,831	Distance Gauge	Z-0504-3-5	14.33 / 14.27 mm	U387 PRIMARY	KOTTAIYUR ENGINEERING	2-Dec-23	2-Mar-24	3 MONTHS	
1,832	Distance Gauge	Z-0504-7-1	17.20 / 17.30 mm	E70 PRIMARY U387 PRIMARY	TRW FI	27-Jan-24	27-Feb-24	1 MONTHS	
1,833	Distance Gauge	Z-0504-7-3	17.22 / 17.28 mm	E70 PRIMARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
1,834	Distance Gauge	Z-0505-2-3	14.34 / 14.26 mm	U387 SECONDARY	NEWTECH INDIA	17-Nov-23	17-Feb-24	3 MONTHS	
1,835	Distance Gauge	Z-0505-3-1	46.10 / 46.00 mm	U387 SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,836	Indicative Gauge	Z-0510-4-1	mm	BMW SECONDARY	FS CELL	2-Nov-23	2-Feb-24	3 MONTHS	
1,837	Distance Gauge	Z-0511-2-3	3.45 / 3.55 mm	BMW SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,838	Distance Gauge	Z-0511-2-4	3.45 / 3.55 mm	BMW SECONDARY	PV ENGINEERING	20-Jan-23	20-Feb-23	1 MONTHS	
1,839	Distance Gauge	Z-0511-FG-1-2	5.20 MIN mm	BMW SECONDARY	FORGING	2-Sep-23	2-Dec-23	3 MONTHS	
1,840	Distance Gauge	Z-0511-FG-3-2	5.00 / 6.00 mm	22 secondary	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,841	Distance Gauge	Z-0524-FG-1-1	8.90 / 8.60 mm	J50 SECONDARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
1,842	Distance Gauge	Z-0525-FG-1-1	8.00 / 8.50 mm	J50 SECONDARY	FORGING	21-Jan-24	21-Apr-24	3 MONTHS	
1,843	Distance Gauge	Z-0526-FG-3-2	6.60 / 6.90 mm	RT PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
1,844	Distance Gauge	Z-0527-FG-11-2	7.00 MIN mm	27.Ø SECONDARY	FORGING	1-Feb-24	1-May-24	3 MONTHS	
1,845	Distance Gauge	Z-0541-13-1	36.25/36.05 mm	BMW PRIMARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
1,846	Distance Gauge	Z-0541-15-1	27.70 / 27.60 mm	BMW PRIMARY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
1,847	Distance Gauge	Z-0541-18-2	14.57 / 14.73 mm	BMW PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
1,848	Distance Gauge	Z-0541-4-1	36.10 / 36.20 mm	BMW PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
1,849	Distance Gauge	Z-0541-FG-1-3	6.60 / 6.90 mm	BMW PRIMARY	FORGING	8-Dec-23	8-Mar-24	3 MONTHS	
1,850	Distance Gauge	Z-0542-3-1	13.72 / 13.88 mm	BMW SECONDARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
1,851	Distance Gauge	Z-0542-6-1	31.08 / 30.98 mm	BMW SECONDARY	FS CELL	7-Dec-23	7-Mar-24	3 MONTHS	
1,852	Distance Gauge	Z-0542-8-2	37.55 / 37.45 mm	BMW SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,853	Distance Gauge	Z-0543-1-1	31.65 / 31.51 mm	HD PRIMARY	NEWTECH INDIA	10-Jan-24	10-Apr-24	3 MONTHS	
1,854	Distance Gauge	Z-0543-12-6	77.27 / 77.35 mm	HD PRIMARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
1,855	Distance Gauge	Z-0543-14-1	63.87 / 63.79 mm	T1XX HD PRIMARY	RECEIVING INSPECTION	9-Dec-23	9-Mar-24	3 MONTHS	
1,856	Distance Gauge	Z-0543-15-1	29.54 / 29.46 mm	HD PRIMARY	NEWTECH INDIA	10-Jan-24	10-Apr-24	3 MONTHS	
1,857	Distance Gauge	Z-0543-16-1	18.21 / 12.17 mm	HD PRIMARY	NEWTECH INDIA	10-Jan-24	10-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,858	Distance Gauge	Z-0543-24-9-A	77.37 / 77.27 mm	HD PRIMARY	TRW FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,859	Distance Gauge	Z-0543-29-1	38.01 / 37.98 mm	HD PRIMARY	NEWTECH INDIA	10-Jan-24	10-Apr-24	3 MONTHS	
1,860	Distance Gauge	Z-0543-3-1	37.98 / 38.01 mm	HD PRIMARY	NEWTECH INDIA	10-Jan-24	10-Apr-24	3 MONTHS	
1,861	Distance Gauge	Z-0544-12-1	11.60 / 11.40 mm	HD SECONDARY	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
1,862	Distance Gauge	Z-0544-22-2	49.08 / 48.92 mm	T1XX HD SECONDARY	NEWTECH INDIA	6-Feb-24	6-May-24	3 MONTHS	
1,863	Distance Gauge	Z-0544-23-3	38.61 / 38.41 mm	HD SECONDARY	RECEIVING INSPECTION	10-Jul-23	10-Oct-23	3 MONTHS	
1,864	Distance Gauge	Z-0544-3-2	29.54 / 29.46 mm	T1XX HD SECONDARY	RECEIVING INSPECTION	2-Jan-24	2-Apr-24	3 MONTHS	
1,865	Distance Gauge	Z-0544-3-5	29.46 / 29.54 mm	T1XX HD SECONDARY	NEWTECH INDIA	6-Jan-24	6-Apr-24	3 MONTHS	
1,866	Distance Gauge	Z-0551-17-1	36.05 / 36.25 mm	22 DIA PRIMARY	FS FI	2-Nov-22	2-Dec-22	1 MONTHS	
1,867	Distance Gauge	Z-0551-17-2	- mm	22 PRIMARY	FS FI	9-Jan-24	9-Feb-24	1 MONTHS	
1,868	Distance Gauge	Z-0551-18-2	6.95 / 6.55 mm	22 DIA PRIMARY	FS FI	29-Jan-24	29-Feb-24	1 MONTHS	
1,869	Distance Gauge	Z-0551-8-3	14.73 / 14.57 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
1,870	Distance Gauge	Z-0551-8-4	14.73 / 14.57 mm	22 secondary	RECEIVING INSPECTION	8-Jan-24	8-Apr-24	3 MONTHS	
1,871	Distance Gauge	Z-0551-FG-1-2	6.90 / 6.60 mm	22 PRIMARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,872	Distance Gauge	Z-0566-6-1	51.00 / 50.00 mm	DS PRIMARY	FORGING	8-Dec-23	8-Mar-24	3 MONTHS	
1,873	Distance Gauge	Z-0567-19-1	41.10 / 41.20 mm	DS SECONDARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
1,874	Indicative Gauge	Z-0567-3-2-0	mm	DS PRIMARY	PV ENGINEERING	20-Dec-23	20-Mar-24	3 MONTHS	
1,875	Distance Gauge	Z-0571-17-1	36.25 /36.05 mm	NISSON Ø 20.64 PRIMARY	GAUGE STORAGE ROOM	18-Oct-22	18-Nov-22	1 MONTHS	
	-								



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,876	Indicative Gauge	Z-0571-5-1	19.66 / 19.61 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	26-Dec-23	26-Mar-24	3 MONTHS	
1,877	Distance Gauge	Z-0571-5-2	19.61 / 19.66 mm	NISSON Ø 20.64 PRIMARY	CHENNAI AUTOMOTIVE	26-Dec-23	26-Mar-24	3 MONTHS	
1,878	Indicative Gauge	Z-0571-6-2	- mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	1-Jun-23	1-Sep-23	3 MONTHS	
1,879	Distance Gauge	Z-0572-7-2	3.40 / 3.60 mm	NISSAN 20.64 SECONDARY	FS FI	4-Jan-24	4-Feb-24	3 MONTHS	
1,880	Distance Gauge	Z-0572-FG-1-1	5.00 / 4.50 mm	NISSAN 20.64 SECONDARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,881	Distance Gauge	Z-0575-17-2	6.55 / 6.95 mm	W109 PRIMARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
1,882	Distance Gauge	Z-0576-2-3	3.58 / 3.42 mm	W109 SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,883	Distance Gauge	Z-0576-2-7	3.42 / 3.58 mm	W109 SECONDARY	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
1,884	Distance Gauge	Z-0576-2-8	3.42 / 3.58 mm	W109 SECONDARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
1,885	Distance Gauge	Z-0581-11-1	53.45 / 53.65 mm	CALIPER PISTON 0581	CALIPER LINE	7-Nov-23	7-Feb-24	3 MONTHS	
1,886	Distance Gauge	Z-0581-1-2	54.60 / 54.40 mm	CALIPER PISTON 0581	CALIPER LINE	12-Jan-24	12-Apr-24	3 MONTHS	
1,887	Distance Gauge	Z-0581-12-1	8.60 / 8.75 mm	CALIPER PISTON 0581	CALIPER LINE	4-Jan-24	4-Feb-24	1 MONTHS	
1,888	Distance Gauge	Z-0581-16-1	8.25 / 8.75 mm	CALIPER PISTON 0581	CALIPER FI	8-Sep-23	8-Oct-23	1 MONTHS	
1,889	Indicative Gauge	Z-0581-6-1-0	mm	CALIPER PISTON 0581	CALIPER LINE	19-Jan-24	19-Apr-24	3 MONTHS	
1,890	Distance Gauge	Z-0581-9-1	52.95 / 53.15 mm	CALIPER PISTON 0581	CALIPER LINE	19-Jan-24	19-Apr-24	1 MONTHS	
1,891	Distance Gauge	Z-0581-9-2	53.150 /52.950 mm	EPB PISTON Ø 48	BASKARA INDUSTRIES	29-Jan-24	29-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,892	Distance Gauge	Z-0581-FG-3-2	8.15 / 7.85 mm	CALIPER PISTON 0581	FORGING	21-Nov-23	21-Feb-24	3 MONTHS	
1,893	Distance Gauge	Z-0582-1-2	3.92 / 4.08 mm	NISSON Ø 23 SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,894	Distance Gauge	Z-0582-12-3	38.05 / 37.95 mm	YIK (Ø 19.05) SECONDRY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,895	Distance Gauge	Z-0582-12-4	38.05 / 37.95 mm	NISSON A SEC	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
1,896	Distance Gauge	Z-0582-12-5	38.05/37.95 mm	22 secondary	FS FI	24-Jan-24	24-Feb-24	1 MONTHS	
1,897	Distance Gauge	Z-0582-1-3	3.92 / 4.08 mm	NISSON Ø 23 SECONDARY	FS FI	17-Jan-24	17-Feb-24	1 MONTHS	
1,898	Distance Gauge	Z-0582-2-1	38.05 / 37.95 mm	NISSON Ø 23 SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,899	Distance Gauge	Z-0582-2-2	37.95 / 38.05 mm	NISSON Ø 23 SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,900	Distance Gauge	Z-0584-1-4	4.08 / 3.92 mm	NISSON A SEC	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
1,901	Distance Gauge	Z-0584-1-5	- mm		FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
1,902	Distance Gauge	Z-0584-1-6	3.92 / 4.08 mm	NISSON Ø 23 SECONDARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
1,903	Distance Gauge	Z-0584-1-7	3.92 / 4.08 mm	NISSON A SEC	FS FI	8-Jan-24	8-Feb-24	1 MONTHS	
1,904	Distance Gauge	Z-0584-3-4	14.88 / 14.72 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
1,905	Distance Gauge	Z-0585-12-2	28.92 / 29.08 mm	U202 PRIMARY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
1,906	Indicative Gauge	Z-0585-15-1	mm	U202 PRIMARY	PV ENGINEERING	27-Dec-23	27-Mar-24	3 MONTHS	
1,907	Distance Gauge	Z-0585-9-1	13.62 / 13.78 mm	U202 PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
1,908	Distance Gauge	Z-0586-14-2	44.48 / 44.32 mm	U202 SECONDARY	KOTTAIYUR ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,909	Distance Gauge	Z-0587-1-1	44.65 / 44.59 mm		PRECICOM	25-Dec-23	25-Mar-24	3 MONTHS	
1,910	Distance Gauge	Z-0587-2-1	50.71 / 50.67 mm	PISTON PRIMARY 2595	PRECICOM	25-Dec-23	25-Mar-24	3 MONTHS	
1,911	Distance Gauge	Z-0587-7-1	19.05 / 19.02 mm	PISTON PRIMARY 2595	PRECICOM	10-Nov-23	10-Feb-24	3 MONTHS	
1,912	Distance Gauge	Z-0589-1-1	54.40 / 54.60 mm	CALIPER PISTON 0581	CALIPER LINE	4-Jan-24	4-Feb-24	1 MONTHS	
1,913	Distance Gauge	Z-0589-2-2	54.90 / 55.10 mm	CALIPER PISTON 0581	PRECICOM	6-Feb-23	6-Mar-23	1 MONTHS	
1,914	Distance Gauge	Z-0589-22-1	54.90 / 55.10 mm	CALIPER PISTON 0581	CALIPER LINE	10-Nov-23	10-Feb-24	3 MONTHS	
1,915	Distance Gauge	Z-0590-19-2	48.38 / 48.15 mm	BR166 PRIMARY	FS FI	8-Jan-24	8-Feb-24	1 MONTHS	
1,916	Distance Gauge	Z-0590-20-1	6.55 / 6.95 mm	BR166 PRIMARY	FS FI	12-Jan-24	12-Feb-24	1 MONTHS	
1,917	Distance Gauge	Z-0590-5-1	49.76 / 49.60 mm	CALIPER PISTON 54 DIA	CALIPER LINE	10-Jun-23	10-Sep-23	3 MONTHS	
1,918	Distance Gauge	Z-0590-6-1	8.75 / 8.25 mm	CALIPER PISTON 0581	CALIPER FI	8-Oct-23	8-Nov-23	1 MONTHS	
1,919	Distance Gauge	Z-0590-7-3	48.30 / 48.20 mm	BR166 PRIMARY	FS FI	4-Jan-24	4-Apr-24	3 MONTHS	
1,920	Distance Gauge	Z-0590-7-4	48.30 / 48.20 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
1,921	Distance Gauge	Z-0590-7-5	48.30 / 48.20 mm	BR166 PRIMARY	FS FI	12-Feb-24	12-Mar-24	1 MONTHS	
1,922	Distance Gauge	Z-0590-9-3	14.73 / 14.57 mm	BR166 PRIMARY	FS FI	9-Feb-24	9-Mar-24	1 MONTHS	
1,923	Distance Gauge	Z-0590-9-4	14.73 / 14.57 mm	BR166 PRIMARY	FS FI	12-Feb-24	12-Mar-24	1 MONTHS	
1,924	Distance Gauge	Z-0590-FG-1-1	6.90 / 6.60 mm	CALIPER PISTON 54 DIA	FORGING	4-Jan-24	4-Apr-24	3 MONTHS	
1,925	Distance Gauge	Z-0590-fg-1-2	6.90 / 6.60 mm	BR166 PRIMARY	FORGING	20-Jan-24	20-Apr-24	3 MONTHS	
1,926	Distance Gauge	Z-0591-3-1	3.58 / 3.42 mm	BR166 SECONDARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,927	Distance Gauge	Z-0591-3-3	3.42 / 3.58 mm	BR166 SECONDARY	RECEIVING INSPECTION	3-Jan-24	3-Apr-24	3 MONTHS	
1,928	Distance Gauge	Z-0591-3-4	3.42 / 3.58 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
1,929	Distance Gauge	Z-0591-3-5	3.58 / 3.42 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
1,930	Distance Gauge	Z-0591-5-3	41.55 / 41.45 mm	BR166 SECONDARY	FS FI	12-Feb-24	12-Mar-24	1 MONTHS	
1,931	Distance Gauge	Z-0591-5-4	41.55 / 41.45 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	9-Feb-24	9-Mar-24	1 MONTHS	
1,932	Distance Gauge	Z-0591-7-1	15.72 / 15.88 mm	BR166 SECONDARY	RECEIVING INSPECTION	4-Jan-24	4-Apr-24	3 MONTHS	
1,933	Distance Gauge	Z-0591-7-3	15.88 / 15.72 mm	BR166 SECONDARY	FS FI	12-Feb-24	12-Mar-24	1 MONTHS	
1,934	Distance Gauge	Z-0591-7-4	15.88 / 15.72 min	BR166 SECONDARY	FS FI	9-Feb-24	9-Mar-24	1 MONTHS	
1,935	Distance Gauge	Z-0591-FG-2-1	5.00 MIN mm	BR166 SECONDARY	FORGING	8-Feb-24	8-May-24	3 MONTHS	
1,936	Distance Gauge	Z-0592-10-1	8.35 / 8.65 mm	CALIPER PISTON 54 DIA	CALIPER LINE	12-Dec-23	12-Mar-24	3 MONTHS	
1,937	Distance Gauge	Z-0592-13-1	53.45 / 53.65 mm	CALIPER PISTON 0581	CALIPER LINE	27-Aug-23	27-Sep-23	1 MONTHS	
1,938	Distance Gauge	Z-0592-9-2	7.82 / 7.98 mm	CALIPER PISTON 0581	CALIPER LINE	4-Jan-24	4-Feb-24	1 MONTHS	
1,939	Distance Gauge	Z-0593-14-1	27.73 / 27.57 mm	HYUNDAI PRIMARY	FS CELL	22-Jun-23	22-Jul-23	1 MONTHS	
1,940	Distance Gauge	Z-0593-17-1	40.55 / 40.75 mm	HYUNDAI PRIMARY	FS FI	9-Jul-23	9-Aug-23	1 MONTHS	
1,941	Distance Gauge	Z-0593-18-1	6.55 / 6.95 mm	HYUNDAI PRIMARY	FS FI	17-Jul-23	17-Aug-23	1 MONTHS	
1,942	Distance Gauge	Z-0593-20-1	27.57 / 27.73 mm	HYUNDAI PRIMARY	FS FI	24-Jul-23	24-Aug-23	1 MONTHS	
1,943	Distance Gauge	Z-0593-9-1	14.73 / 14.57 mm	HYUNDAI PRIMARY	GAUGE STORAGE ROOM	11-Oct-22	11-Nov-22	1 MONTHS	
1,944	Distance Gauge	Z-0594-2-2	3.42 / 3.58 mm	HYUNDAI SECONDARY	FS FI	17-Jan-24	17-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,945	Distance Gauge	Z-0594-2-3	3.58 / 3.42 mm	W501 SECONDARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
1,946	Distance Gauge	Z-0594-3-1	42.10 / 41.90 mm	HYUNDAI SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,947	Distance Gauge	Z-0594-5-1	13.88 / 13.72 mm	HYUNDAI SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
1,948	Distance Gauge	Z-0594-6-1	35.42 / 35.58 mm	HYUNDAI SECONDARY	FS CELL	16-Jun-23	16-Sep-23	3 MONTHS	
1,949	Distance Gauge	Z-0594-9-1	35.42 / 35.58 mm	HYUNDAI SECONDARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
1,950	Distance Gauge	Z-0595-13-1	39.20 / 39.10 mm	RT PRIMARY	FS FI	25-Mar-23	25-Apr-23	1 MONTHS	
1,951	Distance Gauge	Z-0595-14-1	6.55 / 6.95 mm	RT PRIMARY	FS FI	25-Mar-23	25-Apr-23	1 MONTHS	
1,952	Distance Gauge	Z-0595-16-1	27.07 / 27.23 mm	RT PRIMARY	FS FI	25-Mar-23	25-Apr-23	1 MONTHS	
1,953	Distance Gauge	Z-0595-2-4	26.01 / 25.96 mm	W109 SECONDARY	PV ENGINEERING	22-Jul-23	22-Oct-23	3 MONTHS	
1,954	Distance Gauge	Z-0596-10-1	30.98 / 31.08 mm	RT SECONDRY	FS FI	10-Feb-24	10-May-24	3 MONTHS	
1,955	Distance Gauge	Z-0596-4-2	40.95 / 41.05 mm	RT SECONDRY	FS CELL	5-Feb-24	5-May-24	1 MONTHS	
1,956	Distance Gauge	Z-0596-7-1	31.05 / 30.95 mm	RT SECONDRY	FS CELL	20-Nov-23	20-Feb-24	1 MONTHS	
1,957	Indicative Gauge	Z-0597-1-2	mm	W109 SECONDARY	PV ENGINEERING	19-Jan-24	19-Apr-24	3 MONTHS	
1,958	Indicative Gauge	Z-0597-1-4	26.01/25.96 mm	W109 SECONDARY	PV ENGINEERING	19-Jan-24	19-Apr-24	3 MONTHS	
1,959	Indicative Gauge	Z-0597-1-5	26.01 / 25.96 mm	W109 PRIMARY	FS CELL	27-Jan-24	27-Apr-24	3 MONTHS	
1,960	Indicative Gauge	Z-0597-1-6	26.01 / 25.96 mm	W109 SECONDARY	FS CELL	6-Nov-23	6-Feb-24	3 MONTHS	
1,961	Indicative Gauge	Z-0621-5-10	mm	AB YOKE	YOKE CELL	21-Jan-24	21-Apr-24	3 MONTHS	
1,962	Indicative Gauge	Z-0621-5-11	mm	AB YOKE	YOKE CELL	21-Jan-24	21-Apr-24	3 MONTHS	
1,963	Indicative Gauge	Z-0621-5-12	mm	AB YOKE	YOKE CELL	14-Nov-23	14-Feb-24	3 MONTHS	
1,964	Indicative Gauge	Z-0621-5-2	mm	AB YOKE	YOKE CELL	8-Oct-23	8-Jan-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,965	Indicative Gauge	Z-0621-5-3	mm	AB YOKE	YOKE CELL	14-Dec-23	14-Mar-24	3 MONTHS	
1,966	Distance Gauge	Z-0621-5-6	102.975 / 103.025 mm	AB YOKE	YOKE CELL	2-Nov-23	2-Feb-24	3 MONTHS	
1,967	Indicative Gauge	Z-0621-5-7	mm	AB YOKE	YOKE CELL	3-Jan-24	3-Apr-24	3 MONTHS	
1,968	Indicative Gauge	Z-0621-5-8	mm	AB YOKE	YOKE CELL	17-Feb-24	17-May-24	3 MONTHS	
1,969	Indicative Gauge	Z-0621-5-9	mm	AB YOKE	YOKE CELL	21-Jan-24	21-Apr-24	3 MONTHS	
1,970	Distance Gauge	Z-0621-6-2	30.90 / 30.70 mm	AB YOKE	YOKE CELL	10-Dec-23	10-Jan-24	1 MONTHS	
1,971	Distance Gauge	Z-0621-6-4	30.70 / 30.90 mm	AB YOKE	YOKE CELL	27-Apr-23	27-May-23	1 MONTHS	
1,972	Distance Gauge	Z-0621-7-1	97.45 / 97.95 mm	AB YOKE	YOKE CELL	24-Dec-22	24-Mar-23	3 MONTHS	
1,973	Indicative Gauge	Z-0623-5-1-0	mm	Dana Yoke	YOKE CELL	22-Feb-23	22-May-23	3 MONTHS	
1,974	Indicative Gauge	Z-0657-2-1	mm	KTIG - BA YOKE	YOKE CELL	17-Dec-23	17-Mar-24	3 MONTHS	
1,975	Indicative Gauge	Z-0657-2-2	115.620 / 1178 mm	FCA / SFA YOKE	YOKE CELL	29-Dec-23	29-Mar-24	3 MONTHS	
1,976	Indicative Gauge	Z-0657-2-3	- mm	SFA YOKE	YOKE CELL	3-Jan-24	3-Apr-24	3 MONTHS	
1,977	Indicative Gauge	Z-0658-2-1	mm	KTIG- HA YOKE	YOKE CELL	3-Jan-24	3-Apr-24	3 MONTHS	
1,978	Indicative Gauge	Z-0672-2-1	mm		YOKE CELL	1-Nov-23	1-Feb-24	3 MONTHS	
1,979	Indicative Gauge	Z-0672-2-2	128.48 / 128.32 mm	YOKE	YOKE CELL	20-Nov-23	20-Feb-24	3 MONTHS	
1,980	Indicative Gauge	Z-0672-2-3	min	KTIG - BA YOKE	YOKE CELL	3-Nov-23	3-Feb-24	3 MONTHS	
1,981	Indicative Gauge	Z-0682-1-2	97.95 / 97.89 mm	Dana Yoke	YOKE CELL	28-Oct-23	28-Jan-24	3 MONTHS	
1,982	Indicative Gauge	Z-0682-1-3	97.750 / 97.890 mm	Dana Yoke	YOKE CELL	11-Dec-23	11-Mar-24	3 MONTHS	
1,983	Indicative Gauge	Z-0682-1-4	- mm	Dana Yoke	YOKE CELL	19-Oct-23	19-Jan-24	3 MONTHS	
1,984	Indicative Gauge	Z-0682-1-5	97.95 / 97.89 mm	Dana Yoke	YOKE CELL	19-Sep-23	19-Dec-23	3 MONTHS	
1,985	Indicative Gauge	Z-0682-2-1	mm	Dana Yoke	GAUGE STORAGE ROOM	16-Sep-22	16-Dec-22	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
1,986	Indicative Gauge	Z-0682-2-2	101.95 /101.85 mm	Dana Yoke	GAUGE STORAGE ROOM	29-Oct-22	29-Jan-23	3 MONTHS	
1,987	Indicative Gauge	Z-0682-3-1	102.10/101.70 mm		YOKE CELL	16-Dec-23	16-Mar-24	3 MONTHS	
1,988	Distance Gauge	Z-0701-1-1	22.83,22.78 mm	NISSAN B SECONDARY	FS CELL	4-Jan-24	4-Apr-24	3 MONTHS	
1,989	Indicative Gauge	Z-0701-1-4-0	mm	NISSAN B SECONDARY	FS CELL	27-Oct-23	27-Jan-24	3 MONTHS	
1,990	Distance Gauge	Z-0701-3-1	27.90 / 27.80 mm	23 DIA SEC / PRIMARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
1,991	Distance Gauge	Z-0701-FG-6-1	8.80 / 9.30 mm	HA/ RBI PRIMARY	FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
1,992	Distance Gauge	Z-0701-FG-6-2	9.50/9.00 mm	KANGER PRIMARY	FORGING	22-Nov-23	22-Feb-24	3 MONTHS	
1,993	Distance Gauge	Z-0702-1-1	28.25 / 25.15 mm	NISSAN B SECONDARY	FS CELL	22-Jun-23	22-Jul-23	1 MONTHS	
1,994	Distance Gauge	Z-0702-2-1	28.28 / 28.12 mm	NISSON Ø 23 SECONDARY	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
1,995	Distance Gauge	Z-0702-FG-1-2	14.50 MIN mm	HA/ RBI SECONDARY	FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
1,996	Distance Gauge	Z-0702-FG-4-1	13.30 / 16.30 mm	HA/ RBI SECONDARY	FORGING FI	18-Jan-24	18-Apr-24	3 MONTHS	
1,997	Distance Gauge	Z-0703-1-4	21.19 / 21.23 mm	W501 SECONDARY	FS CELL	6-Dec-23	6-Mar-24	3 MONTHS	
1,998	Distance Gauge	Z-0703-1-5	21.24 / 21.19 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	15-Dec-23	15-Mar-24	3 MONTHS	
1,999	Distance Gauge	Z-0703-1-6	21.24 / 21.19 mm	22 DIA PRIMARY	CHENNAI AUTOMOTIVE	15-Dec-23	15-Mar-24	3 MONTHS	
2,000	Distance Gauge	Z-0703-1-7	21.24 / 21.19 mm	22 DIA PRIMARY	CHENNAI AUTOMOTIVE	17-Jul-23	17-Oct-23	3 MONTHS	
2,001	Distance Gauge	Z-0703-2-2	27.80 / 27.90 mm	22 DIA PRIMARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
2,002	Distance Gauge	Z-0703-3-2	27.93 / 27.77 mm	22 DIA PRIMARY	FS FI	29-Jan-24	29-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,003	Distance Gauge	Z-0703-5-2	36.20/36.10 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
2,004	Distance Gauge	Z-0703-5-4	36.20 / 36.10 mm	22 PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
2,005	Distance Gauge	Z-0703-5-5	36.10 / 36.20 mm		RECEIVING INSPECTION	9-Jul-22	9-Oct-22	3 MONTHS	
2,006	Distance Gauge	Z-0703-5-6	36.10/36.20 mm	22 DIA PRIMARY	CHENNAI AUTOMOTIVE	16-Sep-23	16-Oct-23	1 MONTHS	
2,007	Distance Gauge	Z-0704-1-2	28.25 / 28.15 mm	NISSON A SEC	FS CELL	8-Feb-24	8-May-24	1 MONTHS	
2,008	Distance Gauge	Z-0704-2-1	28.28 / 28.12 mm	NISSON Ø 23 SECONDARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,009	Distance Gauge	Z-0705-1-1	27.80 / 27.90 mm	BR166 PRIMARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,010	Distance Gauge	Z-0705-1-2	27.59 27.54 mm	BR166 SECONDARY	CHENNAI AUTOMOTIVE	12-Jan-24	12-Apr-24	3 MONTHS	
2,011	Distance Gauge	Z-0705-1-3	27.59 / 29.54 mm		RECEIVING INSPECTION	9-Mar-23	9-Jun-23	3 MONTHS	
2,012	Distance Gauge	Z-0705-1-4	27.54 / 27.59 mm	BR166 PRIMARY	CHENNAI AUTOMOTIVE	12-Jan-24	12-Apr-24	3 MONTHS	
2,013	Distance Gauge	Z-0705-3-1	27.93 / 27.77 mm	BR166 PRIMARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,014	Distance Gauge	Z-0706-1-1	31.12 / 31.28 mm	BR166 SECONDARY	FS CELL	2-Feb-24	2-May-24	1 MONTHS	
2,015	Distance Gauge	Z-0706-2-1	31.12 / 31.28 mm	BR166 SECONDARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,016	Distance Gauge	Z-0707-11-1	26.58 / 26.42 mm	TATA PRIMARY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
2,017	Distance Gauge	Z-0707-12-6	30.72 / 30.88 mm	K2 PRIMARY	PV ENGINEERING	6-Feb-24	6-Mar-24	1 MONTHS	
2,018	Distance Gauge	Z-0707-12-7	30.72 / 30.88 mm	TATA PRIMARY	RECEIVING INSPECTION	30-Jan-24	30-Apr-24	3 MONTHS	
2,019	Distance Gauge	Z-0707-16-1	30.70 / 30.90 mm	TATA PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
2,020	Distance Gauge	Z-0707-17-2	5.20 / 5.80 mm	TATA PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,021	Indicative Gauge	Z-0707-8-1	mm	TATA PRIMARY	PV ENGINEERING	9-Dec-23	9-Mar-24	3 MONTHS	
2,022	Distance Gauge	Z-0707-FG-7-1	5.25 / 5.75 mm	TATA PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,023	Distance Gauge	Z-0708-2-4	17.65 / 17.95 mm	TATA SECONDRY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
2,024	Distance Gauge	Z-0708-2-5	17.95 / 17.65 mm	TATA SECONDRY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
2,025	Indicative Gauge	Z-0708-3-2	mm	TATA SECONDRY	PV ENGINEERING	4-Jan-24	4-Apr-24	3 MONTHS	
2,026	Distance Gauge	Z-0708-3-3	20.16 / 20.22 mm	TATA SEC	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
2,027	Distance Gauge	Z-0708-9-1	39.38 / 39.22 mm	TATA SECONDRY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
2,028	Distance Gauge	Z-0708-FG-1-1	18.50 / 19.00 mm	TATA SEC	FORGING	2-Feb-24	2-May-24	3 MONTHS	
2,029	Distance Gauge	Z-0709-7-3	25.48 / 25.32 mm	K2 PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
2,030	Distance Gauge	Z-0709-7-4	25.32 / 25.48 mm	K2 PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
2,031	Distance Gauge	Z-0709-9-1	4.20 / 4.80 mm	K2 PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
2,032	Distance Gauge	Z-0709-FG-4-1	4.75 / 4.25 mm	K2 PRIMARY	FORGING	17-Jan-24	17-Apr-24	3 MONTHS	
2,033	Distance Gauge	Z-0710-3-2	12.65 / 12.95 mm	TATA SECONDRY	REJECTION BOX	8-Nov-22	8-Dec-22	1 MONTHS	
2,034	Distance Gauge	Z-0710-3-3	12.65/12.95 mm	K2 SECONDARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
2,035	Distance Gauge	Z-0710-5-1	34.22 / 34.38 mm	K2 SECONDARY	PV ENGINEERING	8-Feb-24	8-Mar-24	1 MONTHS	
2,036	Distance Gauge	Z-0710-FG-10-1	13.50 MIN mm	K2 SECONDARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
2,037	Indicative Gauge	Z-0711-11-2-0	mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
2,038	Indicative Gauge	Z-0711-5-1-0	mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
2,039	Indicative Gauge	Z-0711-6-1-0	mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
2,040	Indicative Gauge	Z-0711-9-1	mm	Plunger 1014	BOSCH FI	17-Jan-24	17-Apr-24	3 MONTHS	
2,041	Indicative Gauge	Z-0711-9-2-0	mm	Plunger 1014	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,042	Indicative Gauge	Z-0711-9-4	25.264 / 25.280 mm	Plunger 1014	RECEIVING INSPECTION	18-Nov-23	18-Feb-24	3 MONTHS	
2,043	Indicative Gauge	Z-0712-11-2	mm	S101 PRI / SEC	PV ENGINEERING	7-Dec-23	7-Mar-24	3 MONTHS	
2,044	Distance Gauge	Z-0712-14-2	30.72 / 30.88 mm	S101 PRIMARY	PV ENGINEERING	6-Feb-24	6-Mar-24	1 MONTHS	
2,045	Distance Gauge	Z-0712-18-2	30.70 / 30.90 mm	S101 PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
2,046	Distance Gauge	Z-0712-FG-4-1	4.75 / 4.25 mm	S101 PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,047	Distance Gauge	Z-0713-3-1	21.79 / 21.74 mm	S101 PRI / SEC	PV ENGINEERING	8-Jan-24	8-Apr-24	3 MONTHS	
2,048	Indicative Gauge	Z-0713-3-2	mm	S101 PRI / SEC	RECEIVING INSPECTION	2-Jun-23	2-Sep-23	3 MONTHS	
2,049	Distance Gauge	Z-0713-FG-1-1	14.00 / 13.50 mm	S101 PRI / SEC	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,050	Distance Gauge	Z-0716-26-1	110.15/109.85 mm	WABCO PIPE	WABCO FI	24-Nov-23	24-Dec-23	1 MONTHS	
2,051	Distance Gauge	Z-0716-9-2	4.90 / 5.40 mm	WABCO PIPE	WABCO CELL	9-Feb-24	9-Mar-24	1 MONTHS	
2,052	Distance Gauge	Z-0716-9-3	mm	WABCO PIPE	WABCO CELL	1-Jul-23	1-Aug-23	1 MONTHS	
2,053	Distance Gauge	Z-0716-FG-5-1	5.70 / 6.70 mm	WABCO PIPE	FORGING	9-Feb-24	9-May-24	3 MONTHS	
2,054	Distance Gauge	Z-0726-11-1	30.78 / 30.62 mm	ZETS / BOLD PRIMARY	FS FI	5-Feb-24	5-Mar-24	1 MONTHS	
2,055	Distance Gauge	Z-0726-14-1	39.30 / 39.10 mm	ZETS / BOLD PRIMARY	FS FI	5-Feb-24	5-Mar-24	1 MONTHS	
2,056	Distance Gauge	Z-0726-5-1	39.25/39.15 mm	ZETS / BOLD PRIMARY	FS FI	12-Feb-24	12-Mar-24	1 MONTHS	
2,057	Distance Gauge	Z-0726-5-2	39.25 / 39.15 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
2,058	Distance Gauge	Z-0726-7-1	15.78/15.62 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
2,059	Distance Gauge	Z-0726-7-2	15.78 / 15.62 mm	ZETS / BOLD PRIMARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,060	Distance Gauge	Z-0726-9-1	30.75 / 30.65 mm	ZETS / BOLD PRIMARY	FS CELL	10-Feb-24	10-Mar-24	1 MONTHS	
2,061	Distance Gauge	Z-0726-FG-3-1	11.45 / 11.15 mm	ZETS / BOLD PRIMARY	FORGING	21-Jan-24	21-Apr-24	3 MONTHS	
2,062	Distance Gauge	Z-0727-12-1	11.50 / 11.10 mm	ZETS / BOLD PRIMARY	FS FI	5-Feb-24	5-Mar-24	1 MONTHS	
2,063	Distance Gauge	Z-0727-3-2	6.55 / 6.45 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
2,064	Distance Gauge	Z-0727-3-3	6.55 / 6.45 mm	ZEST / BOLD SECONDARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,065	Distance Gauge	Z-0727-3-4	6.45 / 6.55 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
2,066	Distance Gauge	Z-0727-6-1	15.38 / 15.22 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
2,067	Distance Gauge	Z-0727-7-1	40.05 / 39.95 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	12-Feb-24	12-Mar-24	1 MONTHS	
2,068	Distance Gauge	Z-0727-7-2	40.05 / 39.95 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	24-Jan-24	24-Feb-24	1 MONTHS	
2,069	Distance Gauge	Z-0727-7-3	40.05/39.95 mm	X601 secondary	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
2,070	Distance Gauge	Z-0727-FG-3-1	7.30 / 7.80 mm	ZEST / BOLD SECONDARY	FORGING	2-Dec-23	2-Mar-24	3 MONTHS	
2,071	Distance Gauge	Z-0728-1-1	75.18 / 75.12 mm	PISTON 1468	RAJASARATHY	19-Dec-23	19-Mar-24	3 MONTHS	
2,072	Distance Gauge	Z-0728-2-1	72.48 / 72.42 mm	PISTON 1468	RAJASARATHY	19-Dec-23	19-Mar-24	3 MONTHS	
2,073	Distance Gauge	Z-0728-3-1	63.98 / 63.92 mm	PISTON 1468	RAJASARATHY	19-Dec-23	19-Mar-24	3 MONTHS	
2,074	Distance Gauge	Z-0731-1-1	41.80 / 41.70 mm	W109 PRIMARY	PV ENGINEERING	8-Feb-24	8-Mar-24	1 MONTHS	
2,075	Distance Gauge	Z-0731-1-2	41.80 / 41.70 mm	W109 PRIMARY	FS CELL	8-Feb-24	8-Mar-24	1 MONTHS	
2,076	Distance Gauge	Z-0731-2-1	13.03 / 12.87 mm	W109 PRIMARY	PV ENGINEERING	6-Feb-24	6-Mar-24	1 MONTHS	
2,077	Distance Gauge	Z-0731-2-2	13.03 / 12.87 mm	W109 PRIMARY	PV ENGINEERING	23-Jan-24	23-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,078	Distance Gauge	Z-0731-6-1	26.90 / 27.00 mm	W109 PRIMARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
2,079	Distance Gauge	Z-0731-7-1	41.85 / 41.65 mm	W109 PRIMARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,080	Distance Gauge	Z-0731-9-1	27.03 / 26.87 mm	W109 PRIMARY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,081	Distance Gauge	Z-0732-5-2	13.88 / 13.72 mm	BMW SECONDARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
2,082	Distance Gauge	Z-0732-5-3	13.88 / 13.72 mm	W109 SECONDARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
2,083	Distance Gauge	Z-0732-7-1	39.95 / 40.05 mm	ZEST / BOLD SECONDARY	CHENNAI AUTOMOTIVE	17-May-23	17-Jun-23	1 MONTHS	
2,084	Indicative Gauge	Z-0735-1-1	mm	DT PRIMARY	PV ENGINEERING	6-Dec-23	6-Mar-24	3 MONTHS	
2,085	Indicative Gauge	Z-0736-1-2	mm	DT PRIMARY	PV ENGINEERING	2-Dec-23	2-Mar-24	3 MONTHS	
2,086	Indicative Gauge	Z-0736-1-3	- mm	DT PRIMARY	NEWTECH INDIA	23-Dec-23	23-Mar-24	3 MONTHS	
2,087	Indicative Gauge	Z-0736-2-1	33.496 / 33.416 mm	DT SECONDARY	NEWTECH INDIA	24-Jan-24	24-Apr-24	3 MONTHS	
2,088	Indicative Gauge	Z-0736-2-2	mm	DT SECONDARY	RECEIVING INSPECTION	2-Dec-23	2-Mar-24	3 MONTHS	
2,089	Indicative Gauge	Z-0736-2-3	24.806 / 24.726 mm	FML SECONDARY	NEWTECH INDIA	25-Jul-23	25-Oct-23	3 MONTHS	
2,090	Indicative Gauge	Z-0736-3-2	mm	DT PRIMARY DT SECONDARY	RECEIVING INSPECTION	2-Dec-22	2-Mar-23	3 MONTHS	
2,091	Distance Gauge	Z-0736-5-1	38.20 / 38.10 mm	DT SECONDARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
2,092	Distance Gauge	Z-0736-5-2	38.20 / 38.10 mm	DT SECONDARY	NEWTECH INDIA	2-Feb-24	2-Mar-24	1 MONTHS	
2,093	Distance Gauge	Z-0738-3-1	112.15 / 111.85 mm	WABCO PIPE	WABCO FI	30-Dec-23	30-Jan-24	1 MONTHS	
2,094	Distance Gauge	Z-0743-1-2	- mm	X601 PRIMAERY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,095	Distance Gauge	Z-0743-2-1	- mm		FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,096	Distance Gauge	Z-0743-5-1	- mm	X601 secondary	FS CELL	16-Sep-23	16-Oct-23	1 MONTHS	
2,097	Distance Gauge	Z-0743-6-1	30.75/30.65 mm	X601 PRIMAERY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
2,098	Distance Gauge	Z-0744-1-1	- mm	X601 secondary	FS CELL	24-Jul-23	24-Aug-23	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,099	Distance Gauge	Z-0744-1-2	- mm	X601 secondary	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,100	Distance Gauge	Z-0744-4-2	15.38/15.22 mm	X601 secondary	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,101	Distance Gauge	Z-0748-1-1	4.90 / 5.10 mm	WABCO PIPE	WABCO CELL	17-Jan-24	17-Feb-24	1 MONTHS	
2,102	Distance Gauge	Z-0750-FG-1-1	5.70 / 6.70 mm	WABCO PIPE	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,103	Distance Gauge	Z-0752-2-2	63.89 / 63.79 mm	T1XX HD PRIMARY	TRW FI	17-Jan-24	17-Feb-24	1 MONTHS	
2,104	Distance Gauge	Z-0753-2-1	44.05 / 43.95 mm	T1XX HD SECONDARY	TRW FI	1-Feb-24	1-Mar-24	1 MONTHS	
2,105	Distance Gauge	Z-0753-2-2	44.04 / 43.95 mm	T1XX HD SECONDARY	NEWTECH INDIA	2-Feb-24	2-Mar-24	1 MONTHS	
2,106	Distance Gauge	Z-0753-4-3	63.87 / 63.79 mm	T1XX HD PRIMARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
2,107	Distance Gauge	Z-0754-11-1	27.60 / 27.70 mm	BOLERO PRIMARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,108	Distance Gauge	Z-0754-15-1	6.95 / 6.55 mm	BOLERO PRIMARY	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
2,109	Distance Gauge	Z-0754-18-1	27.73 / 27.57 mm	BR166 PRIMARY	FS FI	23-Jan-24	23-Feb-24	1 MONTHS	
2,110	Distance Gauge	Z-0754-6-2	24.42 / 24.37 mm	BOLERO SECONDRY	FS CELL	4-Jan-24	4-Apr-24	3 MONTHS	
2,111	Distance Gauge	Z-0754-8-1	14.73 / 14.57 mm	BOLERO PRIMARY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
2,112	Distance Gauge	Z-0754-9-2	36.10 / 36.20 mm	BOLERO PRIMARY	PV ENGINEERING	2-Feb-24	2-Mar-24	1 MONTHS	
2,113	Distance Gauge	Z-0754-FG-4-1	6.90 / 6.60 mm	BOLERO PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,114	Distance Gauge	Z-0759-11-1	35.25 /35.15 mm	VW MQB PRIMARY	NEWTECH INDIA	29-Jan-24	29-Feb-24	1 MONTHS	
2,115	Distance Gauge	Z-0759-12-1	28.90 / 28.80 mm	VW MQB PRIMARY	NEWTECH INDIA	29-Jan-24	29-Feb-24	1 MONTHS	
2,116	Distance Gauge	Z-0759-20-1	35.30 / 35.10 mm	VW MQB PRIMARY	FS FI	10-Jan-24	10-Feb-24	1 MONTHS	
2,117	Distance Gauge	Z-0759-22-1-0	mm	VW MQB PRIMARY	FS FI	11-Apr-23	11-May-23	1 MONTHS	
2,118	Distance Gauge	Z-0759-FG-1-1	mm	VW MQB PRIMARY	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
2,119	Distance Gauge	Z-0760-5-1	8.15 / 8.45 mm	VW MQB SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,120	Distance Gauge	Z-0760-7-1	38.68 / 38.52 mm	VW MQB SECONDARY	NEWTECH INDIA	23-Jan-24	23-Feb-24	1 MONTHS	
2,121	Distance Gauge	Z-0760-FG-1-1	9.00 MIN mm	VW MQB SECONDARY	FORGING	11-Dec-23	11-Mar-24	3 MONTHS	
2,122	Distance Gauge	Z-0764-12-1	26.90 / 26.80 mm	FCA PRIMARY -23.810	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
2,123	Distance Gauge	Z-0764-12-2	26.90 / 26.80 mm	FCA PRIMARY -23.810	RECEIVING INSPECTION	9-Jan-24	9-Apr-24	3 MONTHS	
2,124	Distance Gauge	Z-0764-13-1	32.25 / 32.15 mm	FCA PRIMARY -23.810	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
2,125	Distance Gauge	Z-0764-21-1	6.30 / 5.90 mm	FCA PRIMARY -23.810	FS FI	29-Jan-24	29-Feb-24	1 MONTHS	
2,126	Distance Gauge	Z-0764-24-1	26.95 / 26.75 mm	FCA PRIMARY -23.810	FS FI	17-Jan-24	17-Feb-24	1 MONTHS	
2,127	Distance Gauge	Z-0764-FG-1-1	6.25 / 5.95 mm	FCA PRIMARY -23.810	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
2,128	Distance Gauge	Z-0765-4-1	8.45 / 8.15 mm	FCA PRIMARY -23.810	NEWTECH INDIA	13-Jan-24	13-Feb-24	1 MONTHS	
2,129	Distance Gauge	Z-0765-4-2	8.45 / 8.15 mm	FCA SECONDARY -23.81 Ø	RECEIVING INSPECTION	9-Nov-23	9-Feb-24	3 MONTHS	
2,130	Distance Gauge	Z-0765-6-1	8.50 / 8.10 mm	FCA SECONDARY -23.81 Ø	FS FI	10-Jan-24	10-Feb-24	1 MONTHS	
2,131	Distance Gauge	Z-0765-FG-1-1	9.00 MIN mm	FCA SECONDARY -23.81 Ø	FORGING	10-Feb-24	10-May-24	3 MONTHS	
2,132	Distance Gauge	Z-0766-1-1	18.07 / 18.02 mm	YIK (Ø19.05) PRIMARY	FS CELL	8-Dec-23	8-Mar-24	3 MONTHS	
2,133	Distance Gauge	Z-0766-2-1	34.50 / 34.40 mm	YIK (Ø19.05) PRIMARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,134	Distance Gauge	Z-0766-4-2	13.03 / 12.87 mm	YIK (Ø19.05) PRIMARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,135	Distance Gauge	Z-0766-7-1	26.33 / 26.17 mm	YIK (Ø19.05) PRIMARY	FS FI	9-Feb-24	9-Mar-24	1 MONTHS	
2,136	Distance Gauge	Z-0766-8-1	6.30 / 5.90 mm	YIK (Ø 19.05) SECONDRY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,137	Distance Gauge	Z-0766-9-1	34.55 / 34.35 mm	YIK (Ø 19.05) SECONDRY	FS FI	9-Feb-24	9-Mar-24	1 MONTHS	
2,138	Distance Gauge	Z-0766-FG-10-1	6.25 / 5.95 mm	YIK (Ø19.05) PRIMARY	FORGING	11-Jan-24	11-Apr-24	3 MONTHS	
2,139	Distance Gauge	Z-0767-10-1	28.38 / 28.22 mm	Y1K SECONDRY	FS FI	13-Jan-24	13-Feb-24	1 MONTHS	
2,140	Distance Gauge	Z-0767-1-1	3.92 / 4.08 mm	YIK (Ø 19.05) SECONDRY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
2,141	Distance Gauge	Z-0767-1-2	3.92 / 4.08 mm	YIK (Ø 19.05) SECONDRY	FS FI	2-Feb-24	2-Mar-24	1 MONTHS	
2,142	Indicative Gauge	Z-0767-3-1	18.07 / 18.02 mm	Y1K SECONDRY	FS CELL	27-Oct-23	27-Jan-24	3 MONTHS	
2,143	Distance Gauge	Z-0767-5-1	14.88 / 14.72 mm	YIK (Ø 19.05) SECONDRY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,144	Distance Gauge	Z-0767-FG-12-1	5.00 MIN mm	YIK (Ø 19.05) SECONDRY	FORGING	17-Nov-23	17-Feb-24	3 MONTHS	
2,145	Distance Gauge	Z-0767-fg-12-2	5.00 Min mm	W601 SECONDARY	FORGING	2-Dec-23	2-Mar-24	3 MONTHS	
2,146	Distance Gauge	Z-0772-2-1	3.58 / 3.42 mm	BOLERO SECONDRY	FS FI	5-Feb-24	5-Mar-24	1 MONTHS	
2,147	Distance Gauge	Z-0772-2-2	3.58 / 3.42 mm		PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
2,148	Distance Gauge	Z-0772-4-1	37.45 / 37.55 mm	BOLERO SECONDRY	PV ENGINEERING	13-Jan-24	13-Feb-24	1 MONTHS	
2,149	Distance Gauge	Z-0772-5-1	31.05 / 30.95 mm	BOLERO SECONDRY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
2,150	Distance Gauge	Z-0772-5-2	31.05 / 30.950 mm	BOLERO SECONDRY	FS CELL	20-Apr-23	20-May-23	1 MONTHS	
2,151	Distance Gauge	Z-0772-9-1	13.88 / 13.72 mm	BOLERO SECONDRY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
2,152	Distance Gauge	Z-0772-FG-1-1	4.50 MIN mm	BOLERO PRIMARY	FORGING	2-Dec-23	2-Mar-24	3 MONTHS	
2,153	Distance Gauge	Z-0773-1-1	100.58 / 100.52 mm	PISTON 1802	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,154	Distance Gauge	Z-0773-2-1	97.88 / 97.82 mm	PISTON 1802	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
2,155	Distance Gauge	Z-0773-3-1	89.88 / 89.32 mm	PISTON 1802	RAJASARATHY	20-Dec-23	20-Mar-24	3 MONTHS	
2,156	Distance Gauge	Z-0775-10-1	27.60 / 27.70 mm	W501 PRIMARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
2,157	Distance Gauge	Z-0775-11-1	27.73 / 27.57 mm	W501 PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
2,158	Distance Gauge	Z-0775-12-1	6.55 / 6.95 mm	W501 PRIMARY	FS FI	6-Jan-24	6-Feb-24	1 MONTHS	
2,159	Distance Gauge	Z-0775-14-1	45.75 / 45.55 mm	W501 PRIMARY	FS FI	6-Feb-24	6-Mar-24	1 MONTHS	
2,160	Distance Gauge	Z-0775-6-1	45.70 / 45.60 mm	W501 PRIMARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
2,161	Indicative Gauge	Z-0775-6-2	21.19 / 21.24 mm	W601 PRIMARY	FS CELL	14-Nov-23	14-Feb-24	3 MONTHS	
2,162	Distance Gauge	Z-0775-8-1	14.73 / 14.57 mm	W501 PRIMARY	FS CELL	6-Feb-24	6-Mar-24	1 MONTHS	
2,163	Distance Gauge	Z-0775-FG-5-1	6.60 / 6.90 mm	W501 PRIMARY	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,164	Distance Gauge	Z-0776-2-1	3.58 / 3.42 mm	W501 SECONDARY	FS CELL	20-Nov-23	20-Dec-23	1 MONTHS	
2,165	Distance Gauge	Z-0776-3-1	37.45 / 37.55 mm	W501 SECONDARY	FS CELL	20-Jan-24	20-Feb-24	1 MONTHS	
2,166	Distance Gauge	Z-0776-5-1	31.05 / 30.95 mm	W501 SECONDARY	FS CELL	14-Nov-23	14-Dec-23	1 MONTHS	
2,167	Distance Gauge	Z-0777-10-1	27.43 / 43.27 mm	MQB PRIMARY	FS FI	8-Jan-24	8-Feb-24	1 MONTHS	
2,168	Distance Gauge	Z-0777-11-1	5.00 / 4.60 mm	MQB PRIMARY	FS FI	8-Jan-24	8-Feb-24	1 MONTHS	
2,169	Distance Gauge	Z-0777-13-1	35.75 / 35.55 mm	MQB PRIMARY	FS FI	29-Jan-24	29-Feb-24	1 MONTHS	
2,170	Indicative Gauge	Z-0777-5-1	21.24 / 21.19 mm	MQB PRIMARY	FS CELL	15-Nov-23	15-Feb-24	3 MONTHS	
2,171	Distance Gauge	Z-0777-6-1	35.70 / 35.60 mm	MQB PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
2,172	Distance Gauge	Z-0777-7-1	13.02 / 12.88 mm	MQB PRIMARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
2,173	Distance Gauge	Z-0777-FG-4-1	4.95 / 4.65 mm	MQB PRIMARY	FORGING	11-Dec-23	11-Mar-24	3 MONTHS	
2,174	Distance Gauge	Z-0778-1-2	4.32 / 4.48 mm	MQB SECONDARY	FS FI	21-Jan-24	21-Feb-24	1 MONTHS	
2,175	Distance Gauge	Z-0778-1-3	4.32 / 4.48 mm	MQB SECONDARY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,176	Distance Gauge	Z-0778-2-1	41.05 / 40.95 mm	MQB SECONDARY	FS CELL	5-Feb-24	5-Mar-24	1 MONTHS	
2,177	Distance Gauge	Z-0778-3-1	15.08 / 14.92 mm	MQB SECONDARY	FS CELL	2-Feb-24	2-Mar-24	1 MONTHS	
2,178	Distance Gauge	Z-0778-5-1	31.280 / 31.120 mm	MQB SECONDARY	FS FI	13-Jan-24	13-Feb-24	1 MONTHS	
2,179	Distance Gauge	Z-0783-10-1	1.550 / 1.450 mm	Z101 PRIMARY	CHENNAI AUTOMOTIVE	24-Aug-23	24-Sep-23	1 MONTHS	
2,180	Indicative Gauge	Z-0783-6-1	24.90 / 24.940 mm	Z101 PRIMARY	CHENNAI AUTOMOTIVE	28-Jul-23	28-Oct-23	3 MONTHS	
2,181	Distance Gauge	Z-0783-8-1	25.00 / 24.90 mm	Z101 PRIMARY	CHENNAI AUTOMOTIVE	24-Aug-23	24-Sep-23	1 MONTHS	
2,182	Distance Gauge	Z-0784-10-1	6.10 / 5.90 mm	Z101 SECONDSRY	CHENNAI AUTOMOTIVE	24-Aug-23	24-Sep-23	1 MONTHS	
2,183	Distance Gauge	Z-0784-10-2	6.10 /5.90 mm	Z101 SECONDSRY	RECEIVING INSPECTION	4-May-23	4-Aug-23	1 MONTHS	
2,184	Distance Gauge	Z-0784-19-1	35.650 / 35.450 mm	Z101 SECONDSRY	FS FI	4-Nov-23	4-Dec-23	1 MONTHS	
2,185	Distance Gauge	Z-0784-9-1	35.60/35.50 mm	Z101 SECONDSRY	CHENNAI AUTOMOTIVE	24-Aug-23	24-Sep-23	1 MONTHS	
2,186	Distance Gauge	Z-0784-9-2	35.60 /35.50 mm	Z101 SECONDSRY	RECEIVING INSPECTION	4-May-23	4-Aug-23	3 MONTHS	
2,187	Distance Gauge	Z-0784-FG-3-1	7.00/6.50 mm	Z101 SECONDSRY	FORGING	2-Feb-24	2-May-24	3 MONTHS	
2,188	Distance Gauge	Z-0785-1-1	39.00 / 38.90 mm	W601 SECONDARY	FS CELL	12-Jan-24	12-Feb-24	1 MONTHS	
2,189	Distance Gauge	Z-0785-2-1	13.02 / 12.87 mm	W601 PRIMARY	FS CELL	12-Jan-24	12-Feb-24	1 MONTHS	
2,190	Distance Gauge	Z-0786-1-1	14.32 / 14.48 mm	W601 SECONDARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
2,191	Distance Gauge	Z-0786-2-1	40.45 / 4.55 mm	W601 SECONDARY	FS CELL	23-Jan-24	23-Feb-24	1 MONTHS	
2,192	Distance Gauge	Z-0787-10-1	6.60 / 6.40 mm	KANGER PRIMARY	PV ENGINEERING	6-Feb-24	6-Mar-24	1 MONTHS	
2,193	Distance Gauge	Z-0787-12-1	48.750 /48.85 mm	KANGER PRIMARY	PV ENGINEERING	29-Jan-24	29-Feb-24	1 MONTHS	
2,194	Distance Gauge	Z-0787-14-1	26.88 / 26.72 mm	KANGER PRIMARY	PV ENGINEERING	6-Feb-24	6-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,195	Distance Gauge	Z-0787-15-1	23.48 / 23.32 mm	KANGER PRIMARY	PV ENGINEERING	6-Feb-24	6-Mar-24	1 MONTHS	
2,196	Distance Gauge	Z-0788-5-1	36.05 / 35.95 mm	KANGER SECONDARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
2,197	Distance Gauge	Z-0788-6-1	mm	K2 SECONDARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
2,198	Distance Gauge	Z-0788-FG-1-1	8.55 / 8.95 mm	KANGER SECONDARY	FORGING	16-Nov-23	16-Feb-24	3 MONTHS	
2,199	Indicative Gauge	Z-0807-1-1	48.10 47.90 mm		NON AUTO LINE	9-Nov-23	9-Feb-24	3 MONTHS	
2,200	Indicative Gauge	Z-0807-1-2	- mm	END YOKE	NON AUTO LINE	29-Jan-24	29-Apr-24	3 MONTHS	
2,201	Distance Gauge	Z-090806-2-1	- mm	FML PRIMARY	PV ENGINEERING	24-Jul-23	24-Aug-23	1 MONTHS	
2,202	Distance Gauge	Z-090806-fg-1-1	- mm	FML PRIMARY	FORGING	24-Jun-23	24-Sep-23	1 MONTHS	
2,203	Distance Gauge	Z-1037-7-1	64.75 /64.25 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	16-Dec-23	16-Mar-24	3 MONTHS	
2,204	Distance Gauge	Z-1038-18-5	2.75 / 2.41 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	17-Jan-24	17-Feb-24	1 MONTHS	
2,205	Distance Gauge	Z-1038-18-6	2.75 / 2.41 mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	20-Jan-24	20-Feb-24	1 MONTHS	
2,206	Indicative Gauge	Z-1038-22-2	mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	25-Jan-24	25-Apr-24	3 MONTHS	
2,207	Indicative Gauge	Z-1038-22-3	31.980 / 31.880 mm	PISTON ACCUMULATOR	RECEIVING INSPECTION	9-Jan-24	9-Apr-24	3 MONTHS	
2,208	Indicative Gauge	Z-1038-37-2	mm	PISTON ACCUMULATOR	BASKARA INDUSTRIES	22-Nov-23	22-Feb-24	3 MONTHS	
2,209	Distance Gauge	Z-1038-FG-13-1	10.00 / 9.50 mm	PISTON ACCUMULATOR	FORGING	10-Jan-24	10-Apr-24	3 MONTHS	
2,210	Distance Gauge	Z-1039-4-10	65.18 / 65.12 mm	POWER PISTON	BASKARA INDUSTRIES	20-Jan-24	20-Feb-24	1 MONTHS	
2,211	Distance Gauge	Z-1039-4-11	65.18 / 65.12 mm	POWER PISTON	BASKARA INDUSTRIES	13-Feb-24	13-Mar-24	1 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,212	Distance Gauge	Z-1039-6-6	65.10 / 65.20 mm	POWER PISTON	BOSCH FI	21-Jan-24	21-Feb-24	1 MONTHS	
2,213	Distance Gauge	Z-1039-FG-1-5	38.05 / 37.65 mm	POWER PISTON	FORGING	20-Jan-24	20-Feb-24	1 MONTHS	
2,214	Distance Gauge	Z-1040-12-11	57.31 / 57.25 mm		BASKARA INDUSTRIES	18-Mar-23	18-Apr-23	1 MONTHS	
2,215	Distance Gauge	Z-1040-18-3	57.23 / 57.33 mm	POWER PISTON	BOSCH FI	25-May-23	25-Jun-23	1 MONTHS	
2,216	Distance Gauge	Z-1040-FG-6-4	30.15 / 29.75 mm	POWER PISTON	FORGING	20-Jan-24	20-Apr-24	1 MONTHS	
2,217	Distance Gauge	Z-1053-29-2	43.22 / 43.08 mm	CAP ACCUMULATOR	BASKARA INDUSTRIES	21-Dec-23	21-Mar-24	3 MONTHS	
2,218	Distance Gauge	Z-1053-FG-28-1	8.40 / 8.00 mm	CAP ACCUMULATOR	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,219	Distance Gauge	Z-1053-FG-47-2	7.60 / 7.20 mm	CAP ACCUMULATOR	FORGING	6-Dec-23	6-Mar-24	3 MONTHS	
2,220	Distance Gauge	Z-1068-6-5	210.15 / 209.85 mm		GAUGE STORAGE ROOM	3-Sep-22	3-Oct-22	1 MONTHS	
2,221	Distance Gauge	Z-1068-6-8	210.15 / 209.85 mm	INPUT ROD-3748	GAUGE STORAGE ROOM	1-Nov-22	1-Dec-22	1 MONTHS	
2,222	Distance Gauge	Z-1087-1-1	13.82 / 13.62 mm	PISTON SECONDARY	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
2,223	Distance Gauge	Z-1087-11-1	44.58 / 44.66 mm	PISTON SECONDARY	PRECICOM	25-Nov-23	25-Feb-24	3 MONTHS	
2,224	Distance Gauge	Z-1087-11-2	44.58 / 44.66 mm	PISTON SECONDARY	PRECICOM	9-Dec-23	9-Mar-24	3 MONTHS	
2,225	Distance Gauge	Z-1087-39-1	67.23 / 66.99 mm	PISTON SECONDARY	BOSCH FI	28-Jan-24	28-Apr-24	3 MONTHS	
2,226	Distance Gauge	Z-1087-40-1	17.82 / 17.58 mm	PISTON SECONDARY	BOSCH FI	13-Jan-24	13-Apr-24	3 MONTHS	
2,227	Distance Gauge	Z-1087-FG-24-1	8.90 / 9.10 mm	PISTON SECONDARY	FORGING	8-Jan-24	8-Apr-24	3 MONTHS	



SL No	GAUGES / INSTRUMENT GAUGES	IMTE NO	SPEC	PRODUCT NAME	LOCATION	LAST CALIBRATION DATE	NEXT CALIBRATION DATE	CALIBRATION FREQUENCY & UOM	REMARKS
2,228	Distance Gauge	Z-1087-FG-26-1	19.00 / 19.50 mm	PISTON SECONDARY	FORGING	10-Feb-24	10-May-24	3 MONTHS	
2,229	Distance Gauge	Z-1089-1-2	13.82 / 13.62 mm	PISTON SECONDARY	PRECICOM	24-Jan-24	24-Feb-24	1 MONTHS	
2,230	Distance Gauge	Z-1089-59-1	101.93 / 101.66 mm	HYDROMAX PISTON	PRECICOM	8-Jan-24	8-Feb-24	1 MONTHS	
2,231	Distance Gauge	Z-1099-1-2	103.28 / 102.78 mm	INPUT ROD 8228	GAUGE STORAGE ROOM	1-Nov-22	1-Dec-22	1 MONTHS	
2,232	Distance Gauge	Z-1204-3-5	103.28 / 102.78 mm		BASKARA INDUSTRIES II	2-Sep-22	2-Oct-22	1 MONTHS	
2,233	Distance Gauge	Z-2103-4-1	243.70/243.50 mm	CONTACT CYLINDER BODY 4247	S.K.R Ind	10-Nov-23	10-Feb-24	3 MONTHS	
2,234	Distance Gauge	Z-2103-60-7-1-0	mm		S.K.R Ind	12-Nov-23	12-Dec-23	1 MONTHS	
2,235	Distance Gauge	Z-703-2-2	- mm	22 DIA PRIMARY	FS CELL	20-Jul-23	20-Aug-23	1 MONTHS	
2,236	Distance Gauge	Z-726-14-1	- mm	ZETS / BOLD PRIMARY	FS FI	4-Jul-23	4-Aug-23	1 MONTHS	
2,237	Distance Gauge	Z-90806-17-1	15.34 / 15.26 mm	FML PRIMARY	PV ENGINEERING	27-Jan-24	27-Feb-24	1 MONTHS	
2,238	Distance Gauge	Z-90806-2-1	- mm	FML PRIMARY	PV ENGINEERING	17-Jan-24	17-Feb-24	1 MONTHS	
2,239	Distance Gauge	Z-90806-5-1	35.05/34.95 mm	FML PRIMARY	TRW FI	23-Dec-23	23-Jan-24	1 MONTHS	
2,240	Distance Gauge	Z-90806-6-1	15.35/15.25 mm	FML PRIMARY	TRW FI	23-Jan-24	23-Feb-24	1 MONTHS	
2,241	Distance Gauge	Z-90806-fg-1-1	37.50/36.50 mm	FML PRIMARY	FORGING	23-Dec-23	23-Mar-24	3 MONTHS	
2,242	Distance Gauge	Z-90807-2-1	- mm	FML SECONDARY	NEWTECH INDIA	17-Jan-24	17-Feb-24	1 MONTHS	
2,243	Distance Gauge	Z-90807-5-1	- mm	FML SECONDARY	TRW FI	24-Jan-24	24-Feb-24	1 MONTHS	